

Updating a Bridge



Before upgrading your BRIDGE installation to BRIDGE 7, please consult our [Bridge 7 Migration Guide](#). It explains important prerequisites concerning

- [software versions](#)
- [license handling](#)
- [BRIDGE Certificates](#)
- [service repositories](#) and the [BUILDER / Compiler](#)
- [Node.js](#) and [REST](#) services

Additionally, it features a migration checklist to guide you through all necessary tasks.

To update a BRIDGE® using an installer, there are two standard update routines available:

- Guided update with a GUI (see [Guided Update of the BRIDGE with GUI](#))
- GUI-less update (see [Updating a GUI-less Installation of the BRIDGE](#))

Preliminary Notes

- Bridge 7 The BRIDGE installer will check your Bridge license. When updating a BRIDGE to a new version (e.g. BRIDGE 6 to BRIDGE 7), you need to apply the new license **before** updating the system. Otherwise the installer will complain about a license mismatch: "Your current license version '<your old version>' is not valid for upgrading to Bridge version '<target version>'. Please update the license first and run the update installation again."
- As of Bridge 7, the BRIDGE uses Apache 2.4. You can find information on behavior changes on the [Apache pages](#).



If you have modified the Apache configuration as described on [Configuring the Proxy](#), you may need to apply your changes to the new Apache templates that have been provided with the update. Please refer to the mentioned page for more information.

- The BRIDGE Installer overwrites file **server.xml** upon updating the BRIDGE. The old server.xml is copied to **server.xml.old**. If you changed the server.xml of your BRIDGE installation (to e.g. apply an individual Tomcat configuration), you can re-apply your changes from the copy.



But please note, that there will be only one copy of server.xml: server.xml.old will get overwritten on every update.

- Bridge 7 If you are updating an older installation (e.g. BRIDGE 6), your BRIDGE and/or proxy certificate might still use the MD5 algorithm. This algorithm is insecure and deprecated and is not accepted by BRIDGE 7 installations anymore.



Before updating your BRIDGE, make sure that both certificates are using a secure algorithm, e.g. SHA256. How to update the certificates is described on [Managing the Bridge Certificate](#) and [Managing Bridge Proxy Server Certificates](#) pp.

- When updating the BRIDGE, all deployed services (xUML, Node.js, and Java services) will be kept. However, the **automatic startup** option will be ignored on the very first start-up after the update.

On this Page:

- [Preliminary Notes](#)

Related Pages:

- [Installing a BRIDGE \(Installer\)](#)
- [Troubleshooting Bridge Installation](#)

Related Documentation:

- [Bridge 7 Migration Guide](#)
- [What's new in Bridge 7?](#)
- [Configuring the Proxy](#)
- [Managing the Bridge Certificate](#)
- [Managing Bridge Proxy Server Certificates](#)
- [Apache Upgrade Notes](#)