Working With the Explorer


After logging in for the first time, the Explorer of the Scheer PAS Designer opens.

The Explorer structures your work within the Designer. Structuring elements are **namespaces**, **folders**, and **services** (see Main Elements in the Explorer Tree). In the tree of the Explorer, you can find all


namespaces that have been assigned to your user by your administrator. This pages describes how to use the Explorer tree to create new folders and services.

The Explorer Tab

Click icon to open (or close) the explorer tab:



The Explorer Tree



On this Page:


- The Explorer TabThe Explorer Tree
 - Main Elements in the Explorer
 - Tree
 Creating
 New
 - Elements
 Further
 Functiona
 lities of
 the
 Explorer

Related Pages:

- Namespaces
- Folders
- Services
- Exporting and Importing Explorer Contents
- Searching in the Designer
- Modeling BPMN
- Modeling Execution
- Modeling Forms

Related Documentation:

Administrating UsersManaging Profiles



You can also rearrange the content of the explorer tab by dragging and dropping elements.


Start dragging an element to a new place in the tree. Allowed destinations are highlighted.



D

а g & d r 0 р is 0 nl У р 0 S si bl е W it hi n t h е S а m е n а m е S p a С е . Ү 0 u С а n n 0 t d r а g tr е е el

m е n ts t 0 а n 0 t h е r n а m е s p a С e.



To open a service, click on the service name in the explorer tree.

- 1. The Service tab will open.
- 2. The service details will be display ed on the right side of the tree.



T 0 а С С е S S h е S е rv ic е , cl ic k 0 n t h е t h e

exporertabiconoronthesericedetaisareatoclosetheexporertab.RefertosericePanelforfunter

0 m а ti 0 n.

Main Elements in the Explorer Tree


In the **Explorer tree** you can use the following elements to structure your work:

Name	Element Icon	Element Icon when expanded	Description	Further Information
Namesp ace	2	-	All Designer content is stored within a Namespace . Namespaces have to be created and assigned to the user accounts in the Scheer PAS <i>Administration</i> .	 Namespa ces
			Refer to the Administration Guide for further information on the creation of namespaces.	
Folder			In Folders you can organize your contents, therefore it is possible to create folders on different levels of the tree. You can create folders • to namespaces. • within other folders.	• Folders
Service	4		A Service contains one executable micro service. Services are created in the Explorer tree. The necessary settings for your service such as the service properties, the BPMN model, the data model, used libraries and forms are managed within the service. You need to open a service to access its contents via the Service panel, refer to Service Panel for details.	Services

Creating New Elements



Each element is explained in detail on the element pages: Namespaces, Folders and Services.



The only restrict ion for folder names is that they must not be empty. To all other eleme nts in the Explor er, the followi ng name restrict ions apply:

Eleme nt names

...

...
m
u
t
n
o
t
b
e
e
m
u
t
b
e
e
m
p
ty.
...

. . m ust n o t c o n t ai n s p a c e


s.

•
m
u st n o t st a rt w it h n u m b e rs.
n o
t
a
W
h
u
b
rs.
m u
n st
o t
e n
d W
it h
a p
e ri
o d
u st n o t e n d w it h a p e ri o d ().
,


	sedaselement names:CON, PRN, AUX, NUL, COM1, COM2, COM3, COM4, COM5, COM6, COM7, COM8, COM9, La
	, C O M 8
	C O M 9
	P

	T1,LPT2,LPT3,LPT4,LPT5,LPT6,LPT7,LPT8,LPT9.
--	---

Further Functionalities of the Explorer



On top of the explorer tree you can find a search box. Select the part of the explorer tree (namespace , folder or service) you want to search, and enter a search term.





The node in the Explorer tree is Rece nt Services. Below this node, for quick access, the last ten services are listed you have recently worked on.

