Configuring Form Elements



is a te c h ni c al de nt ifi e r th at is n ot s h o w n to th e u s e r. D u ri n g m o d e in g in th e for m e di to r, it is di s pla y e d o n th e to p ri g h fo e a c h e e m

e nt. D
e s c ri p ti o n : U s e this field to e nt e r d e s crip ti v e text fo r th e fo r m e e m ent in a text editor. This is helpful for documentation pur p

	0 S
:	e S.
Most form	
elem nts	e
the attrib	ut
e:	_
•	L a h
	el :
	T h
	e c o
	nt e
	nt of th
	is at
	tri b
	ut e w
	ill b
	e di s
	pl a
	y e d
	u in th
	e e
	x e c
	ut e
	d fo r
	m a
	s th
	el e
	m e
	's n
	a m
There	e. Ə
are two	
exce ions:	ot

• **G r o u p i n g i n s e** a d of th e la b el at tri b ut e, th e g **r** o u p i **n** g el e m e nt h a s th e fi el d **H e a d er** . The content of this field will be displayed in th

e e x e c u e d for m a s th e h e a d e r for th e g r o u p n g s e ction. Y o u c a n al s o hi d e it b y di s a b e in g at ti b u e **S h o w H e a d e r** . **S u b f o** •

r m: The subformd oe snot contain a field to display an ame, be cau se instead of the subformelem entheasignedformissho

	W
	n
	d
	u
	ri
	n
	g
	е
	х
	е
	С
	ut
	io
	n.

Simple_Form_Example



Click the icon to download a simple example model that shows how you can **config ure form elements** in **Scheer PAS** *Designer*.

Defining Preset Values

For some form elements you can preset values:

- Text Box
- Text Area
- Select Field
- Radio Button Group
- Date Picker



Text Box and Text Area





Text Content added to attribute Text is shown in the element. If the user does not change the content of the field during form execution, the content of Text will be saved to the database.

Placeho Ider

The content of this attribute is displayed in the element when attribute Text has not been filled. The placeholder is a sample value, it is not saved to the database. When a user overwrites the placeholder, it disappears and the user's input is saved to attribute Text (

If content is added to both attributes **Text** and **PI aceholde**, the content of **Text** is displayed in the element.



Select Field and Radio Button Group



The elements Se lect Field an d Radio Button Group conta in the attribute:

Options



	d Oanfarmette	-						If you click
Fiel	Value	n	Labol		Default			the icon
	1		Blue	5		×		
	2		Blac	-		×		💇 the Fie
	9		Ped			×		ld
**	5				U			Configurati
								on editor
	Add			Save	Cancel			opens.
]	Enter a
								value and a
								label for
								each
								ontion
								option.
								Select the
								radio button
								in the Defau
								It column to
								preset this
								value as
								default in
								the element.
								Example:
+	Base Types				Cus	stomer		
:=	Attributes		×		from order ord			The second
Pro	perties		^	Choose a color	TOTAL COLOR_SAN	oction		value Black
	Name	form_color_selection						is preset as
	Description	Enter text	S	at use a set of	form_color_sele	ction2		default
	Label	Choose a color		Choose a color				value in the
	Mandatory							element.
	Read-only							
	Options	3 options	6					
-	Vertical Alignment	Тор	•					

Date Picker





