


# Button

|               |  |
|---------------|--|
| Element       | <div><div>FormButton</div></div>   |
| Icon          |   |
| Description   | Buttons are necessary to leave a form and access the next process step.  |
| Type          | Boolean  |
| Prepopulation | This element cannot be prepopulated.   |
| Editing       | Refer to <a href="#">Modeling Forms</a> for further information regarding editing of form elements using the context menu. |

## On this Page:

- [Configuration Options](#)

## Simple\_Form\_Example



Click the icon to download a simple example model that shows how you can **configure form elements** in **Scheer PAS Designer**.



## Configuration Options

Use the **Attributes** panel to edit the form element.

| Attribute          | Description  | Allowed Values  |   |
|--------------------|--|---|---|
| Name               | Technical identifier for data processing and not visible for the end user.   | Alphanumeric characters and underscore. <div><div><div>i</div><div>It is not allowed to start the name with a number.</div></div></div> |   |
| Description        | A commentary field for the developer. The content is invisible to users and its sole purpose is internal documentation.  | Any string.   |   |
| Label              | Field name shown in the form.  | Any string.   |   |
| Read-only          | This field is write-protected. When you use the option, <b>Read-only</b> is added to the bottom right of the element: <div><div><div>Input Field</div><div>Read-only</div></div></div>   | true  | User cannot enter values.                               |
|                    |  | false   | User can enter values (default).                        |
| Primary            | The button will be highlighted in blue to distinguish it from other buttons. Use this attribute to indicate to the user that this button is the default button.  | true  | Button is highlighted.                                  |
|                    |  | false   | Button is not highlighted (default).                    |
| Vertical Alignment | The attribute is used to adjust the position of a form element in context to a bigger neighboring element.<br><b>Example:</b> The <b>Radio Button Group Color</b> is much bigger than the <b>Button Next</b> , but the button should be shown at the bottom of the form. Therefore, the button's attribute <b>Vertical Alignment</b> is set to <b>Bottom</b> . | Top   | Align the element on top of the element cell (default). |
|                    |  | Center  | Align the element in the middle of the element cell.    |

## Related Pages:

- [Supported Form Elements](#)
- [Form - Process Interaction](#)

|                          |  |  |
|--------------------------|--|--|
|                          |   | <div>B</div> <div>Align the element at the bottom of the form element cell.</div>  |
| <b>CSS Class</b>         | Enables a field-accurate layout customization.   | A valid CSS class.   |
| <b>Custom Attributes</b> | <div>The attribute is used to activate Angular directives, that are created as development kit (devkit) library to expand the default functionality.</div> <div> For detailed information about Angular directives, visit the <a href="#">official Angular documentation</a>. For details about the usage of the <b>Custom Attributes</b>, refer to <a href="#">Developing Custom Directives</a>.</div> | <ul style="list-style-type: none"><li>• empty attribute</li><li>• attribute with value (e.g. <code>color="red"</code>)</li><li>• multiple entries separated by space (e.g. <code>color="red" multiline max="5"</code>)</li></ul> |
| <b>Symbol Type</b>       | Displays the type of the form element in read-only mode.   | —  |