Edit a Calculated Attribute

Editing Data of a Calculated Attribute

Display the list of attributes by selecting Calculated Attributes from the sidebar menu:

(itow Cale	colated	Attributes				=
Search	1			(5) 🗙	∑⇔ Processes		
	11	/	ID	Name 0	Process	Туре	Log File Queue
1	в	1	2	testAttribute	Onboarding of New Employees - acme_corp	Number	A Services
2	ï	/	3	keyFigure1	Customer Database - acme_corp	Number	Calculated Attributes
3	ï	/	4	keyFigure2	Damage Reporting - acme_corp	Number	Add Calculated Attribute
4	ï	/	5	myFinstAttribute	Employee Database - acme_corp	Number	
5	×	/	6	keyFigure1	Onboarding of New Employees - acme_corp	Number	

You can filter the list of attributes by typing into the search field of the filter bar. The number of matching attributes is displayed on the right side of the search field. If no filter has been set, the list shows the total number of available attributes:

Searc	:h				(5) 🗙	
#		/	ID	Name \diamond	Process	Туре
1	窗	r	2	testAttribute	Onboarding of New Employees - acme_corp	Number
2	窗	r	3	keyFigure1	Customer Database - acme_corp	Number
3	窗	r	4	keyFigure2	Damage Reporting - acme_corp	Number
4	窗	P	5	myFirstAttribute	Employee Database - acme_corp	Number
5		/	6	keyFigure1	Onboarding of New Employees - acme_corp	Number

Open the corresponding data sheet by clicking the

Searc	h					(5) 🗙
#		/	ID	Name 0	Process	Туре
1	亩	/	2	testAttribute	Onboarding of New Employees - acme_corp	Number
2	窗	/	3	keyFigure1	Customer Database - acme_corp	Number
3	亩	1	4	keyFigure2	Damage Reporting - acme_corp	Number
4		1	5	myFirstAttribute	Employee Database - acme_corp	Number
5	亩	1	6	keyFigure1	Onboarding of New Employees - acme_corp	Number

In the attribute's data sheet, you can now edit the calculation rule of the attribute.

Please note that you cannot change the master data of a calculated attribute once it has been created. You can only rework its calculation rule.

icon:

Deleting a Calculated Attribute

Display the list of attributes by selecting Calculated Attributes from the sidebar menu:

•	Show Cal	colated	=				
Searc	h					(5) 🕱	∑∞ Processes
	10	1	ID	Name 0	Process	Туре	Log File Queue
1	ï	1	2	testAttribute	Orboarding of New Employees - acme.corp	Number	A Services
2	ï	/	3	keyFigure1	Customer Database - acme_corp	Number	Calculated Attributes
8	ü	/	4	keyFigure2	Damage Reporting - acme_corp	Number	Add Calculated Attribute
4	ï	/	5	myFinitAttribute	Employee Database - acme_corp	Number	
5	÷	1	6	keyFigure1	Onboarding of New Employees - acme_corp	Number	

Sei	arch	/	ID)	Name	¢	Process	(5) 🗙 Type
1	5	/	2		testAttribute keyFigure1		Onboarding of New Employees - acme_co Customer Database - acme_corp	Number
3	亩	/	4		keyFigure2		Damage Reporting - acme_corp	Number

On this Page:						
•	Editing Data of a Calculated Attribute Deleting a Calculated Attribute					
Related	Pages:					
•	Calculated Attributes					
Related	Documentation:					
•	Process Mining Installation					

Process Mining

 Proces Guide

•

Delete calculated attribute										
Do you really want to delete the calculated attribute?										
Search	m		ID	Name 🌢	Process	(4) 🗶		The attribute		
1	亩	/	3	keyFigure1	Customer Database - acme_corp	Number		deleted		
2	Î	P	4	keyFigure2	Damage Reporting - acme_corp	Number		updated		
3	Î	P	5	myFirstAttribute	Employee Database - acme_corp	Number		list is		
4		/	6	keyFigure1	Onboarding of New Employees - acme_co	Number		displayed.		