


Showing Integration Service Logs

Name	Type	Quick Actions
 ActivityTestService	xUML	     
 Appointment_Willy	xUML	     

The administration application gives you access to the logs of an integration service.

You have two options to access the service logs:

- Use icon  in the quick actions bar in the service's list.

Related Pages:

- [Working With the Administration](#)
 - [Working With the Deployment Wizard](#)
- [Controlling Integration Services](#)
 - [Adapting Integration Service Configuration](#)

Related Documentation:

- [BRIDGE Integration Platform User's Guide](#)

Details of ActivityTestService

← **running** ▶  


Information


Logs



Configuration

- Open the details page of a service and scroll down to section **Logs**.



If you click on the icon  in the services' list, the service opens directly in the integration component (Bridge) of the platform and tab **Logging** is displayed.

Logs

[Open Bridge and show logs](#)

You can also open the details page of an integration service and scroll down to section **Logs** to get access to the Bridge.

Click the link **Open Bridge and show logs** to open tab **Logging** of the service in the integration component (Bridge).



Refer to the [Bridge User Guide](#) for detailed information about the function



Default Retention Time of Log Files

The following retention times are valid for log files of your PAS installation:

- **Container logs:** Log files inside all containers are deleted after 7 days.
- **Log Analyzer (OpenSearch) logs:**
 - Single cluster: Log files are deleted after 14 days.
 - High Availability cluster: Log files are deleted after 30 days.
- **Integration (Bridge) logs:** The default retention time for Bridge logs is 30 days. This is configurable in the UI, refer to [Integration Platform User's Guide > Node Instance Preferences](#).