
Additional xUML Service Tabs

Version

Switch to the Version tab in the information/working area.

All users have access to the version information of an xUML service.



The XML file presents among others the following version information of the xUML service:

Version	Service version as specified in the component diagram.	
Compiler	Version of the compiler.	
BuildTime	Timestamp of the compilation of the service.	

The version information described above is also displayed for each library the xUML service is using.



The XML file presents among others the following version information of the xUML service:

Version	Service version as specified in the component diagram.
Compiler	Version of the compiler.
BuildTime	Timestamp of the compilation of the service.

The version information described above is also displayed for each library the xUML service is using.

Status

Switch to the Status tab in the information/working area.

All users have access to this tab.





ID	Unique ID of request. It will be reset when restarting the xUML service.
Transacti on ID	Unique ID of transaction. It is used to trace service calls through the call stack (see Transaction ID).
Start Time	Start timestamp of the session.
Call Stack	Service call stack. First item of the call stack is the frontend operation (e.g. the SOAP operation), last item is the actual adapter call.

Click View to refresh the page.

Runtime 2020.15 By clicking **Cancel**, you can cancel any long running session. This may be necessary e. g. in case of an endless loop.

Sessions can be cancelled at the following points:

- on control flows, before entering the next action node, iteration, operation call, or adapter call
- in action script
- · within the following adapters: URL Adapter, SOAP Adapter, REST Adapter and SQL Adapter

In older Runtime versions, it is only possible to cancel sessions of the URL Adapter and the SQL Adapter (actions **execute** and **getHandle**).


User Interface

xUML services containing user interfaces display additional UI related information on the xUML service preferences tab.



All **UI instances** are listed with their names and URLs in an overview table. Each UI controller defined in the model gets a separate table entry. Click the URL to open the UI in a new browser tab.

UIs having the tagged value **isConsoleUI** in their deployment get an additional service tab containing the UI.



The label of the tab is specified via the tagged value **consoleUIName**. For more information on user interfaces refer to Modeling User Interfaces.