



Label

Element	<div>FormLabel</div>
Icon	
Description	Use the label field to design headers in your form.
Type	n/a
Prepopulation	This element cannot be prepopulated.
Editing	Refer to Modeling Forms for further information regarding editing of form elements using the context menu.

On this Page:

- [Configuration Options](#)
 - [Style Editor](#)



Simple_Form_Example



Click the icon to download a simple example model that shows how you can **configure form elements** in **Scher PAS Designer**.


Configuration Options

Use the **Attributes** panel to edit the form element.

Attribute	Description	Allowed Values	
Name	Technical identifier for data processing and not visible for the end user.	Alphanumeric characters and underscore. <div><div> It is not allowed to start the name with a number.</div></div>	
Description	A commentary field for the developer. The content is invisible to users and its sole purpose is internal documentation.	Any string.	
Label	Field name shown in the form.	Any string.	
Style	Click  to open a new window for editing. You can find more information under Sytle Editor.	Any string.	
Vertical Alignment	The attribute is used to adjust the position of a form element in context to a bigger neighboring element. Example: The Radio Button Group Color is much bigger than the Button Next , but the button should be shown at the bottom of the form. Therefore, the button's attribute Vertical Alignment is set to Bottom . <div><div><div>Color</div><div><div><input type="radio"/> Blue</div><div><input type="radio"/> Green</div><div><input type="radio"/> Red</div><div><input type="radio"/> Yellow</div></div><div>Next</div></div></div>	Top	Align the element on top of the element cell (default).
		Center	Align the element in the middle of the element cell.
		Bottom	Align the element at the bottom of the element cell.
CSS Class	Enables a field-accurate layout customization.	A valid CSS class.	

Related Pages:

- [Supported Form Elements](#)

Custom Attributes	<p>The attribute is used to activate Angular directives, that are created as development kit (devkit) library to expand the default functionality.</p> <div>  <p>For detailed information about Angular directives, visit the official Angular documentation. For details about the usage of the Custom Attributes, refer to Developing Custom Directives.</p> </div>	<ul style="list-style-type: none"> empty attribute attribute with value (e.g. <code>color="red"</code>) multiple entries separated by space (e.g. <code>color="red" multiline max="5"</code>)
Symbol Type	Displays the type of the form element in read-only mode.	—

Style Editor

In the **Preview** area you can format the text.

Preview Text Style

Test Label

Format

Font Family

Font Size

B

I

U





properties.

Save

Cancel

You can edit:

Option	Description
<div>Format</div> <div>Default</div>	<p>Use this option to change the Text Format.</p> <p>Available values are:</p> <ul style="list-style-type: none"> Default Paragraph Header 1, 2, 3, 4, 5, 6 Quote
<div>Font Family</div> <div>Default</div>	<p>Use option Font Family to change the font type of your text.</p> <p>Available values are:</p> <ul style="list-style-type: none"> Default Arial Arial Black ...
<div>Font Size</div> <div>Default</div>	<p>Use this option to change the Font Size.</p> <p>Available values are:</p> <ul style="list-style-type: none"> Default 8px 9px ...
<div> <div>B</div> <div>I</div> <div>U</div> </div>	<p>Use these buttons to format your text:</p> <ul style="list-style-type: none"> Bold (not available for header formats) Italic Underline
<div> <div>≡</div> <div>≡</div> <div>≡</div> </div>	<p>Use these buttons to change the text alignment:</p> <ul style="list-style-type: none"> Left Center Right

	<p>Use this option to change the font color. Click on the box to open the color picker:</p> 
	<p>Use the Save button to save your changes.</p>
	<p>Use the Cancel button to discard your changes.</p>