



Editing a Profile

You can edit the settings of existing profiles in the corresponding data sheet, for example to change the profiles' name or to assign more users. Display the list of profiles by choosing the [Profiles](#) menu in the sidebar. The profile list shows all profiles and its content is loading dynamically if you scroll down. Filter the list by using the [filter bar](#).

 Individual write permissions can be granted or denied for profiles with namespace. Refer to [Editing a User](#) for information on how to grant write permissions on profiles.


Editing Profile Data




#	Name	Display Name	Namespace	Activated
1	pa_user	pa_user		Yes
2	pa_admin_user	pa_admin_user		Yes
3	pa_trainings	PA2 Trainings	pa_trainings	Yes
4	pa_base	pa_base		Yes

Select **Profiles** in the sidebar menu to display the list of all profiles.

On the right side of the filter bar, the total number of profiles is displayed. If a [filter](#) is set, the number of filter results is shown here.



#	Name	Display Name	Namespace	Activated
30	sandbox_john_snow		sandbox_john_snow	Yes
31	administration_user	administration_user		Yes
32	keycloak_user	keycloak_user		Yes
33	kibana_user	kibana_user		Yes
34	global_acme	Profile for testing purposes	global_acme	No
35	integration_user	integration_user		Yes
36	api_management_user	apimanagement_user		Yes

Open the profile data sheet by clicking the  icon.

On this Page:

- [Editing Profile Data](#)
 - [Changing the Profile's Name](#)
 - [Deactivating a Profile](#)
 - [Managing Permissions](#)
 - [Deleting Permissions](#)
 - [Adding Permissions](#)
 - [Editing Permissions](#)
 - [Managing Users](#)
 - [Deleting Users](#)
 - [Adding Users](#)
 - [Editing Users](#)
 - [Managing Translations](#)

Related Pages:

- [Managing Profiles](#)
 - [Adding a Profile](#)
- [Working With the User Management](#)

Edit Profiles

Master Data

☒ Profile active

Name
global_acme

Display Name
Global ACME Test Space

Namespace
global_acme

Permissions (2)

ASSIGN MORE

Name	Resource	Activated	
service_storage	["path":"/service/storage/"]	true	
app_storage	["path":"/app/storage/"]	true	

User (4)

ASSIGN MORE

Last Name	First Name	Login	
Adler	Irene	irene.adler	
Marple	Jane	jane.marple	
Doolittle	Eliza	eliza.doolittle	
Higgins	Henry	henry.higgins	

Translations

German
ACME Test-Profil

English
ACME Testing

French

Meta

UUID
d5d13980-a100-11eb-9d59-43e16912a5b9

Created at
04/19/2021

Modified at
04/19/2021

Modified by
5d98d010-5b83-11e9-816d-75f27de354a3

CREATE A COPY

SAVE

CANCEL

Now you can rework the settings saved in the profile data sheet.

You can...

- ... change the profile's name.
- ... deactivate a profile.
- ... manage the permissions of the profile.
- ... manage the users assigned to the profile.
- ... manage the translations of the profile's name.

← → Show Profiles

acme (4) ✕ ▼

#	Name	Display Name	Namespace	Activated
1	sandbox_acme_admin	ACME Admin Sandbox	sandbox_acme_admin	Yes
2	acme_corp	acme_corp	acme_corp	No
3	acme_designer_profile	ACME Corp.	acme_designer_profile	Yes
4	global_acme	Global ACME Test Space	global_acme	Yes

Saved successfully! [View Log](#)

If you save the data, the data sheet closes and a message **Saved successfully!** appears in the list of profiles.

You can use the displayed link to reopen the profile data sheet.

Changing the Profile's Name

← → Edit Profiles

Master Data

☒ Profile active

Name
global_acme

Display Name
Profile for testing purposes


Namespace
global_acme

[CREATE A COPY](#) [SAVE](#) [CANCEL](#)

Overwrite the content in the **Name** field to change the identifier of the profile.

You can also change the **Display Name** and the **Namespace**.

Click **Save** to store your modifications, use **Cancel** to close the data sheet without saving.

 Avoid changing the name

s p a c e: If you change the names space of a profile, the data stored in the previous namespace is not accessible in the profile

Deactivating a Profile

You can disable a profile. Inactive profiles will still be displayed in the list of profiles and you can still assign them to users. But inactive profiles will not be usable in the platform components anymore.

← → Edit Profile

Master Data

☒ Profile active

Name
global_acme

Display Name
Profile for testing purposes

Namespace
global_acme

CREATE A COPY SAVE CANCEL

If you want to disable a profile, open the profiles' data sheet.

Untick checkbox **Profile active** in the **Master Data** section and save your modification.

← → Show Profiles

acme (4) ✕ ▼

#	Name	Display Name	Namespace	Activated
1	sandbox_acme.admin	ACME Admin Sandbox	sandbox_acme.admin	Yes
2	acme_corp	acme_corp	acme_corp	No
3	acme_designer_profile	ACME Corp.	acme_designer_profile	Yes
4	global_acme	Profile for testing purposes	global_acme	No

Saved successfully! [View Log](#)

The message **Saved successfully!** confirms that the data has been saved. You can use the displayed link to reopen the data sheet.

In the content area, the profiles list is displayed and the modified profile shows the information **No** in column **Activated**.

Profiles (24)				ASSIGN MORE		<<	
Designer	Name	Display Name	Namespace				
	bpas_execution_user	bpas_execution_user		✕	🔗	Roles (11)	
	analytics_admin	analytics_admin		✕	🔗		
<input checked="" type="checkbox"/>	global_acme	Profile for testing purposes	global_acme	✕	🔗		
	cron_manager	cron_manager		✕	🔗		
	api_management_user	apimanagement_user		✕	🔗		
				✕	🔗		

Even if inactive, you can still assign the profile to a user and the profile will be listed in the **Profiles** section of a [user data sheet](#).

 Inactive profiles will not be displayed in the platform component's any more.

Managing Permissions

The second section of a profile data sheet shows the [permissions](#) that are currently assigned to the profile. Go to this section to delete, assign or rework permissions.

Deleting Permissions

Permissions (2)

ASSIGN MORE

Name	Resource	Activated		
service_storage	("path":"/service/storage/")	true	✕	🔗
app_storage	("path":"/app/storage/")	true	✕	🔗

You can delete already assigned permissions by using the ✕ icon.

Access to the corresponding URL will then be removed from the profile.

i

Don't forget to save the data as heet before closing it.

Adding Permissions

Permissions (2)

ASSIGN MORE

Name	Resource	Activated		
service_storage	("path":"/service/storage/")	true	✕	🔗
app_storage	("path":"/app/storage/")	true	✕	🔗

Use button **Assign More** if you want to assign further permissions to the profile.

global_acme - Assign Permissions

actl (5) ✕ ▼

#	Name	Resource	Activated
1	<input type="checkbox"/> activity-service	{path: "/service/activity/"}	Yes
2	<input type="checkbox"/> transaction_logger	{path: "/app/transaction-logger/"}	Yes
3	<input type="checkbox"/> service_user_deactivate_data	{path: "/service/user/deactivateData"}	Yes
4	<input type="checkbox"/> service_user_activate_data	{path: "/service/user/activateData"}	Yes
5	<input type="checkbox"/> service_user_get_activities_status	{path: "/service/user/getActivitiesStatus"}	Yes

app_storage service_storage

APPLY CANCEL

The list of available permissions will open.

Use the filter to search for the permission you wish to assign.

In the footer you will find the permissions that have already been assigned to this profile.

global_acme - Assign Permissions

actl (5) ✕ ▼

#	Name	Resource	Activated
1	<input checked="" type="checkbox"/> activity-service	{path: "/service/activity/"}	Yes
2	<input type="checkbox"/> transaction_logger	{path: "/app/transaction-logger/"}	Yes
3	<input type="checkbox"/> service_user_deactivate_data	{path: "/service/user/deactivateData"}	Yes
4	<input type="checkbox"/> service_user_activate_data	{path: "/service/user/activateData"}	Yes
5	<input type="checkbox"/> service_user_get_activities_status	{path: "/service/user/getActivitiesStatus"}	Yes

activity-service app_storage service_storage

APPLY CANCEL

Use the checkboxes to assign further permissions.

The chosen permissions are added in the list in the footer.

Click **Apply** to assign the chosen permissions to the profile. Click **Cancel** to discard your choice.

Edit Profiles

Namespace
global_acme

Permissions (3)
ASSIGN MORE

Name	Resource	Activated		
service_storage	{path}:/service/storage/**	true	✕	✎
app_storage	{path}:/app/storage/**	true	✕	✎
activity-service	{path}:/service/activity/**	true	✕	✎

CREATE A COPY
SAVE
CANCEL

The chosen permissions are added to the permissions section of the profile data sheet.

i

D
o
n
o
t
f
o
r
g
e
t
t
o
s
a
v
e
t
h
e
d
a
t
a
s
h
e
e
t
b
e
f
o
r
e
c
l
o
s
i
n
g
i
t.

Editing Permissions

Permissions (2)
ASSIGN MORE

Name	Resource	Activated		
service_storage	{path}:/service/storage/**	true	✕	✎
app_storage	{path}:/app/storage/**	true	✕	✎

Administrators can also use the permissions section to switch directly to the corresponding permission data sheet to [edit a permission](#).

To do so, click the  icon.

← → Edit Permission

Master Data

☒ Permission active

Name

app_storage

Permission

Possible Resource Information

1

{

2

"path": "/app/storage/"

3

}

CREATE A COPY

SAVE

CANCEL

The corresponding permission data sheet will open and you can edit the permissions data:



Do not change or create template permission without any knowledge of JSON.

Managing Users

The third section of a profile data sheet shows the [users](#) that are currently assigned to the profile. Go to this section to delete, assign or rework users.

Deleting Users

User (4)

ASSIGN MORE

Last Name	First Name	Login		
Adler	Irene	irene.adler	✕	🔗
Marple	Jane	jane.marple	✕	🔗
Doolittle	Eliza	eliza.doolittle	✕	🔗
Higgins	Henry	henry.higgins	✕	🔗

You can delete already assigned users by using the ✕ icon.

The user will then be removed from the profile.

Adding Users

User (4)

ASSIGN MORE

Last Name	First Name	Login		
Adler	Irene	irene.adler	✕	🔗
Marple	Jane	jane.marple	✕	🔗
Doolittle	Eliza	eliza.doolittle	✕	🔗

global_acme - Assign Users

(2) ✕ 🔍

#	Last Name	First Name	Login	Company	Valid until	Activated	
1	<input type="checkbox"/>	Copperfield	David	david.copperfield	ACME Corp.	12/31/2099	Yes
2	<input type="checkbox"/>	Stringer	David	david.stringer	ACME Corp.	12/31/2099	Yes

eliza.doolittle henry.higgins irene.adler jane.marple

APPLY CANCEL

The list of available users will open.

Use the filter to search for the user you wish to assign.

In the footer you will find the users that have already been assigned to this profile.

global_acme - Assign Users

david(2) ✕ 🔍

#	Last Name	First Name	Login	Company	Valid until	Activated	
1	<input type="checkbox"/>	Copperfield	David	david.copperfield	ACME Corp.	12/31/2099	Yes
2	<input checked="" type="checkbox"/>	Stringer	David	david.stringer	ACME Corp.	12/31/2099	Yes

david.stringer eliza.doolittle henry.higgins irene.adler jane.marple

APPLY CANCEL

Use the checkboxes to assign further users.

The chosen users are added in the list in the footer.

Click **Apply** to assign the chosen users to the profile. Click **Cancel** to discard your choice.

The chosen users are added to the **User** section of the profile data sheet.

User (5)

ASSIGN MORE

Last Name	First Name	Login		
Adler	Irene	irene.adler	✕	✎
Marple	Jane	jane.marple	✕	✎
Doolittle	Eliza	eliza.doolittle	✕	✎
Higgins	Henry	henry.higgins	✕	✎
Stringer	David	david.stringer	✕	✎



Do not forget to save the data as heet before closing it.






If you want to grant the user write permission

, you have to switch to the user's data sheet and enable the corresponding checkbox in section **P r o f i l e s**.


Editing Users


User (5)

ASSIGN MORE

Last Name	First Name	Login		
Adler	Irene	irene.adler	x	
Marple	Jane	jane.marple	x	
Doolittle	Eliza	eliza.doolittle	x	

Administrators can also use the **User** section to switch directly to the corresponding user data sheet to [edit a user](#).

To do so, click the  icon.

 Edit User

Master Data

First Name

Irene

☒ User active

Last Name

Adler

E-Mail

irene.adler@acme-corp.com

Login

irene.adler

Company

ACME Corp.


Language Selection

English

Valid from

04/10/2019


x



Valid until

12/31/2099

x




CREATE A COPY

CHANGE PASSWORD

SAVE

CANCEL

The corresponding user data sheet will open and you can edit the user data.



Do not forget to save the data asheet before closing it.

Managing Translations

The profile's name inserted in section **Master Data** is a technical name. In section **Translations** you can insert display names for the profile in **German**, **English** and **French**.

<div>Translations</div> <div>EDIT TRANSLATIONS</div>	<p>Use window Translations to insert the display name in different languages.</p>
<div>Translations</div> <div><div>German</div><div>English</div><div>French</div></div>	<p>Clicking button Edit Translations will show the fields German, English and French.</p> <p>The names inserted in those fields will be shown in BPaaS according to the language selected for the user interface.</p>