

# Managing Roles

Roles are designed for usage in the PAS components Designer and BPaaS. Use roles in BPMN (Designer) and EPC (BPaaS) models to create approval workflows where designated user groups are only allowed to execute specific process steps instead of the whole process. New roles can be created during modelling as well as in the user management.


However, roles can only be maintained within the user management: In Menu **Roles** you can create, rename and translate roles. And the user management is also the place where administrators can assign roles to users.



Go to the [Designer Guide > Modeling BPMN](#) for further information about the usage of roles in BPMN-based Designer services. In chapter **Role-based Authorization Concept** the application of roles is explained in detail.

Go to the [BPaaS Guide](#) for further information about the usage of roles in EPC-based BPaaS applications.

## Menu "Roles"

	<p>Menu <b>Roles</b> allows to create new roles and to edit existing ones.</p> <p>It contains the following menu options:</p> <ul style="list-style-type: none"><li>• <b>Roles</b></li><li>• <b>Add Role</b></li></ul>
--	--

### On this Page:

- [Menu "Roles"](#)
- [The Role Data Sheet](#)
  - [Master Data](#)
  - [User](#)
  - [Translations](#)
  - [Meta](#)

### Related Pages:

- [Adding a Role](#)
- [Editing a Role](#)
- [Reusing User Data](#)
  - [Reusing Central Roles](#)
- [Working With the User Management](#)

### Related Documentation:

- [Designer](#)
  - [Role-based Authorization Concept](#)
- [BPaaS](#)
  - [Role-based Authorization Concept](#)

← Show Roles

Search (72) ✕ ▾

#	Name	Activated
1	head_hr	Yes
2	head_production	Yes
3	acme_employee	Yes
4	head_sales	Yes
5	head_it	Yes
6	acme_facility	Yes
7	acme_manager	Yes
8	head_accounting	Yes

Users  
Profiles  
**Roles**  
Add Role  
Permissions  
Activities  
Export  
Import

In the **Roles** menu, a list of all roles is displayed in the content area.

This list contains the following information:

- **Name**
- **Activated** (Yes/No)

Use the filter to limit the content of the list.

← New Role

**Master Data**

☒ Role active

Name

Description

User (0)

No users are assigned to this role.

ASSIGN

SAVE CANCEL

Users  
Profiles  
**Roles**  
Add Role  
Permissions  
Activities  
Export  
Import

Selecting **Add Role** in the sidebar menu.

An empty role data sheet opens.

## The Role Data Sheet

For every role one data sheet is created, containing the following sections:

1. **Master Data**

- 2. [User](#)
- 3. [Translations](#)
- 4. [Meta](#)

Master Data

<div><div>Master Data</div><div><div><input checked="" type="checkbox"/> Role active</div><div><div>Name</div></div><div><div>Description</div></div></div></div>	<p>You can manage the basic data of a role in the <b>Master Data</b> section.</p>
<div><div><input checked="" type="checkbox"/> Role active</div></div>	<p><b>Role active</b></p> <p>The checkbox indicates whether the role is activated or not. If you create a new role, default is <b>active</b>.</p> <p>Only active roles can be used in BPaaS.</p>
<div><div><div>Name</div></div></div>	

**Name**

While creating a new role, field **Name** is mandatory. In this field, the technical name of the role is defined.



If you want to use different element display names in **Scheer PAS BaaS**, use window [Translation](#).

<div>Description</div>	<b>Description</b>  You can insert an explanatory description of your role in this field.
------------------------	---

## User

<div> <div>User (0)</div> <div> <div>No users are assigned to this role.</div> <div> <div>ASSIGN</div> </div> </div> </div>	<p>In the <b>User</b> section, the role can be assigned to all <b>users</b> who should be able to execute process steps limited to this role:</p> <ul style="list-style-type: none"> <li> <b>Assign:</b> The button opens the list of available users. From the list, choose the users you want to assign to this role.         </li> </ul>
---	---

## Translations

<div>Translations</div> <div>EDIT TRANSLATIONS</div>	Use window <b>Translations</b> to insert the display name in different languages.
--	---

<div><div>Translations</div><div><div>German</div><div>English</div><div>French</div></div></div>	<p>Clicking button <b>Edit Translations</b> will show the fields <b>German, English</b> and <b>French</b>.</p> <p>The names inserted in those fields will be shown in BPaaS according to the language selected for the user interface.</p>
---	--

## Meta

<div><div>Meta</div><div><div>UUID</div><div>Created at</div><div>Modified at</div><div>Modified by</div></div></div>	<p>The <b>Meta</b> section contains a list of the roles' meta data such as:</p> <ul style="list-style-type: none"><li>• <b>UUID:</b> The UUID allows to identify the role.</li><li>• <b>Created at:</b> Contains the creation date of the role.</li><li>• <b>Modified at:</b> Contains the date of the last modification.</li><li>• <b>Modified by:</b> Contains another UUID which allows to identify the last editor of the role.</li></ul>
---	---



The content of section **Meta** is for documentation purposes only: metadata cannot be changed.