


# ZIP Adapter

The ZIP adapter (<<ZIPAdapter>>) enables to zip and unzip files and directories.

**Related Pages:**

- [ZIP Adapter Reference](#)

**Example File (Builder project Add-ons/ZIP):**



<your example path>\Add-ons\ZIP\uml\zip.xml

The ZIP adapter takes the following parameter to zip a list of files into a ZIP file:

Name	Type	Direction	Description	Allowed Values
zipFile	String	in	Specify name and path of the target ZIP file.	any string
files	Array of String	in	<p>Specify a list of files and/or directories to be zipped relative to a base directory (see <b>baseDirectory</b> below).</p> <div style="border: 1px solid #ccc; padding: 10px; margin-top: 10px;"> <p>The files to be zipped are calculated by the base directory and the file specifications that may be with or without path information (relative or absolute).</p> <ul style="list-style-type: none"> <li>If <b>baseDirectory</b> is not set, make sure that all files in the <b>files</b> array are provided with path information (relative or absolute). In this case the files will be stored with this path information to the ZIP file.</li> <li>However, if you set a <b>base directory</b>, provide the file names without path information or with a path relative to the base directory. This way the xUML Runtime will look for the files directly in the base directory and also store the files without path information to the ZIP file.</li> </ul> </div>	a list of valid files /directories
baseDirectory	String	in	Specify an base directory for the list of files to be zipped (optional). This part of the file path will not be stored to the ZIP file. See the note for parameter <b>files</b> above for more information.	a valid directory
				<p>parameter provided</p> <p>All <b>files</b> need to be provided with path information (relative or absolute). This path information will be stored to the ZIP file.</p>
parameter not provided	<p>parameter not provided</p> <p>All files should be provided</p>			
password	String	in	Specify a password to protect the ZIP file with (optional).	any string
encryption	String	in	Specify an encryption method if you want to encrypt the ZIP file (optional).	<p>terminal</p> <p>Alias for <b>zipcrypt</b>. Encrypt target ZIP file with zipcrypt.</p>



<b>baseDir ectory</b>	String	in	Specify an base directory for the files to be extracted to.  Where the files will be extracted to depends on the base directory and the file paths stored in the ZIP file.  <ul style="list-style-type: none"> <li>• If <b>base directory</b> is not set, the files will be extracted according their path specification (relative or absolute) stored in the ZIP file.</li> <li>• If you set a <b>base directory</b>, <ul style="list-style-type: none"> <li>◦ the files will be extracted directly to this directory, if they do not have a path specified (see option <b>base directory</b> for action "zip").</li> <li>◦ If they have a relative path specification, the location will be calculated starting with the <b>base directory</b> as root.</li> </ul> </li> </ul>	a valid directory
<b>passwo rd</b>	String	in	Specify a password to access the file if the ZIP file is protected.	a valid password
<b>extracte dFiles</b>	Array of String	out	Returns a list of all extracted files.	

