

Installing and Configuring Database Access for MySQL

Installing the SQL Client Tools for MySQL

For MySQL, install the required MySQL client tools and define all necessary configuration parameter as described in the MySQL installation guide.

Note the following hints:

- On the [MySQL pages](#) you will find a tutorial, that helps you with making first steps with MySQL.
- Add the MySQL lib directory to the PATH variable before starting MagicDraw. Otherwise this variable won't be visible for the embedded xUML RUNTIME.

Defining the MySQL Database Preferences on the BRIDGE

In a browser, open the Web-based user interface of the system, on which the Bridge is installed (see [Checking the Installation](#)). Enter a user id and password of a user with administration rights (the pre-defined user **admin**, for instance).

The welcome page is displayed.

In the Navigation, select the **xUML Services** item of the node instance you want to define the database preferences for and switch to tab **Preferences**.

The screenshot shows the xUML Services interface. On the left, there's a navigation tree with 'Domain' and 'Node Instances'. Under 'Node Instances', there's a list including 'e2bridge.e2e.ch', 'e2bridge2.e2e.ch', and 'e2bridge3.e2e.ch'. The 'e2bridge2.e2e.ch' node is expanded, showing 'Proxy Services', 'Services', and 'Java Services'. The 'Services' section is selected. In the main area, the title is 'xUML Services'. Below it, a navigation bar has tabs: 'xUML Services' (which is active), 'Ports', 'Preferences', 'Licensing', 'Resource', 'Java', 'XSLT', and 'Setting Variables'. The 'Preferences' tab is selected. A sub-section titled 'Preferences' shows a table with two rows. The first row has columns 'Key' (DB2DIR) and 'Value' (empty). The second row has columns 'Key' (DB2INSTAN) and 'Value' (empty). To the right of the table is a 'Description' column with two entries: 'File path to the IBM DB2 client library' and 'DB2 instance name'. At the bottom right of the table is a blue 'Apply' button.

Now, you can define the SQL adapter preferences for each database type. Select the **DB2**, **Oracle**, **MySQL**, or **MSSQLServer** Adapter in the drop down box and the parameters of the selected adapter are displayed.

Select the **MySQL Adapter**, enter the following parameter and click **Apply**.

Key	Value
MYSQLLIB	File path of the client library, e.g. C:\Program Files\mysql-connector-c-6.1.0-win64\lib\ibmysql.dll. Linux: e.g. /usr/lib/libmysqlclient.so.xx



You do not have to set this parameter, if the path is already defined in the system environment.

On this Page:

- [Installing the SQL Client Tools for MySQL](#)
- [Defining the MySQL Database Preferences on the BRIDGE](#)

Related Pages:

- [Defining the ODBC Database Parameters](#)
- [Troubleshooting Database Access](#)