


# Browsing through the Execution Path of the Service

For test cases running with enabled trace the xUML Runtime collects tracing information. By that, you can browse through a graphical representation of the test case run afterwards.

This graphical representations is displayed on the **UML** tab.



If you switch to the UML tab, and the test case has not yet been run, a note **The test case has not been run yet** will be displayed in the information box.

After the test case has run, a sequence diagram with a client, a port type, and backend adapters (if used in the UML diagram) will be displayed on the **Main** tab.

The sequence diagram visualizes the input and output actions that happened between client and service and backend.

## Inspecting the Input and Output Data

### On this Page:

- [Inspecting the Input and Output Data](#)
- [Navigating Through the Graphic](#)
- [Watching Object Values](#)
- [Inspecting Action Script](#)
- [Inspecting Errors](#)

### Related Pages:

- [Running a Test](#)
- [Inspecting the Test Case Results](#)

RequestResponseUMLResponse Log X

Overview: Client - Service - Backend Interactions

Date2023-09-11 10:56:49

Locationhttps://acme.saas.pas-cloud.com/pas-doc/gateway/kuml-analyze

:Client

:QueryProductsPortType

queryProducts

Show activityAlt+B

Show parameters>

request

Dead Cata

rel

Right-click the operation name (**queryProducts** in the screenshot on the left) and select **Show Parameters** from the context menu. The menu displays a list of all input parameters. In the example above it is only one: **request**. Select a parameter from the list to add it to the **Watches** window at the bottom of the UML tab. For more information on the Watches window, refer to [Watching Object Values](#) further below.

To inspect the output parameter do the same on the return statement.

## Navigating Through the Graphic

Request
Response
UML
Response Log
X

Overview: Client - Service - Backend Interactions


Date2023-09-11 10:56:49
Locationhttps://acme.saas.pas-cloud.com/pas-doc/gateway/kumi-analyze

:Client
:QueryProductsPortType

queryProducts
queryProducts
Read Catalog
return


Use your mouse to navigate through the graphic. While moving your mouse over the UML tab, the mouse cursor changes to a pointing finger on some elements. Click these elements to browse deeper into the execution hierarchy (or select **Show activity** from the context menu).

In addition to the Main tab further tabs will open, displaying the execution path through the activity diagram of the selected operation.



## Watching Object Values


Note the Watches window at the bottom of the UML tab. This window displays objects that you selected for watching. You can add objects to the watches window simply by clicking them.



## Watching Array Objects

If an output object contains an array, the list of array elements (items) is displayed in the Watches window, too.

To see the values of array items, expand the nodes in the Watches window.



The number of array elements is displayed in parentheses (`product:Product[8]`). For each array element, its type (`Product`) is displayed, too.

In the screenshot above, only the first and last items of the product array is displayed as the trace settings have been set to truncate arrays, blobs and strings (see [Modifying the Tracing Settings](#) for more information on the trace settings). The omission of elements is indicated by three vertical dots.


## Watching Objects of Base Type

Right-click an attribute of base type and select **Show Value** from the context menu or double-click the tree item. Now you can have a closer look at its value. The value of the attribute is displayed in detail in a separate window, the **Text Viewer**.




# Inspecting Action Script

To view the action script that was executed when running the test case, just click on an action node containing action script. This is indicated by the stereotype <<ActionScript>> on the action node. The action script is displayed in the **Action Script Viewer**.




# Inspecting Errors


Action nodes where an error has occurred are displayed in red in the UML view of the test.



If an error has been caught in the model, the test case is green. Nevertheless, the caught error branch is displayed in the UML view in orange color:



If you have set your project settings to **Ignore Caught Errors**, caught errors will only be visible through the color of the branch where they have been caught:



For more information on how to set this option, refer to [Creating/Opening a Builder Project](#).