


Managing Test Cases

The following operations can be executed on test cases via the context menu to manage test cases:

Function	Description
Run test case	Select Run Test Case to send out a SOAP request.
Clear test case	<p>Select Clear Test Case to clear all SOAP messages. The following tabs are cleared:</p> <ul style="list-style-type: none">• Response• UML• Request log• Response log <p>The Input data on the Request tab remains untouched.</p>
Duplicate test case	<p>By selecting Duplicate Test Case you can create a copy of the selected test case, including the input data specified on the Request tab. You will be prompted to enter the name of the new test case.</p> <div><div>Copy Test Case</div><div>Enter the name of the new test case.</div><div>Test Case Name</div><div>with keywords1</div><div>OKCancel</div></div>
Copy & Paste test case	<p>Using Copy & Paste on a test case has the same effect as using Duplicate Test Case. Additionally, you can not only create a duplicate of the test case below the very same SOAP operation, but you can paste the test case to another operation or even to a SOAP operation of another WSDL definition. Be aware of what you are doing, though. The Trace Analyzer will warn you, that copying a test case to a different WSDL or location may result in runtime errors.</p> <div><div>Copy Test Case</div><div>Enter the name of the new test case.</div><div>Test Case Name</div><div>with keywords</div><div>Copying a testcase to a different WSDL/location may result in runtime errors.</div><div>OKCancel</div></div>
Rename test case	<p>Use Rename Test Case to change the name of a test case.</p> <div><div>Rename Test Case</div><div>Enter the new name of the test case.</div><div>Test Case Name</div><div>with keywords</div><div>OKCancel</div></div>

Related Pages:

- [Creating Test Cases](#)
- [Importing the Service Description](#)

Delete test case	<p>Use Delete Test Case (or select the test case and press Del) to erase the specified test case, including stored input and output data, and all SOAP messages.</p> 
Properties	<p>Select Properties to view and edit the test case properties. Properties is the default menu entry and can be accessed by double-clicking the test case.</p>