

History of an xUML Service

Switch to the **History** tab to view the history of all user actions that were executed on the selected xUML service since its deployment.

In the xUML service history all user actions are listed - comprising starting and stopping the xUML service, modification of the preferences, etc. The list is sorted in a chronological order and also shows the user who initiated the action. The history also lists internal actions, for instance, when the system started or stopped an xUML service automatically.

All users have access to the history information.

HelloWorldExample

xUML Service

Documentation

History

Logging

Dump

Settings

Version

Persistent State

Status

History

Max. entries to load20

Show10▼ entries

Filter:

Date	User	Action
2018/09/26 13:21:56 MESZ	admin	Stop instance
2018/09/26 13:21:49 MESZ	admin	Start instance
2018/09/26 13:21:40 MESZ	admin	Service updated (7.0.1)
2018/09/26 11:35:17 MESZ	admin	Service created (7.0.0)
2018/09/26 11:35:15 MESZ	admin	Preferences changed (owner = admin)

Showing 1 to 5 of 5 entries

Previous1Next

The service history may contain a large amount of data. This is why the history can be limited and filtered.

Max. entries to load	Limit the history records to load, if the history file is to big to be loaded at once.
Show	Select the number of history records you want to display. The latest records are displayed first.
Filter	Start typing a term. The listed records will be filtered as you type.