

Deploying and Managing Resources

In **E2E Builder**, resources (e.g. XML schemas, configuration files, ...) can be imported into the UML model. You may either define to deploy them together with the composite repository via the Builder or deploy them via the Bridge to prevent transferring big amounts of data.

Deploying resources via the Builder means that they are used only by the deployed xUML service. Deploying them via the Bridge means that they are not stored locally but globally, so that they can be used by all deployed xUML services of the current node instance.

Switch to the **Resource** tab in the information/working area.

Only users who are member of a group, to which the role **ADMIN** has been assigned, can modify the resources of the Bridge.

Initially, the following screen is displayed. No resources have been installed.

xUML Services

[xUML Services](#)[Ports](#)[Preferences](#)[Licensing](#)[Resource](#)[Java](#)[XSLT](#)[Setting Variables](#)

Note

You can upload XML schemas, DTD, or other resource files.

Resource (XML Schema/DTD/etc) Upload

[Browse...](#) No file selected.

[Upload](#)[Upload and Extract](#)

Installed Resources

No Resources installed.

Click **Browse** to browse to the location of the resource, select it and click **Upload** to upload it to the Bridge. By clicking **Upload and Extract** you can add zipped resources to your Bridge. They will be uploaded and automatically extracted.

All uploaded resources are listed in the **Installed Resources** section, differentiated into directories (archives) and files.

xUML Services

[xUML Services](#)[Ports](#)[Preferences](#)[Licensing](#)[Resource](#)[Java](#)[XSLT](#)[Setting Variables](#)

Note

You can upload XML schemas, DTD, or other resource files.

Resource (XML Schema/DTD/etc) Upload

[Browse...](#)

No file selected.

[Upload](#)[Upload and Extract](#)

Installed Resources

Show entries

Filter:

Directory	Directory Date	Action
customCal	Feb 9, 2017 11:25:18 AM	Delete Download

Showing 1 to 1 of 1 entries

Previous

1

Next

Show entries

Filter:

File	File Size	File Date	Action
catalog.xml	3 KB	Feb 9, 2017 11:25:01 AM	Delete Download
TaxCodes.csv	4 KB	Feb 9, 2017 11:37:57 AM	Delete Download

Showing 1 to 2 of 2 entries

Previous

1

Next

For each resource, the following fields are displayed:

Directory / File	Name of the archive / File name
Directory / File Date	Archive / File upload date/time
File Size	File size in KB

Resources that were uploaded to the Bridge are stored in the Bridge data directory, e.g. **C:\E2E_BRIDGE_DATA\resource**. They are accessible in **E2 E Builder** via the resource path **../resource/<name of the resource file>** or **../resource/<name of the archive>/<name of the resource file>**.

Resources can be deleted by clicking **Delete**. You need to confirm the removal of the resource by clicking **Delete Resource**. You may also **Cancel** the transaction.

The updated list of deployed resources will be displayed afterwards.

Resources can also be downloaded by clicking **Download**.