Subform

Element		On this Page:		
		Configuration Options		
		Form_Simple_Subform_Example		
		Click the icon to download a simple example model that shows		
lcon	۲ ۲	how you can use subforms to display a		
Description	Use the subform element to integrate other existing form pages into the current one. The element thus enables forms to be nested. Use the element's attribute Form to choose which of the existing forms you want to include.	standard header and footer in several forms.		
Туре	n/a			
Prepopulation	This element cannot be prepopulated.	Related Pages:		
Editing	Refer to Modeling Forms for further information regarding editing of form elements using the context menu.	 Supported Form Elements Subform Handling 		

Configuration Options

Use the Attributes panel to edit the form element.

Attribute	Description			Allowed Values
Name	Technical identifier for da end user.	ata processing and not visible for t	he	Alphanumercial characters and underscore. It is not allowed to start the name with a number.
Description		ne developer. The content is invisil se is internal documentation.	ole to	Any string.
Form	A drop-down field to sele	ect an existing form to nest.		Any available form including the
	i≡ Attributes ×		×	overview form of the process.
	Name	Subform		
	Form	None		
	Descriptior	example_form_1		
	CSS Class	example_form_2		
	Symbol Type	form_execution_Overview		

CSS Class	Enables a field-acurate layout customization.	A valid CSS class.
Custom Attributes	The attribute is used to activate Angular directives, that are created as development kit (devkit) library to expand the default functionality.	 empty attribute attribute with value (e.g. color ="red") multiple entries separated by space (e.g. colo r="red" multiline max=" 5")
	the official Angular documentation. For details about the usage of the Custom Attributes , refer to Developi ng Custom Directives.	
Symbol Type	Displays the type of the form element in read-only mode.	-