Showing Logs of a Containerized xUML Service

Showing the Service Logs



The administration application gives you access to the logs of a containerized xUML service.

You have two options to access the logs:

- Click **Open logs** in the quick actions bar in the service's list.

On this Page:

- Showing the Service Logs
- Showing the Service History Log

Related Pages:

- Working With the Administration
  - Working With the Deployment Wizard
- Controlling Containerized xUML Services
  - Adapting the Configuration of Containerized xUML Services
  - Changing the Log Level of a Containerized xUML Service
  - Persistent States of Containerized xUML Services
- Controlling Docker Container

Related Documentation:

- BRIDGE Integration Platform User's Guide



- Open the details page of the service, open section **Logs** and click on the Log Analyzer link.



Both ways will open the logs of the corresponding Docker container in the Log Analyzer where you can view, filter and search the platform logs for all services.

Refer to Analyzing Pla

tformLogs for further information. If you access the LogAnalyzer for the first time on a newly installed platform,

	you will have to create an index pattern first, refer to Creating an Index Pattern.

Showing the Service History Log



The administration application gives you access to the history of a containerized xUML service (**PAS 24.0**).

To access the service history, open the details page of the service and go to section **History Log**.



In the **History Log** section you can inspect the service history. The log shows all actions of the xUML service (creation, start, stop etc.) including setting changes.

The content of the history log is read-only.



Use the filter field to search for a specific entry.

The content of the filter field is applied to the column **Action** only.

Click **Extended filter** to display the extended filter options:

- **Action**
- **User**

If a filter is applied, the extended filter changes to .



Both extended filter options are loaded dynamically:

- Option **Action** only lists actions that have already been executed in the service.

- Option **Users** only lists users who have already performed an action in the service.



In the main filter window, you can reset all selected filters. Click ✕ **Reset Filter**.

In the filter option window, you can also reset the selection.