

Charset Definitions



This page explains the **Time Zones** in Bridge context. If you were looking for the same information regarding the [PAS Designer](#), refer to [Charset Definitions](#) in the Designer guide.

The following table lists all supported charsets and their aliases. Clicking on a charset will navigate you to a more detailed description on the [ICU site](#).

ICU Charset/Codepage Name	All Aliases
UTF-8	UTF-8 ibm-1208 ibm-1209 ibm-5304 ibm-5305 ibm-13496 ibm-13497 ibm-17592 ibm-17593 windows-65001 cp1208 x-UTF_8J unicode-1-1-utf-8 unicode-2-0-utf-8
UTF-16	UTF-16 ISO-10646-UCS-2 ibm-1204 ibm-1205 unicode csUnicode ucs-2
UTF-16BE	UTF-16BE x-utf-16be UnicodeBigUnmarked ibm-1200 ibm-1201 ibm-13488 ibm-13489 ibm-17584 ibm-17585 ibm-21680 ibm-21681 ibm-25776 ibm-25777 ibm-29872 ibm-29873 ibm-61955 ibm-61956 windows-1201 cp1200 cp1201 UTF16_BigEndian
UTF-16LE	UTF-16LE x-utf-16le UnicodeLittleUnmarked ibm-1202 ibm-1203 ibm-13490 ibm-13491 ibm-17586 ibm-17587 ibm-21682 ibm-21683 ibm-25778 ibm-25779 ibm-29874 ibm-29875 UTF16_LittleEndian windows-1200

UTF-32	UTF-32 ISO-10646-UCS-4 ibm-1236 ibm-1237 csUCS4 ucs-4
UTF-32BE	UTF-32BE UTF32_BigEndian ibm-1232 ibm-1233 ibm-9424
UTF-32LE	UTF-32LE UTF32_LittleEndian ibm-1234 ibm-1235
UTF16_PlatformEndian	UTF16_PlatformEndian
UTF16_OppositeEndian	UTF16_OppositeEndian
UTF32_PlatformEndian	UTF32_PlatformEndian
UTF32_OppositeEndian	UTF32_OppositeEndian
UTF-16BE,version=1	UTF-16BE,version=1 UnicodeBig
UTF-16LE,version=1	UTF-16LE,version=1 UnicodeLittle x-UTF-16LE-BOM
UTF-16,version=1	UTF-16,version=1
UTF-16,version=2	UTF-16,version=2
UTF-7	UTF-7 windows-65000 unicode-1-1-utf-7 unicode-2-0-utf-7
IMAP-mailbox-name	IMAP-mailbox-name
SCSU	SCSU ibm-1212 ibm-1213
BOCU-1	BOCU-1 csBOCU-1 ibm-1214 ibm-1215
CESU-8	CESU-8 ibm-9400
ISO-8859-1	ISO-8859-1 ibm-819 IBM819 cp819 latin1 8859_1 csISOLatin1 iso-ir-100 ISO_8859-1:1987 l1 819

US-ASCII	US-ASCII ASCII ANSI_X3.4-1968 ANSI_X3.4-1986 ISO_646.irv:1991 iso_646.irv:1983 ISO646-US us csASCII iso-ir-6 cp367 ascii7 646 windows-20127 ibm-367 IBM367
gb18030	gb18030 ibm-1392 windows-54936 GB18030
ibm-912_P100-1995	ibm-912_P100-1995 ibm-912 ISO-8859-2 ISO_8859-2:1987 latin2 csISOLatin2 iso-ir-101 I2 8859_2 cp912 912 windows-28592
ibm-913_P100-2000	ibm-913_P100-2000 ibm-913 ISO-8859-3 ISO_8859-3:1988 latin3 csISOLatin3 iso-ir-109 I3 8859_3 cp913 913 windows-28593
ibm-914_P100-1995	ibm-914_P100-1995 ibm-914 ISO-8859-4 latin4 csISOLatin4 iso-ir-110 ISO_8859-4:1988 I4 8859_4 cp914 914 windows-28594
ibm-915_P100-1995	ibm-915_P100-1995 ibm-915 ISO-8859-5 cyrillic csISOLatinCyrillic iso-ir-144 ISO_8859-5:1988 8859_5 cp915 915 windows-28595

ibm-1089_P100-1995	ibm-1089_P100-1995 ibm-1089 ISO-8859-6 arabic csISOLatinArabic iso-ir-127 ISO_8859-6:1987 ECMA-114 ASMO-708 8859_6 cp1089 1089 windows-28596 ISO-8859-6-I ISO-8859-6-E x-ISO-8859-6S
ibm-9005_X110-2007	ibm-9005_X110-2007 ibm-9005 ISO-8859-7 greek greek8 ELOT_928 ECMA-118 csISOLatinGreek iso-ir-126 ISO_8859-7:1987 windows-28597 sun_eu_greek
ibm-813_P100-1995	ibm-813_P100-1995 ibm-813 ISO-8859-7 greek greek8 ELOT_928 ECMA-118 csISOLatinGreek iso-ir-126 ISO_8859-7:1987 8859_7 cp813 813
ibm-5012_P100-1999	ibm-5012_P100-1999 ibm-5012 ISO-8859-8 hebrew csISOLatinHebrew iso-ir-138 ISO_8859-8:1988 ISO-8859-8-I ISO-8859-8-E 8859_8 windows-28598 hebrew8
ibm-916_P100-1995	ibm-916_P100-1995 ibm-916 cp916 916
ibm-920_P100-1995	ibm-920_P100-1995 ibm-920 ISO-8859-9 latin5 csISOLatin5 iso-ir-148 ISO_8859-9:1989 I5 8859_9 cp920 920 windows-28599 ECMA-128 turkish8 turkish

iso-8859_10-1998	iso-8859_10-1998 ISO-8859-10 iso-ir-157 l6 ISO_8859-10:1992 csISOLatin6 latin6
iso-8859_11-2001	iso-8859_11-2001 ISO-8859-11 thai8 x-iso-8859-11
ibm-921_P100-1995	ibm-921_P100-1995 ibm-921 ISO-8859-13 8859_13 windows-28603 cp921 921 x-IBM921
iso-8859_14-1998	iso-8859_14-1998 ISO-8859-14 iso-ir-199 ISO_8859-14:1998 latin8 iso-celtic l8
ibm-923_P100-1998	ibm-923_P100-1998 ibm-923 ISO-8859-15 Latin-9 l9 8859_15 latin0 csisolatin0 csisolatin9 iso8859_15_fdis cp923 923 windows-28605
ibm-942_P12A-1999	ibm-942_P12A-1999 ibm-942 ibm-932 cp932 shift_jis78 sjis78 ibm-942_VSUB_VPUA ibm-932_VSUB_VPUA x-IBM942 x-IBM942C
ibm-943_P15A-2003	ibm-943_P15A-2003 ibm-943 Shift_JIS MS_Kanji csShiftJIS windows-31j csWindows31J x-sjis x-ms-cp932 cp932 windows-932 cp943c IBM-943C ms932 pck sjis ibm-943_VSUB_VPUA x-MS932_0213 x-JISAutoDetect

ibm-943_P130-1999	ibm-943_P130-1999 ibm-943 Shift_JIS cp943 943 ibm-943_VASCII_VSUB_VPUA x-IBM943
ibm-33722_P12A_P12A-2009_U2	ibm-33722_P12A_P12A-2009_U2 ibm-33722 ibm-5050 EUC-JP <i>Extended</i> _UNIX _Code _Packed _Format _for _Japanese csEUCPkFmtJapanese X-EUC-JP ibm-33722_VPUA IBM-eucJP
windows-51932-2006	windows-51932-2006 windows-51932 CP51932 csCP51932
ibm-33722_P120-1999	ibm-33722_P120-1999 ibm-33722 ibm-5050 cp33722 33722 ibm-33722_VASCII_VPUA x-IBM33722 x-IBM33722A x-IBM33722C
ibm-954_P101-2007	ibm-954_P101-2007 ibm-954 EUC-JP <i>Extended</i> _UNIX _Code _Packed _Format _for _Japanese csEUCPkFmtJapanese X-EUC-JP eucjis ujis x-IBM954 x-IBM954C
ibm-1373_P100-2002	ibm-1373_P100-2002 ibm-1373 windows-950
windows-950-2000	windows-950-2000 Big5 csBig5 windows-950 x-windows-950 x-big5
ibm-950_P110-1999	ibm-950_P110-1999 ibm-950 cp950 950 x-IBM950
ibm-1375_P100-2007	ibm-1375_P100-2007 ibm-1375 Big5-HKSCS big5hk HKSCS-BIG5

ibm-5471_P100-2006	ibm-5471_P100-2006 ibm-5471 Big5-HKSCS MS950_HKSCS hkbig5 big5-hkscs:unicode3.0 x-MS950-HKSCS
ibm-1386_P100-2001	ibm-1386_P100-2001 ibm-1386 cp1386 windows-936 ibm-1386_VSUB_VPUA
windows-936-2000	windows-936-2000 GBK CP936 MS936 windows-936
ibm-1383_P110-1999	ibm-1383_P110-1999 ibm-1383 GB2312 csGB2312 cp1383 1383 EUC-CN ibm-eucCN hp15CN ibm-1383_VPUA
ibm-5478_P100-1995	ibm-5478_P100-1995 ibm-5478 GB_2312-80 chinese iso-ir-58 csISO58GB231280 gb2312-1980 GB2312.1980-0
ibm-964_P110-1999	ibm-964_P110-1999 ibm-964 EUC-TW ibm-eucTW cns11643 cp964 964 ibm-964_VPUA x-IBM964
ibm-949_P110-1999	ibm-949_P110-1999 ibm-949 cp949 949 ibm-949_VASCII_VSUB_VPUA x-IBM949
ibm-949_P11A-1999	ibm-949_P11A-1999 ibm-949 cp949c ibm-949_VSUB_VPUA x-IBM949C IBM-949C
ibm-970_P110_P110-2006_U2	ibm-970_P110_P110-2006_U2 ibm-970 EUC-KR KS_C_5601-1987 windows-51949 csEUCKR ibm-eucKR KSC_5601 5601 cp970 970 ibm-970_VPUA x-IBM970

ibm-971_P100-1995	ibm-971_P100-1995 ibm-971 ibm-971_VPUA x-IBM971
ibm-1363_P11B-1998	ibm-1363_P11B-1998 ibm-1363 KS_C_5601-1987 KS_C_5601-1989 KSC_5601 csKSC56011987 korean iso-ir-149 cp1363 5601 ksc windows-949 ibm-1363_VSUB_VPUA x-IBM1363C
ibm-1363_P110-1997	ibm-1363_P110-1997 ibm-1363 ibm-1363_VASCII_VSUB_VPUA x-IBM1363
windows-949-2000	windows-949-2000 windows-949 KS_C_5601-1987 KS_C_5601-1989 KSC_5601 csKSC56011987 korean iso-ir-149 ms949 x-KSC5601
windows-874-2000	windows-874-2000 TIS-620 windows-874 MS874 x-windows-874
ibm-874_P100-1995	ibm-874_P100-1995 ibm-874 ibm-9066 cp874 TIS-620 tis620.2533 eucTH x-IBM874
ibm-1162_P100-1999	ibm-1162_P100-1999 ibm-1162
ibm-437_P100-1995	ibm-437_P100-1995 ibm-437 IBM437 cp437 437 csPC8CodePage437 windows-437
ibm-720_P100-1997	ibm-720_P100-1997 ibm-720 windows-720 DOS-720 x-IBM720
ibm-737_P100-1997	ibm-737_P100-1997 ibm-737 IBM737 cp737 windows-737 737 x-IBM737

ibm-775_P100-1996	ibm-775_P100-1996 ibm-775 IBM775 cp775 csPC775Baltic windows-775 775
ibm-850_P100-1995	ibm-850_P100-1995 ibm-850 IBM850 cp850 850 csPC850Multilingual windows-850
ibm-851_P100-1995	ibm-851_P100-1995 ibm-851 IBM851 cp851 851 csPC851
ibm-852_P100-1995	ibm-852_P100-1995 ibm-852 IBM852 cp852 852 csPCp852 windows-852
ibm-855_P100-1995	ibm-855_P100-1995 ibm-855 IBM855 cp855 855 csIBM855 csPCp855 windows-855
ibm-856_P100-1995	ibm-856_P100-1995 ibm-856 IBM856 cp856 856 x-IBM856
ibm-857_P100-1995	ibm-857_P100-1995 ibm-857 IBM857 cp857 857 csIBM857 windows-857
ibm-858_P100-1997	ibm-858_P100-1997 ibm-858 IBM00858 CCSID00858 CP00858 PC-Multilingual-850+euro cp858 windows-858
ibm-860_P100-1995	ibm-860_P100-1995 ibm-860 IBM860 cp860 860 csIBM860
ibm-861_P100-1995	ibm-861_P100-1995 ibm-861 IBM861 cp861 861 cp-is csIBM861 windows-861

ibm-862_P100-1995	ibm-862_P100-1995 ibm-862 IBM862 cp862 862 csPC862LatinHebrew DOS-862 windows-862
ibm-863_P100-1995	ibm-863_P100-1995 ibm-863 IBM863 cp863 863 csIBM863
ibm-864_X110-1999	ibm-864_X110-1999 ibm-864 IBM864 cp864 csIBM864
ibm-865_P100-1995	ibm-865_P100-1995 ibm-865 IBM865 cp865 865 csIBM865
ibm-866_P100-1995	ibm-866_P100-1995 ibm-866 IBM866 cp866 866 csIBM866 windows-866
ibm-867_P100-1998	ibm-867_P100-1998 ibm-867 x-IBM867
ibm-868_P100-1995	ibm-868_P100-1995 ibm-868 IBM868 CP868 868 csIBM868 cp-ar
ibm-869_P100-1995	ibm-869_P100-1995 ibm-869 IBM869 cp869 869 cp-gr csIBM869 windows-869
ibm-878_P100-1996	ibm-878_P100-1996 ibm-878 KOI8-R koi8 csKOI8R windows-20866 cp878
ibm-901_P100-1999	ibm-901_P100-1999 ibm-901
ibm-902_P100-1999	ibm-902_P100-1999 ibm-902
ibm-922_P100-1999	ibm-922_P100-1999 ibm-922 IBM922 cp922 922 x-IBM922

ibm-1168_P100-2002	ibm-1168_P100-2002 ibm-1168 KOI8-U windows-21866
ibm-4909_P100-1999	ibm-4909_P100-1999 ibm-4909
ibm-5346_P100-1998	ibm-5346_P100-1998 ibm-5346 windows-1250 cp1250
ibm-5347_P100-1998	ibm-5347_P100-1998 ibm-5347 windows-1251 cp1251 ANSI1251
ibm-5348_P100-1997	ibm-5348_P100-1997 ibm-5348 windows-1252 cp1252
ibm-5349_P100-1998	ibm-5349_P100-1998 ibm-5349 windows-1253 cp1253
ibm-5350_P100-1998	ibm-5350_P100-1998 ibm-5350 windows-1254 cp1254
ibm-9447_P100-2002	ibm-9447_P100-2002 ibm-9447 windows-1255 cp1255
ibm-9448_X100-2005	ibm-9448_X100-2005 ibm-9448 windows-1256 cp1256 x-windows-1256S
ibm-9449_P100-2002	ibm-9449_P100-2002 ibm-9449 windows-1257 cp1257
ibm-5354_P100-1998	ibm-5354_P100-1998 ibm-5354 windows-1258 cp1258
ibm-1250_P100-1995	ibm-1250_P100-1995 ibm-1250 windows-1250
ibm-1251_P100-1995	ibm-1251_P100-1995 ibm-1251 windows-1251
ibm-1252_P100-2000	ibm-1252_P100-2000 ibm-1252 windows-1252
ibm-1253_P100-1995	ibm-1253_P100-1995 ibm-1253 windows-1253
ibm-1254_P100-1995	ibm-1254_P100-1995 ibm-1254 windows-1254
ibm-1255_P100-1995	ibm-1255_P100-1995 ibm-1255

ibm-5351_P100-1998	ibm-5351_P100-1998 ibm-5351 windows-1255
ibm-1256_P110-1997	ibm-1256_P110-1997 ibm-1256
ibm-5352_P100-1998	ibm-5352_P100-1998 ibm-5352 windows-1256
ibm-1257_P100-1995	ibm-1257_P100-1995 ibm-1257
ibm-5353_P100-1998	ibm-5353_P100-1998 ibm-5353 windows-1257
ibm-1258_P100-1997	ibm-1258_P100-1997 ibm-1258 windows-1258
macos-0_2-10.2	macos-0_2-10.2 macintosh mac csMacintosh windows-10000 macroman x-macroman
macos-6_2-10.4	macos-6_2-10.4 x-mac-greek windows-10006 macgr x-MacGreek
macos-7_3-10.2	macos-7_3-10.2 x-mac-cyrillic windows-10007 mac-cyrillic maccy x-MacCyrillic x-MacUkraine
macos-29-10.2	macos-29-10.2 x-mac-centraleurroman windows-10029 x-mac-ce macce maccentraleurope x-MacCentralEurope
macos-35-10.2	macos-35-10.2 x-mac-turkish windows-10081 mactr x-MacTurkish
ibm-1051_P100-1995	ibm-1051_P100-1995 ibm-1051 hp-roman8 roman8 r8 csHPRoman8 x-roman8
ibm-1276_P100-1995	ibm-1276_P100-1995 ibm-1276 Adobe-Standard-Encoding csAdobeStandardEncoding
ibm-1006_P100-1995	ibm-1006_P100-1995 ibm-1006 IBM1006 cp1006 1006 x-IBM1006

ibm-1098_P100-1995	ibm-1098_P100-1995 ibm-1098 IBM1098 cp1098 1098 x-IBM1098
ibm-1124_P100-1996	ibm-1124_P100-1996 ibm-1124 cp1124 1124 x-IBM1124
ibm-1125_P100-1997	ibm-1125_P100-1997 ibm-1125 cp1125
ibm-1129_P100-1997	ibm-1129_P100-1997 ibm-1129
ibm-1131_P100-1997	ibm-1131_P100-1997 ibm-1131 cp1131
ibm-1133_P100-1997	ibm-1133_P100-1997 ibm-1133
ISO_2022,locale=ja,version=0	ISO_2022,locale=ja,version=0 ISO-2022-JP csISO2022JP x-windows-iso2022jp x-windows-50220
ISO_2022,locale=ja,version=1	ISO_2022,locale=ja,version=1 ISO-2022-JP-1 JIS_Encoding csJISEncoding ibm-5054 JIS x-windows-50221
ISO_2022,locale=ja,version=2	ISO_2022,locale=ja,version=2 ISO-2022-JP-2 csISO2022JP2
ISO_2022,locale=ja,version=3	ISO_2022,locale=ja,version=3 JIS7
ISO_2022,locale=ja,version=4	ISO_2022,locale=ja,version=4 JIS8
ISO_2022,locale=ko,version=0	ISO_2022,locale=ko,version=0 ISO-2022-KR csISO2022KR
ISO_2022,locale=ko,version=1	ISO_2022,locale=ko,version=1 ibm-25546
ISO_2022,locale=zh,version=0	ISO_2022,locale=zh,version=0 ISO-2022-CN csISO2022CN x-ISO-2022-CN-GB
ISO_2022,locale=zh,version=1	ISO_2022,locale=zh,version=1 ISO-2022-CN-EXT
ISO_2022,locale=zh,version=2	ISO_2022,locale=zh,version=2 ISO-2022-CN-CNS x-ISO-2022-CN-CNS
HZ	HZ HZ-GB-2312
x11-compound-text	x11-compound-text COMPOUND_TEXT x-compound-text

ISCII,version=0	ISCII,version=0 x-ISCII91 x-iscii-de windows-57002 iscii-dev ibm-4902
ISCII,version=1	ISCII,version=1 x-iscii-be windows-57003 iscii-bng windows-57006 x-iscii-as
ISCII,version=2	ISCII,version=2 x-iscii-pa windows-57011 iscii-gur
ISCII,version=3	ISCII,version=3 x-iscii-gu windows-57010 iscii-guj
ISCII,version=4	ISCII,version=4 x-iscii-or windows-57007 iscii-ori
ISCII,version=5	ISCII,version=5 x-iscii-ta windows-57004 iscii-tml
ISCII,version=6	ISCII,version=6 x-iscii-te windows-57005 iscii-tlg
ISCII,version=7	ISCII,version=7 x-iscii-ka windows-57008 iscii-knd
ISCII,version=8	ISCII,version=8 x-iscii-ma windows-57009 iscii-mlm
LMBCS-1	LMBCS-1 lmbsc ibm-65025
ibm-37_P100-1995	ibm-37_P100-1995 ibm-37 IBM037 ibm-037 ebcdic-cp-us ebcdic-cp-ca ebcdic-cp-wt ebcdic-cp-nl csIBM037 cp037 037 cpibm37 cp37
ibm-273_P100-1995	ibm-273_P100-1995 ibm-273 IBM273 CP273 csIBM273 ebcdic-de 273

ibm-277_P100-1995	ibm-277_P100-1995 ibm-277 IBM277 cp277 EBCDIC-CP-DK EBCDIC-CP-NO csIBM277 ebcdic-dk 277
ibm-278_P100-1995	ibm-278_P100-1995 ibm-278 IBM278 cp278 ebcdic-cp-fi ebcdic-cp-se csIBM278 ebcdic-sv 278
ibm-280_P100-1995	ibm-280_P100-1995 ibm-280 IBM280 CP280 ebcdic-cp-it csIBM280 280
ibm-284_P100-1995	ibm-284_P100-1995 ibm-284 IBM284 CP284 ebcdic-cp-es csIBM284 cpibm284 284
ibm-285_P100-1995	ibm-285_P100-1995 ibm-285 IBM285 CP285 ebcdic-cp-gb csIBM285 cpibm285 ebcdic-gb 285
ibm-290_P100-1995	ibm-290_P100-1995 ibm-290 IBM290 cp290 EBCDIC-JP-kana csIBM290
ibm-297_P100-1995	ibm-297_P100-1995 ibm-297 IBM297 cp297 ebcdic-cp-fr csIBM297 cpibm297 297
ibm-420_X120-1999	ibm-420_X120-1999 ibm-420 IBM420 cp420 ebcdic-cp-ar1 csIBM420 420
ibm-424_P100-1995	ibm-424_P100-1995 ibm-424 IBM424 cp424 ebcdic-cp-he csIBM424 424

ibm-500_P100-1995	ibm-500_P100-1995 ibm-500 IBM500 CP500 ebcdic-cp-be csIBM500 ebcdic-cp-ch 500
ibm-803_P100-1999	ibm-803_P100-1999 ibm-803 cp803
ibm-838_P100-1995	ibm-838_P100-1995 ibm-838 IBM838 IBM-Thai csIBMThai cp838 838 ibm-9030
ibm-870_P100-1995	ibm-870_P100-1995 ibm-870 IBM870 CP870 ebcdic-cp-roece ebcdic-cp-yu csIBM870
ibm-871_P100-1995	ibm-871_P100-1995 ibm-871 IBM871 ebcdic-cp-is csIBM871 CP871 ebcdic-is 871
ibm-875_P100-1995	ibm-875_P100-1995 ibm-875 IBM875 cp875 875 x-IBM875
ibm-918_P100-1995	ibm-918_P100-1995 ibm-918 IBM918 CP918 ebcdic-cp-ar2 csIBM918
ibm-930_P120-1999	ibm-930_P120-1999 ibm-930 ibm-5026 IBM930 cp930 930 x-IBM930 x-IBM930A
ibm-933_P110-1995	ibm-933_P110-1995 ibm-933 cp933 933 x-IBM933
ibm-935_P110-1999	ibm-935_P110-1999 ibm-935 cp935 935 x-IBM935
ibm-937_P110-1999	ibm-937_P110-1999 ibm-937 cp937 937 x-IBM937

ibm-939_P120-1999	ibm-939_P120-1999 ibm-939 ibm-931 ibm-5035 IBM939 cp939 939 x-IBM939 x-IBM939A
ibm-1025_P100-1995	ibm-1025_P100-1995 ibm-1025 cp1025 1025 x-IBM1025
ibm-1026_P100-1995	ibm-1026_P100-1995 ibm-1026 IBM1026 CP1026 csIBM1026 1026
ibm-1047_P100-1995	ibm-1047_P100-1995 ibm-1047 IBM1047 cp1047 1047
ibm-1097_P100-1995	ibm-1097_P100-1995 ibm-1097 cp1097 1097 x-IBM1097
ibm-1112_P100-1995	ibm-1112_P100-1995 ibm-1112 cp1112 1112 x-IBM1112
ibm-1122_P100-1999	ibm-1122_P100-1999 ibm-1122 cp1122 1122 x-IBM1122
ibm-1123_P100-1995	ibm-1123_P100-1995 ibm-1123 cp1123 1123 x-IBM1123
ibm-1130_P100-1997	ibm-1130_P100-1997 ibm-1130
ibm-1132_P100-1998	ibm-1132_P100-1998 ibm-1132
ibm-1137_P100-1999	ibm-1137_P100-1999 ibm-1137
ibm-4517_P100-2005	ibm-4517_P100-2005 ibm-4517
ibm-1140_P100-1997	ibm-1140_P100-1997 ibm-1140 IBM01140 CCSID01140 CP01140 cp1140 ebcdic-us-37+euro

ibm-1141_P100-1997	ibm-1141_P100-1997 ibm-1141 IBM01141 CCSID01141 CP01141 cp1141 ebcdic-de-273+euro
ibm-1142_P100-1997	ibm-1142_P100-1997 ibm-1142 IBM01142 CCSID01142 CP01142 cp1142 ebcdic-dk-277+euro ebcdic-no-277+euro
ibm-1143_P100-1997	ibm-1143_P100-1997 ibm-1143 IBM01143 CCSID01143 CP01143 cp1143 ebcdic-fi-278+euro ebcdic-se-278+euro
ibm-1144_P100-1997	ibm-1144_P100-1997 ibm-1144 IBM01144 CCSID01144 CP01144 cp1144 ebcdic-it-280+euro
ibm-1145_P100-1997	ibm-1145_P100-1997 ibm-1145 IBM01145 CCSID01145 CP01145 cp1145 ebcdic-es-284+euro
ibm-1146_P100-1997	ibm-1146_P100-1997 ibm-1146 IBM01146 CCSID01146 CP01146 cp1146 ebcdic-gb-285+euro
ibm-1147_P100-1997	ibm-1147_P100-1997 ibm-1147 IBM01147 CCSID01147 CP01147 cp1147 ebcdic-fr-297+euro
ibm-1148_P100-1997	ibm-1148_P100-1997 ibm-1148 IBM01148 CCSID01148 CP01148 cp1148 ebcdic-international-500+euro
ibm-1149_P100-1997	ibm-1149_P100-1997 ibm-1149 IBM01149 CCSID01149 CP01149 cp1149 ebcdic-is-871+euro
ibm-1153_P100-1999	ibm-1153_P100-1999 ibm-1153 IBM1153 x-IBM1153

ibm-1154_P100-1999	ibm-1154_P100-1999 ibm-1154
ibm-1155_P100-1999	ibm-1155_P100-1999 ibm-1155
ibm-1156_P100-1999	ibm-1156_P100-1999 ibm-1156
ibm-1157_P100-1999	ibm-1157_P100-1999 ibm-1157
ibm-1158_P100-1999	ibm-1158_P100-1999 ibm-1158
ibm-1160_P100-1999	ibm-1160_P100-1999 ibm-1160
ibm-1164_P100-1999	ibm-1164_P100-1999 ibm-1164
ibm-1364_P110-2007	ibm-1364_P110-2007 ibm-1364 x-IBM1364
ibm-1371_P100-1999	ibm-1371_P100-1999 ibm-1371 x-IBM1371
ibm-1388_P103-2001	ibm-1388_P103-2001 ibm-1388 ibm-9580 x-IBM1388
ibm-1390_P110-2003	ibm-1390_P110-2003 ibm-1390 x-IBM1390
ibm-1399_P110-2003	ibm-1399_P110-2003 ibm-1399 x-IBM1399
ibm-5123_P100-1999	ibm-5123_P100-1999 ibm-5123
ibm-8482_P100-1999	ibm-8482_P100-1999 ibm-8482
ibm-16684_P110-2003	ibm-16684_P110-2003 ibm-16684 ibm-20780
ibm-4899_P100-1998	ibm-4899_P100-1998 ibm-4899
ibm-4971_P100-1999	ibm-4971_P100-1999 ibm-4971
ibm-9067_X100-2005	ibm-9067_X100-2005 ibm-9067
ibm-12712_P100-1998	ibm-12712_P100-1998 ibm-12712 ebcdic-he
ibm-16804_X110-1999	ibm-16804_X110-1999 ibm-16804 ebcdic-ar
ibm-37_P100-1995,swaplfnl	ibm-37_P100-1995,swaplfnl ibm-37-s390
ibm-924_P100-1998,swaplfnl	ibm-924_P100-1998,swaplfnl ibm-924-s390 IBM924_LF
ibm-1047_P100-1995,swaplfnl	ibm-1047_P100-1995,swaplfnl ibm-1047-s390 IBM1047_LF

ibm-1140_P100-1997,swaplfnl	ibm-1140_P100-1997,swaplfnl ibm-1140-s390
ibm-1141_P100-1997,swaplfnl	ibm-1141_P100-1997,swaplfnl ibm-1141-s390 IBM1141_LF
ibm-1142_P100-1997,swaplfnl	ibm-1142_P100-1997,swaplfnl ibm-1142-s390
ibm-1143_P100-1997,swaplfnl	ibm-1143_P100-1997,swaplfnl ibm-1143-s390
ibm-1144_P100-1997,swaplfnl	ibm-1144_P100-1997,swaplfnl ibm-1144-s390
ibm-1145_P100-1997,swaplfnl	ibm-1145_P100-1997,swaplfnl ibm-1145-s390
ibm-1146_P100-1997,swaplfnl	ibm-1146_P100-1997,swaplfnl ibm-1146-s390
ibm-1147_P100-1997,swaplfnl	ibm-1147_P100-1997,swaplfnl ibm-1147-s390
ibm-1148_P100-1997,swaplfnl	ibm-1148_P100-1997,swaplfnl ibm-1148-s390
ibm-1149_P100-1997,swaplfnl	ibm-1149_P100-1997,swaplfnl ibm-1149-s390
ibm-1153_P100-1999,swaplfnl	ibm-1153_P100-1999,swaplfnl ibm-1153-s390
ibm-12712_P100-1998,swaplfnl	ibm-12712_P100-1998,swaplfnl ibm-12712-s390
ibm-16804_X110-1999,swaplfnl	ibm-16804_X110-1999,swaplfnl ibm-16804-s390
ebcdic-xml-us	ebcdic-xml-us
gsm-03.38-2000	gsm-03.38-2000 GSM0338
ibm-1004_P100-1995	ibm-1004_P100-1995 ibm-1004
ibm-1008_P100-1995	ibm-1008_P100-1995 ibm-1008
ibm-1009_P100-1995	ibm-1009_P100-1995 ibm-1009
ibm-1010_P100-1995	ibm-1010_P100-1995 ibm-1010 NF_Z_62-010 iso-ir-69 ISO646-FR fr csISO69French
ibm-1011_P100-1995	ibm-1011_P100-1995 ibm-1011 DIN_66003 iso-ir-21 de ISO646-DE csISO21German
ibm-1012_P100-1995	ibm-1012_P100-1995 ibm-1012 IT iso-ir-15 ISO646-IT csISO15Italian

ibm-1013_P100-1995	ibm-1013_P100-1995 ibm-1013 BS_4730 iso-ir-4 ISO646-GB gb uk csISO4UnitedKingdom
ibm-1014_P100-1995	ibm-1014_P100-1995 ibm-1014 ES2 iso-ir-85 ISO646-ES2 csISO85Spanish2
ibm-1015_P100-1995	ibm-1015_P100-1995 ibm-1015 PT2 iso-ir-84 ISO646-PT2 csISO84Portuguese2
ibm-1016_P100-1995	ibm-1016_P100-1995 ibm-1016 NS_4551-1 iso-ir-60 ISO646-NO no csISO60DanishNorwegian csISO60Norwegian1
ibm-1017_P100-1995	ibm-1017_P100-1995 ibm-1017
ibm-1018_P100-1995	ibm-1018_P100-1995 ibm-1018 SEN_850200_B iso-ir-10 FI ISO646-FI ISO646-SE se csISO10Swedish
ibm-1019_P100-1995	ibm-1019_P100-1995 ibm-1019
ibm-1020_P100-2003	ibm-1020_P100-2003 ibm-1020 CSA_Z243.4-1985-1 iso-ir-121 ISO646-CA csa7-1 ca csISO121Canadian1
ibm-1021_P100-2003	ibm-1021_P100-2003 ibm-1021
ibm-1023_P100-2003	ibm-1023_P100-2003 ibm-1023 ES iso-ir-17 ISO646-ES csISO17Spanish
ibm-1046_X110-1999	ibm-1046_X110-1999 ibm-1046 x-IBM1046 x-IBM1046S
ibm-1100_P100-2003	ibm-1100_P100-2003 ibm-1100 DEC-MCS dec csDECMCS

ibm-1101_P100-2003	ibm-1101_P100-2003 ibm-1101
ibm-1102_P100-2003	ibm-1102_P100-2003 ibm-1102
ibm-1103_P100-2003	ibm-1103_P100-2003 ibm-1103
ibm-1104_P100-2003	ibm-1104_P100-2003 ibm-1104 NF_Z_62-010_1973 iso-ir-25 ISO646-FR1 csISO25French
ibm-1105_P100-2003	ibm-1105_P100-2003 ibm-1105
ibm-1106_P100-2003	ibm-1106_P100-2003 ibm-1106
ibm-1107_P100-2003	ibm-1107_P100-2003 ibm-1107 DS_2089 ISO646-DK dk csISO646Danish
ibm-1127_P100-2004	ibm-1127_P100-2004 ibm-1127
ibm-1161_P100-1999	ibm-1161_P100-1999 ibm-1161
ibm-1163_P100-1999	ibm-1163_P100-1999 ibm-1163
ibm-1165_P101-2000	ibm-1165_P101-2000 ibm-1165
ibm-1166_P100-2002	ibm-1166_P100-2002 ibm-1166
ibm-1167_P100-2002	ibm-1167_P100-2002 ibm-1167 KOI8-RU x-KOI8_RU
ibm-1174_X100-2007	ibm-1174_X100-2007 ibm-1174 KZ-1048 STRK1048-2002 RK1048 csKZ1048
ibm-1277_P100-1995	ibm-1277_P100-1995 ibm-1277
ibm-13125_P100-1997	ibm-13125_P100-1997 ibm-13125
ibm-13140_P101-2000	ibm-13140_P101-2000 ibm-13140
ibm-13218_P100-1996	ibm-13218_P100-1996 ibm-13218
ibm-1350_P110-1997	ibm-1350_P110-1997 ibm-1350 x-eucJP-Open eucJP-Open
ibm-1351_P110-1997	ibm-1351_P110-1997 ibm-1351 x-IBM1351
ibm-1362_P110-1999	ibm-1362_P110-1999 ibm-1362 x-IBM1362

ibm-13676_P102-2001	ibm-13676_P102-2001 ibm-13676
ibm-1380_P100-1995	ibm-1380_P100-1995 ibm-1380 x-IBM1380
ibm-1381_P110-1999	ibm-1381_P110-1999 ibm-1381 cp1381 1381 x-IBM1381
ibm-1382_P100-1995	ibm-1382_P100-1995 ibm-1382 x-IBM1382
ibm-17221_P100-2001	ibm-17221_P100-2001 ibm-17221
ibm-17248_X110-1999	ibm-17248_X110-1999 ibm-17248
ibm-21344_P101-2000	ibm-21344_P101-2000 ibm-21344
ibm-21427_P100-1999	ibm-21427_P100-1999 ibm-21427
ibm-256_P100-1995	ibm-256_P100-1995 ibm-256
ibm-259_P100-1995	ibm-259_P100-1995 ibm-259 IBM-Symbols csIBMSymbols
ibm-274_P100-2000	ibm-274_P100-2000 ibm-274 IBM274 EBCDIC-BE CP274 csIBM274
ibm-275_P100-1995	ibm-275_P100-1995 ibm-275 IBM275 EBCDIC-BR cp275 csIBM275
ibm-286_P100-2003	ibm-286_P100-2003 ibm-286 EBCDIC-AT-DE-A csEBCDICATDEA
ibm-293_P100-1995	ibm-293_P100-1995 ibm-293
ibm-300_P120-2006	ibm-300_P120-2006 ibm-300 x-IBM300
ibm-301_P110-1997	ibm-301_P110-1997 ibm-301 x-IBM301
ibm-33058_P100-2000	ibm-33058_P100-2000 ibm-33058
ibm-425_P101-2000	ibm-425_P101-2000 ibm-425
ibm-4930_P110-1999	ibm-4930_P110-1999 ibm-4930
ibm-4933_P100-2002	ibm-4933_P100-2002 ibm-4933

ibm-4948_P100-1995	ibm-4948_P100-1995 ibm-4948
ibm-4951_P100-1995	ibm-4951_P100-1995 ibm-4951
ibm-4952_P100-1995	ibm-4952_P100-1995 ibm-4952
ibm-4960_P100-1995	ibm-4960_P100-1995 ibm-4960
ibm-5039_P11A-1998	ibm-5039_P11A-1998 ibm-5039
ibm-5048_P100-1995	ibm-5048_P100-1995 ibm-5048
ibm-5049_P100-1995	ibm-5049_P100-1995 ibm-5049
ibm-5067_P100-1995	ibm-5067_P100-1995 ibm-5067
ibm-5104_X110-1999	ibm-5104_X110-1999 ibm-5104
ibm-5233_P100-2011	ibm-5233_P100-2011 ibm-5233
ibm-806_P100-1998	ibm-806_P100-1998 ibm-806
ibm-808_P100-1999	ibm-808_P100-1999 ibm-808 x-IBM808
ibm-834_P100-1995	ibm-834_P100-1995 ibm-834 x-IBM834
ibm-835_P100-1995	ibm-835_P100-1995 ibm-835 x-IBM835
ibm-837_P100-2011	ibm-837_P100-2011 ibm-837 x-IBM837
ibm-848_P100-1999	ibm-848_P100-1999 ibm-848
ibm-849_P100-1999	ibm-849_P100-1999 ibm-849
ibm-859_P100-1999	ibm-859_P100-1999 ibm-859 x-IBM859
ibm-8612_P100-1995	ibm-8612_P100-1995 ibm-8612
ibm-872_P100-1999	ibm-872_P100-1999 ibm-872
ibm-880_P100-1995	ibm-880_P100-1995 ibm-880 IBM880 cp880 EBCDIC-Cyrillic csIBM880 windows-20880
ibm-896_P100-1995	ibm-896_P100-1995 ibm-896

ibm-897_P100-1995	ibm-897_P100-1995 ibm-897 JIS_X0201 X0201 csHalfWidthKatakana x-IBM897
ibm-9027_P100-1999	ibm-9027_P100-1999 ibm-9027
ibm-9048_P100-1998	ibm-9048_P100-1998 ibm-9048
ibm-905_P100-1995	ibm-905_P100-1995 ibm-905 IBM905 CP905 ebcdic-cp-tr csIBM905 windows-20905
ibm-9056_P100-1995	ibm-9056_P100-1995 ibm-9056
ibm-9061_P100-1999	ibm-9061_P100-1999 ibm-9061
ibm-9145_P110-1997	ibm-9145_P110-1997 ibm-9145
ibm-9238_X110-1999	ibm-9238_X110-1999 ibm-9238
ibm-924_P100-1998	ibm-924_P100-1998 ibm-924 IBM00924 CCSID00924 CP00924 ebcdic-Latin9--euro
ibm-926_P100-2000	ibm-926_P100-2000 ibm-926
ibm-927_P100-1995	ibm-927_P100-1995 ibm-927 x-IBM927
ibm-928_P100-1995	ibm-928_P100-1995 ibm-928
ibm-941_P13A-2001	ibm-941_P13A-2001 ibm-941
ibm-944_P100-1995	ibm-944_P100-1995 ibm-944
ibm-946_P100-1995	ibm-946_P100-1995 ibm-946
ibm-947_P100-1995	ibm-947_P100-1995 ibm-947 x-IBM947
ibm-948_P110-1999	ibm-948_P110-1999 ibm-948 x-IBM948
ibm-951_P100-1995	ibm-951_P100-1995 ibm-951 x-IBM951
ibm-952_P110-1997	ibm-952_P110-1997 ibm-952 x-JIS0208
ibm-953_P100-2000	ibm-953_P100-2000 ibm-953 JIS_X0212-1990

ibm-955_P110-1997	ibm-955_P110-1997 ibm-955
ibm-9577_P100-2001	ibm-9577_P100-2001 ibm-9577 ibm-1385 x-IBM1385
iso-8859_16-2001	iso-8859_16-2001 ISO-8859-16 iso-ir-226 ISO_8859-16:2001 latin10 l10