

Log Errors

Log errors are errors that are not related to the implementation of a service. Log errors are written to the [x UML service log](#) and are indicating e.g. a configuration problem. They cannot be caught by the modeler.

Related Pages:

- [System Errors](#)

Overview of the Error Domains

Click an error domain to go to the list of errors of that domain.
Click a context to go to the documentation of the selected topic.

Error Domain	Context	Error Domain	Context	Error Domain	Context
ADDLM	Add-on messages	FUCLM		SAPADLM	SAP Adapter
AWSS3LM	S3 Adapter	FUDLM	DateTime Operations	SRVLM	Service messages
BELM	Core messages	KAWKAADLM	Kafka Producer Adapter	SSILM	
CTRLLM		LCELM	License messages	SSPLM	
DIRLM		MEMADLM	Memory Adapter	TIMADLM	Timer Service
FLOWLM		MLM		XMLFLM	
FSADLM	File System Adapter	MONGOADLM	MongoDB Adapter	XMLLM	classToXML() Operation xmlToClass Blobs xmlToClass Strings
FUBLM	Blob Operations	RESTLM	REST Adapter		

Domain ADDLM

Domain	Error Code	Description
ADDLM	1	Loading the addon failed.
ADDLM	2	The repository is not correctly set up.
ADDLM	3	Loading addon failed, no getname symbol.
ADDLM	4	Loading addon failed, no initialize symbol.
ADDLM	5	Loaded addon sucessfully.
ADDLM	6	Found unexpected element for AddOn section.
ADDLM	7	Found unexpected element for root section.
ADDLM	8	Expected root element.
ADDLM	9	AddOn element is not complete.
ADDLM	10	Failed to read and parse repository.
ADDLM	11	Initializing addon failed.
ADDLM	12	Initializing addon failed.

Domain AWSS3LM

Domain	Error Code	Description
AWSS3LM	0	Missing operation definition.
AWSS3LM	1	Missing connection definition.
AWSS3LM	2	Duplicated connection entry.

AWSS3LM	3	Unknown element.
AWSS3LM	4	Missing attribute.
AWSS3LM	5	Unexpected known child element.
AWSS3LM	6	No negative port allowed.
AWSS3LM	7	Missing source bucket parameter.
AWSS3LM	8	Missing source object parameter.
AWSS3LM	9	Missing target bucket parameter.
AWSS3LM	10	Missing file path parameter.
AWSS3LM	11	Missing data for upload.
AWSS3LM	12	Missing version parameter.
AWSS3LM	13	Missing recursive parameter.
AWSS3LM	14	AWS SDK logging.
AWSS3LM	13	Output stream factory called multiple times.

Domain BELM

Domain	Error Code	Description
BELM	1	A given key could not be found in the tabfile.
BELM	2	A given unique key is found more than once in a tabfile.
BELM	3	No specification for the requested mapping found.
BELM	4	backendcomponents.tab not found.
BELM	5	No factory registered for the requested component type.
BELM	6	No factory registered for the requested function type.
BELM	7	The accessor factory has not been registered.
BELM	8	No connection manager for the requested source found.
BELM	9	Component can not be unregistered.
BELM	10	Function can not be unregistered.
BELM	11	No specification found for the requested function.
BELM	12	Minimal parameter count for the function not reached.
BELM	13	The component factory is already registered.
BELM	14	The function factory is already registered.
BELM	15	The connection manager is already registered.
BELM	16	Found unexpected element for Component section.
BELM	17	Found unexpected element for root section.
BELM	18	Expected root element.
BELM	19	Component element is not complete.
BELM	20	Failed to read and parse component repository file.
BELM	21	Duplicate definition for component.
BELM	22	Component is unknown.
BELM	23	Initializing component failed.
BELM	24	The service is already registered.

BELM	25	Function used by a mapper is not found.
BELM	26	Failed to parse security repository file.
BELM	27	Found unexpected element for SecurityInterceptorClass section.
BELM	28	Found unexpected element for AccessRules section.
BELM	29	Component referenced in AccessRules section not found.
BELM	30	Component reference in AccessRules section is missing.
BELM	31	Found unexpected element for AccessRule section.
BELM	32	Found unexpected operation name for Security Interceptor
BELM	33	Missing operation name for Security Interceptor
BELM	34	Missing component ID for Security Interceptor
BELM	35	Failed to load security repository file.
BELM	35	The service is shutting down.
BELM	36	The service was shut down.
BELM	37	The fingerprint of the repository does not match license.
BELM	38	Initializing service failed.
BELM	39	Found unexpected element for DataItem section.
BELM	40	Failed to parse names repository file.
BELM	41	Duplicate definition for named item.
BELM	43	Failed to resolve component failed.
BELM	46	Service is restarting.
BELM	47	Failed to handle change.
BELM	48	The source attribute is missing for an entry of mapping.
BELM	49	The target attribute is missing for an set or append entry of mapping.
BELM	50	A mapping has no id attribute.
BELM	51	Root element must be "Dump" of file "Base/dump.tab".
BELM	52	Transaction ID is truncated.
BELM	53	Stack size exceeded limit.
BELM	54	Unexpected value of 'action' for function.
BELM	55	Error creating map writer for mapper. Repository is corrupted.
BELM	56	Required Data Item is missing in the repository.
BELM	57	Creating repository failed.
BELM	58	Creating resource manager failed.
BELM	59	Could not load all required addons.
BELM	60	Initializing resource manager failed.
BELM	61	Required XML Data Item is missing in the repository.
BELM	62	Fallback message.
BELM	63	Unexpected element in classic logger repository.

Domain CTRLLM

Domain	Error Code	Description
--------	------------	-------------

CTRLLM	1	The adapter repository is not correctly set up.
CTRLLM	2	Different element expected.
CTRLLM	3	Root expected.
CTRLLM	4	Failed to read and parse file.
CTRLLM	5	System is not set up.
CTRLLM	6	No session available.
CTRLLM	7	Reading request failed.
CTRLLM	8	The listener could not start.
CTRLLM	9	Log command processed
CTRLLM	10	Writing response failed.
CTRLLM	11	The Logger is restarting.
CTRLLM	12	Invalid logger configuration
CTRLLM	13	Missing component parameter

Domain DIRLM

Domain	Error Code	Description
DIRLM	1	Can't open dataitem tab.
DIRLM	2	A mandatory column is empty.
DIRLM	3	The position in the data item is already in use.
DIRLM	4	Meta data error, attribute key used twice.
DIRLM	5	Default value does not match data type.
DIRLM	6	The dataitem associated with attribute can't be resolved.
DIRLM	7	Meta data error, operation key used twice.
DIRLM	8	Root element must be "DataItems".
DIRLM	9	The parent DataItem cannot be resolved.
DIRLM	10	Missing data item id.
DIRLM	11	Data item does not exist.
DIRLM	12	Attribute index is invalid.
DIRLM	13	Unknown element when parsing serialization tabfile.

Domain FLOWLM

Domain	Error Code	Description
FLOWLM	1	illegal object type
FLOWLM	2	no configuration for sequence
FLOWLM	3	not enough configuration lines for sequence (<2)
FLOWLM	5	the flow has not been initialized correctly: the start step is not defined.
FLOWLM	6	could not find next step
FLOWLM	7	could not find a called subcomponent
FLOWLM	8	The id of the operation is not unique.

FLOWLM	9	The 'variableIndex' is missing at step.
FLOWLM	10	The decision has a condition without an expression.
FLOWLM	11	Session cancelled.

Domain FSADLM

Domain	Error Code	Description
FSADLM	1	Found unexpected element for Read section.
FSADLM	2	Found unexpected element for root section.
FSADLM	3	Root expected.
FSADLM	4	Failed to read and parse file.
FSADLM	5	Found unexpected element for Write section.
FSADLM	6	Found unexpected element for Status section.
FSADLM	7	Found unexpected element for Remove section.
FSADLM	8	Found unexpected element for CreateDirectory section.
FSADLM	9	Found unexpected element for ReadDirectory section.
FSADLM	10	Found unexpected element for ReadLine section.
FSADLM	11	Found unexpected element for Rename section.
FSADLM	12	Found unexpected element for Append section.
FSADLM	13	Found unexpected element for Close section.
FSADLM	14	Duplicated request name.
FSADLM	15	Found unexpected element for Close section.

Domain FUBLM

Domain	Error Code	Description
FUBLM	1	Compare operator is of unknown type.

Domain FUCLM

Domain	Error Code	Description
FUCLM	1	Can not convert this value from string to blob.
FUCLM	2	Can not convert this value from string to boolean.
FUCLM	3	Can not convert this value from string to datetime.
FUCLM	4	Can not convert this value from string to float.
FUCLM	5	Can not convert this value from string to integer.
FUCLM	6	The type of the item to create is unknown.
FUCLM	7	The class of the item to create is unknown.
FUCLM	8	Constructor function has unsupported type.

Domain FUDLM

Domain	Error Code	Description
FUDLM	1	Found unexpected element for ConvertRecordToDateTime section.
FUDLM	2	Found unexpected element for ConvertDateTimeToRecord section.
FUDLM	3	Found unexpected element for root section.
FUDLM	4	Failed to read and parse.
FUDLM	5	Expected root element.
FUDLM	6	Function is not properly set up.
FUDLM	7	Function is not properly set up.
FUDLM	8	Function is unknown in the FUD repository.
FUDLM	9	Accessor for request is unknown.
FUDLM	10	Function is unknown in the FUD repository.
FUDLM	11	Accessor for function is unknown.
FUDLM	12	Function is not properly set up.
FUDLM	13	Function is unknown in the FUD repository.
FUDLM	14	Accessor for request is unknown.
FUDLM	15	Function is not properly set up.
FUDLM	16	Function is unknown in the FUD repository.
FUDLM	17	Accessor for request is unknown.
FUDLM	18	Found unexpected element for ConvertTimeTicksToDateTime section.
FUDLM	19	Found unexpected element for ConvertDateTimeToTimeTicks section.

Domain KAWKAADLM

Domain	Error Code	Description
KAWKAADLM	0	Initializing Kafka AddOn.
KAWKAADLM	1	Cannot read Kafka Producer adapter. The file does not exist or is otherwise not readable.
KAWKAADLM	2	Cannot read Kafka Producer connections. The file does not exist or is otherwise not readable.
KAWKAADLM	3	Cannot find Kafka Producer definition in the tabfiles.
KAWKAADLM	4	Found unexpected element in the tabfiles.
KAWKAADLM	5	A tabfile entry is missing a required attribute or the attribute is empty.
KAWKAADLM	6	User-supplied Kafka configuration property has a named setting in the model.
KAWKAADLM	7	Kafka configuration property has been set more than once. Either the user supplied it twice, or they use a property that has dedicated setting.
KAWKAADLM	8	A connection definition has configuration options not recognised by the runtime.
KAWKAADLM	9	A connection has been requested at runtime that has no static definition.

KAWKAAD LM	10	A message from the Kafka driver.
KAWKAAD LM	11	A warning message from the Kafka driver.
KAWKAAD LM	12	An important message from the Kafka driver, indicating an error.
KAWKAAD LM	13	Committing transaction reported an error. Transaction might have not been committed.
KAWKAAD LM	14	Aborting transaction reported an error. Transaction might still be open.

Domain LCELM

Domain	Error Code	Description
LCELM	1	Failed to read and parse instance file.
LCELM	2	Unexpected instance element found.
LCELM	3	Instance root expected.
LCELM	4	License repository not available.
LCELM	6	License root expected.
LCELM	7	Failed to read and parse license file.
LCELM	8	No license path.
LCELM	9	License key is missing from repository.
LCELM	15	Using valid license.
LCELM	16	Using demo license.
LCELM	18	Instance license is invalid.
LCELM	25	License signature is missing from repository.
LCELM	26	License signature is invalid.
LCELM	27	Public key is damaged while validating.
LCELM	28	License id is missing from repository.
LCELM	29	License signature encoding is invalid.
LCELM	30	License ticker is not available.
LCELM	34	Machine name to license mismatch
LCELM	35	Machine name or key missing
LCELM	36	License key expired
LCELM	37	Service exceeds licensed concurrency
LCELM	38	License limited to specific services, this service is not licensed.
LCELM	42	A license based on a dongle is not supported on this platform.
LCELM	43	Cached licence expiration date reached. Checking for renewed licence.

Domain MEMADLM

Domain	Error Code	Description
MEMADLM	3	Expected Name for element.
MEMADLM	4	Unexpected element.

Domain MLM

Domain	Error Code	Description
MLM	1	The repository path is invalid.
MLM	2	Loading the addon failed.
MLM	3	No child element expected.
MLM	4	Can't access repository file.
MLM	5	No system info available while opening repository file.
MLM	6	Unexpected element found.
MLM	7	Failed to read and parse 'features' repository.
MLM	8	Failed to parse errors repository.
MLM	9	BUG: %s
MLM	10	Malformed input.
MLM	11	Bad port number.
MLM	12	Unsupported scheme.
MLM	13	Setting URL part failed.

Domain MONGOADLM

Domain	Error Code	Description
MONGOADLM	1	Initializing MongoDB AddOn failed.
MONGOADLM	2	Unexpected tabfile element.
MONGOADLM	3	Duplicated entry for %s in MongoDB connection configuration.
MONGOADLM	4	Missing required attribute for tabfile entry.
MONGOADLM	5	Duplicated entry for %s in MongoDB adapter configuration.
MONGOADLM	6	MongoDB connection repository file is not accessible.
MONGOADLM	7	cannot parse {} without metadata.
MONGOADLM	8	Associated connection not found for adapter.
MONGOADLM	9	No pool for connection.
MONGOADLM	10	Missing adapter definition.
MONGOADLM	11	Commit failed.
MONGOADLM	12	Rollback failed.
MONGOADLM	13	Object to be serialized into MongoDB document is missing metadata.
MONGOADLM	14	Unknown simple type to serialize (please report a bug).
MONGOADLM	15	Multiple update specifications provided.
MONGOADLM	16	Incompatible update specifications provided.
MONGOADLM	17	Options parameter has incorrect type.
MONGOADLM	18	Query string document for operation is missing.
MONGOADLM	19	Handle parameter for fetch operation is missing.
MONGOADLM	20	Handle parameter for fetch operation has incorrect type.

MONGOADLM	21	Handle id for fetch operation is missing.
MONGOADLM	22	Missing required adapter parameter.
MONGOADLM	23	Input document for operation is missing.
MONGOADLM	24	Pipeline for operation is missing.
MONGOADLM	25	Source string for parsing is missing.
MONGOADLM	26	Source record for composing is missing.
MONGOADLM	27	Format for composing is missing or has wrong type.
MONGOADLM	28	Options for composing are missing or have wrong type.
MONGOADLM	29	Unrecognized composer mode '{}'.

Domain PSADLM

Domain	Error Code	Description
PSADLM	3	Warning: Missing database name to store persistent states, using memory instead.
PSADLM	4	State engine failed to connect to database.
PSADLM	5	Type used in persistent state does not exist in the base repository.
PSADLM	6	Persistent state dataitem is declared twice.
PSADLM	7	Persistent state signal is declared twice.
PSADLM	8	Component used in persistent state does not exist in the base repository.
PSADLM	9	Persistent state is declared twice.
PSADLM	10	Dataitem referenced in persistent state is unknown.
PSADLM	11	Persistent state transition is declared twice.
PSADLM	12	Signal referenced in persistent state is unknown.
PSADLM	13	State referenced by transition is unknown.
PSADLM	14	Initial persistent state transition can't have a timeout.
PSADLM	15	Persistent state command is declared twice.
PSADLM	16	Persistent state command not found
PSADLM	17	Signal definition is incomplete.
PSADLM	19	Persistent flow name is used twice.
PSADLM	20	State referenced as parent is unknown.
PSADLM	21	Flow referenced as submachine flow is unknown.
PSADLM	22	Persistent state search is missing SQL statement.
PSADLM	25	Error while parsing SQL command (e.g. search handles)
PSADLM	29	Persistent state transition has more then one timeout.
PSADLM	30	Lost connection to persistent state database. Will try to automatically reconnect.
PSADLM	31	Reconnected to persistent state database.
PSADLM	32	Reconnect to persistent state database failed. Will try again to reconnect.
PSADLM	33	Can't open database to dump persistent states.
PSADLM	34	Failed to init backup database.
PSADLM	35	The PersistentStateService stops processing new events.

PSADLM	37	Can not open a new persistent state database connection to compensate.
PSADLM	38	Could not parse signal data. The signal will be deleted and will not be processed.
PSADLM	39	Can not do consistency check after reconnect because other database transactions are still in progress. If you get duplicate key errors then restart the service to force the consistency check.
PSADLM	40	Persistent state high availability switch is active with retry timeout.
PSADLM	41	Database connection not available.
PSADLM	42	Detected changes to primary key of object. Those changes will be lost.
PSADLM	43	Detected objects for which no metadata exist in the repository. Correct the problem either by restoring class definitions in the model or by deleting corresponding objects.
PSADLM	44	Failed to complete Persistent State event action.
PSADLM	45	Failed to commit Persistent State object after performing doActivity. Object will stale in state.
PSADLM	46	Persistent state engine manages transaction isolation levels by itself. Please set it 'DBMS default' for PS connection.
PSADLM	47	Failed to store engine startup time.
PSADLM	48	Failed to store engine shutdown time.
PSADLM	49	Failed to prepare Persistent State SQL commands.
PSADLM	50	Failed to dump Persistent State database.
PSADLM	51	Failed to restore Persistent State database.
PSADLM	52	Failed to set initial PRAGMA statements on the Persistent State Database.
PSADLM	53	Persistent State object deleted while having %zd events pending.
PSADLM	54	Unknown element in PS control repository.
PSADLM	55	Found duplicated component in PS control repository.
PSADLM	56	Found unnamed component in PS control repository.
PSADLM	57	State handle not found. Probably the adapter has been called outside of PS context.
PSADLM	58	Cannot parse object data.

Domain RESTLM

Domain	Error Code	Description
RESTLM	1	Constructing REST_AddOn
RESTLM	2	Service already exists in the repository.
RESTLM	3	Service has not been found in the repository.
RESTLM	4	Unrecognized tabfile element when parsing REST Service repository.
RESTLM	5	Service description is invalid.
RESTLM	6	Value has wrong format.
RESTLM	7	Message is unknown to the repository.
RESTLM	8	Reading request failed, subsystem error.
RESTLM	9	Sending response failed, socket error.
RESTLM	10	Cannot generate any of the expected output formats.
RESTLM	11	Unknown input format.
RESTLM	12	Failed to convert.
RESTLM	14	Failed to parse request body.
RESTLM	15	Failed to retrieve required type metadata. The repository is broken.

RESTLM	16	Failed to read and parse HTDOC repository. The repository is broken.
RESTLM	17	Request has no data.
RESTLM	18	Response code is empty in the repository (tabfile is corrupt).
RESTLM	19	Response cannot be serialized because it's not of complex type.
RESTLM	20	The repository meta data does not match the actual thing.
RESTLM	21	Repository format is too old.
RESTLM	22	Duplicated error metadata.
RESTLM	23	REST Error metadata has not been found in the repository.
RESTLM	24	Expected Record but found Array or the other way around.
RESTLM	25	Found connection without id when parsing REST Connections repository.
RESTLM	26	Found more than one connection with id.
RESTLM	27	Connection not found in repository.
RESTLM	28	Found more than one request with name.
RESTLM	29	Unknown HTTP method.
RESTLM	30	Request not found in repository.
RESTLM	32	Unknown parameter location.
RESTLM	33	Unsupported conversion.
RESTLM	34	Cannot understand "Content-Type, trying JSON format.
RESTLM	35	Skipping set output parameter because of HTTP error or metadata mismatch.
RESTLM	36	Path variable is missing.
RESTLM	37	Path variable is empty.
RESTLM	38	Multiple values provided for a non-array parameter.
RESTLM	39	Invalid repository parameter.
RESTLM	40	Duplicated definition of parameter to request.
RESTLM	41	No field in class.
RESTLM	44	Expected no body but received bytes. Response will not be parsed.
RESTLM	45	Failed to start.
RESTLM	46	Unrecognized header role.
RESTLM	47	Client does not accept any of declared response content types.
RESTLM	48	Request content type not declared as accepted by the service.
RESTLM	49	Response content type not declared as possible output for a response code.
RESTLM	50	Response Content-Type header is empty.
RESTLM	51	Empty value for declared 'content-type' element.
RESTLM	52	Empty value for declared 'accept' element.
RESTLM	53	Response Content-Type header is empty.

Domain SAPADLM

Domain	Error Code	Description
SAPADLM	1	Found unexpected element for Request section.

SAPADLM	2	Found unexpected element for root section.
SAPADLM	3	Expected root element.
SAPADLM	4	Request element is not complete.
SAPADLM	5	Failed to read and parse file.
SAPADLM	7	Found unexpected element for root section.
SAPADLM	8	Expected root element.
SAPADLM	9	Failed to read and parse file.
SAPADLM	10	Connection to SAP could not be established.
SAPADLM	11	An error occurred while waiting for an SAP event.
SAPADLM	13	Invalid service type.
SAPADLM	14	Parsing request failed.
SAPADLM	18	The function name is unknown in the SARS repository.
SAPADLM	19	Found unexpected element for request section.
SAPADLM	20	Found unexpected element for root section.
SAPADLM	21	Expected root element.
SAPADLM	22	Request element is not complete.
SAPADLM	23	Failed to read and parse request repository file.
SAPADLM	24	Found unexpected element for TRFCCallbacks section.
SAPADLM	26	Composing request failed.
SAPADLM	27	Issuing callback failed.
SAPADLM	29	The value for the IsTransacted element is not valid.
SAPADLM	30	Handling request failed.
SAPADLM	32	Authentication child element expected.
SAPADLM	34	Connection to SAP could not be established. Will retry to connect and will report successful connect with info message.
SAPADLM	35	Function already exists.
SAPADLM	36	Failed to install transaction handles.
SAPADLM	37	Failed to install generic server function.
SAPADLM	38	SAP structure name is too long.
SAPADLM	39	ProgramID not given.
SAPADLM	40	Constructing SAP_AddOn using sapnwrfsdk-7.20
SAPADLM	41	Failed to read and parse file.
SAPADLM	42	Unknown setting for SAP. Runtime too old?
SAPADLM	43	Expected root element.
SAPADLM	44	Unrecognised value for setting.
SAPADLM	45	The value is not valid for the PoolSize element. It must be a number and greater than 0.
SAPADLM	46	Values set.

Domain SRVLM

Domain	Error Code	Description
--------	------------	-------------

SRVLM	1	Wrong repository version.
SRVLM	2	Starting up.
SRVLM	3	Startup done.
SRVLM	4	No system info available.
SRVLM	5	Shutting down...
SRVLM	6	Shutdown complete.
SRVLM	7	Controller startup failed.
SRVLM	8	Backend initialization failed.
SRVLM	9	No license subsystem.
SRVLM	10	Information about shutdown signals.
SRVLM	11	Found deadlock dump.
SRVLM	12	Using experimental nightly build.
SRVLM	13	Functionality ... requires xUML Runtime ... or newer.
SRVLM	14	Functionality ... is fully supported with xUML Runtime ... or newer. Some settings or options may be ignored.
SRVLM	15	The repository cannot be run with this xUML Runtime version.
SRVLM	16	Could not initialize logger.
SRVLM	17	Could not load license file.

Domain SSILM

Domain	Error Code	Description
SSILM	14	Found unexpected element for Event section.
SSILM	15	Found unexpected element for root section.
SSILM	16	Expected root element.
SSILM	17	Event element is not complete.
SSILM	18	Failed to read and parse file.
SSILM	19	Dataltem repository is missing.
SSILM	20	SOAP repository is missing.
SSILM	21	Frontend repository is missing.

Domain SSPLM

Domain	Error Code	Description
SSPLM	3	The matching DIR_Attribute ist not found in the Data Item Repository.
SSPLM	4	The attribute was defined twice.
SSPLM	6	Can't find a dataitem that was referred to from SOAP type mapping.
SSPLM	7	Can't open types.tab
SSPLM	9	Can't opne dataitem.tab
SSPLM	10	A mandatory dataitem column is empty.
SSPLM	12	A mandatory types column is empty.
SSPLM	13	The position in the data item is already in use.

SSPLM	14	The given XML type is invalid.
SSPLM	15	Found unexpected element for Message section.
SSPLM	16	Found unexpected element for root section.
SSPLM	17	Expected root element.
SSPLM	18	Composer message element is not complete.
SSPLM	19	Failed to read and parse file.
SSPLM	20	Found unexpected element for Message section.
SSPLM	21	Found unexpected element for root section.
SSPLM	22	Expected root element.
SSPLM	23	Composer message element is not complete.
SSPLM	24	Failed to read and parse file.
SSPLM	25	Found unexpected element for MessageSet section.
SSPLM	26	Found unexpected element for MessageSet section.
SSPLM	27	Composer message set element is not complete.
SSPLM	28	Composer message set element is not complete.
SSPLM	29	Composer message set missing attribute startsAt for element HeaderDataItem
SSPLM	30	The matching DIR_DataItem ist not found in the Data Item Repository.
SSPLM	31	Composer found cyclic dependency between objects.
SSPLM	32	Root element must be "SOAP".

Domain TIMADLM

Domain	Error Code	Description
TIMADLM	1	Event expected.
TIMADLM	3	Root expected.
TIMADLM	9	Event child element not expected.
TIMADLM	10	Failed to read and parse file.
TIMADLM	11	Launching thread failed.
TIMADLM	12	Mandatory Event element missing.
TIMADLM	13	Event dropped, queue is full.
TIMADLM	14	Found unexpected element for Trace section.

Domain XMLFLM

Domain	Error Code	Description
XMLFLM	1	Failed to open parser repository.
XMLFLM	2	Failed to open composer repository.
XMLFLM	3	A mandatory column is empty in the parser repository.
XMLFLM	4	A mandatory column is empty in the composer repository.
XMLFLM	5	Unknown request while initializing xml parser
XMLFLM	6	Unknown accessor t while initializing xml parser

XMLFLM	7	Unknown request while initializing xml composer
XMLFLM	8	Unknown accessor t while initializing xml composer

Domain XMLLM

Domain	Error Code	Description
XMLLM	1	The native XML parser reported an error during parsing.
XMLLM	2	The native XML parser reported a warning during parsing.
XMLLM	3	The native XML parser reported a fatal error during parsing.
XMLLM	4	The native XML parser reported an XML error.
XMLLM	5	The native XML parser reported an internal parser error.
XMLLM	6	Could not open file for read.
XMLLM	7	Read error.
XMLLM	8	File is too large.
XMLLM	9	Could not stat file.
XMLLM	10	Could not get system info.
XMLLM	11	The native XML parser reported an error during parsing.
XMLLM	12	The native XML parser reported a warning during parsing.
XMLLM	13	The native XML parser reported a fatal error during parsing.
XMLLM	14	The native XML parser reported an XML error.
XMLLM	15	The native XML parser reported an internal parser error.
XMLLM	16	Can't parse empty buffer.
XMLLM	17	The matching DIR_Attribute ist not found in the Data Item Repository.
XMLLM	18	The attribute was defined twice.
XMLLM	19	Can't open request tab.
XMLLM	20	Can't open dataitem tab.
XMLLM	21	A mandatory dataitem column is empty.
XMLLM	22	A mandatory request column is empty.
XMLLM	23	The position in the data item is already in use.
XMLLM	24	Found unexpected element for Message section.
XMLLM	25	Found unexpected element for root section.
XMLLM	26	Expected root element.
XMLLM	27	Composer message element is not complete.
XMLLM	28	Failed to read and parse file.
XMLLM	29	Found unexpected element for Message section.
XMLLM	30	Found unexpected element for root section.
XMLLM	31	Expected root element.
XMLLM	32	Composer message element is not complete.
XMLLM	33	Failed to read and parse file.
XMLLM	34	Repository file uses unsupported encryption.

XMLLM	35	Failed to decrypt repository.
XMLLM	36	The matching DIR_DataItem is not found in the Data Item Repository.
XMLLM	37	Composer found cyclic dependency between objects.
XMLLM	38	Parsing repository file.
XMLLM	39	The XML_DataItem is not found in the XML Data Item Repository.
XMLLM	40	MIME: invalid starting point for XML parser.
XMLLM	41	MTOM/XOP did not find content.
XMLLM	42	MIME: invalid value of Content-Type type parameter in root of message. Message will be parsed as SOAP with attachments.