

## Granting Write Permission for Namespaces

If users should be able to save their work within a Designer namespace, they need to have write permission on the namespace. Write permission is granted in **Scheer PAS User Management**.

**Related Pages:**

- Managing Profiles
  - Adding a Profile
  - Editing a Profile
- Creating Shared Designer Namespaces

W

ScheerIPAS

← →

Edit User

Master Data

First Name

Leopold

Last Name

Bloom

E Mail

leopold.bloom@acme-corp.com

Company

ACME Corp.

Valid from

04/10/2019

Valid until

12/31/2099

User active

☒

Login

leopold.bloom

Language Selection

English

Profiles (9)

ASSIGN MORE

Designer	Name	Display Name	Namespace		
<input type="checkbox"/>	integration_user	Grants access to the Integratio		<input checked="" type="checkbox"/>	
<input type="checkbox"/>	examples_and_testing	Testing	examples_and_testing	<input checked="" type="checkbox"/>	
<input type="checkbox"/>	pas_user	Grants access to the Designer		<input checked="" type="checkbox"/>	
<input type="checkbox"/>	bpas_execution_user	Grant access to BPaaS. Allows		<input checked="" type="checkbox"/>	
<input type="checkbox"/>	acme_designer_profile	ACME Corp.	acme_designer_profile	<input checked="" type="checkbox"/>	

For data security reasons, the write permission for a namespace is not set automatically.


When you assign a new profile /namespace to a user, the **Designer** checkbox, which grants the write permission, is disabled by default.

Profiles (9)

ASSIGN MORE

Designer	Name	Display Name	Namespace		
	integration_user	Grants access to the Integratio		✕	🔗
<input type="checkbox"/>	examples_and_testing	Testing	examples_and_testing	✕	🔗
	pas_user	Grants access to the Designer		✕	🔗
	bpaaS_execution_user	Grant access to BPaaS. Allows		✕	🔗
<input checked="" type="checkbox"/>	acme_designer_profile	ACME Corp.	acme_designer_profile	✕	🔗

If you want to grant the user write permission, you have to switch to the user's data sheet and enable the corresponding checkbox in section **Profiles**.



The screenshot shows a file explorer interface. At the top, there is a folder icon and the text 'Jane's Services'. Below it, a sub-folder icon and the text 'Jane's Folder' are visible. A right-click context menu is open over 'Jane's Folder', displaying a list of actions: 'Add Folder', 'Add Service', 'Edit Folder Name', 'Cut Item', 'Paste Item', 'Export', 'Import', 'Permissions', and 'Share'. The 'Permissions' option is highlighted with a thick orange border.

In **Scheer PAS Design**er, you can also set access restriction on single folders in the Explorer.

See [Managing the Folder Permissions in the Designer Guide](#) for details.

## Permission Administration



Everyone



Jane Marple

jane.marple@acme-corp.com



### Invite People:



Invite Group



Invite People

Save

Cancel

cess restrict ion set in the user management has priority . If a names pace with read - only permission is assigned

to the user in the user management, the permission is set in the Designeer has no effect.