Editing the Service Description



Click icon in the **Description** section if you want to enter an explanatory text for your service.

Once you have deployed your model to the **Integration** component (Bridge), this descr

Related Pages:

- Managing the Service Details
  - Using the Deployment Controls
  - Editing the Deployment Properties
  - Deployment to the Integration Component (Bridge)
  - Deployment as Container
  - Aliases

ip
ti
o
n
w
ill
b
e
vi
si
bl
e
in
t
h
e
m
o
d
el
n
o
t
e
s
o
f
t
h
e
x
U
M
L
s
e
rv
ic
e
.
T
hi
s
h
el
p
s
in
t
e
g
r
a
ti
o
n
o
p
e
r
a
t
o
rs
t
o
id
e
n
tif
y
t
h
e
p
u
r
p
o

s e o f a s e rv ic e a n d w h o is r e s p o n si bl e . R e f e r t o D o c u m e n t a ti o n o f a n x U M L S e rv ice f o r m o r e in f o r m a ti o n o n w h e

retofindtheservicedocumentationontheintegrationcomponent.

If youchosendeploymenttargetis **Co**

n t a i n er , y o u r d e s cr ip ti o n w ill b e di s pl a y e d in t h e d o c u m e n t a ti o n t a b o f t h e s e rv ic e d e t ai ls in P A S A d m in is tr a ti o n .

Refer to Controlling Containerized xUML Services for detailed information.



Enter your text in the editor. Various formatting tools are provided.



Click icon ✓ to confirm your text or icon ✕ to abort the action.