

cast

Syntax	<pre>anObject = cast(anotherObject)</pre>	
Semantics	<p>Tells the compiler to compile the statement without checking if the variable types correspond. At runtime there are no type checks, and the statement will be executed as it is.</p> <p>This is useful if e.g. an interface call returns an Any parameter or a parameter of abstract type, but you, as a modeler, know the concrete type during development.</p> <div><p>On the other hand, this operation must be used carefully because it will never throw any error. All assignment statements will compile and will be processed at runtime - regardless of the output. This may cause follow-up errors in other sections of your model, and it may get difficult for you to identify the <code>cast()</code> as the source of this.</p><p>Concerning simple type classes and types that are derived from them, <code>castValue()</code> is the better option.</p></div>	
Substitutables	anObject	An object having a dedicated type. This type is the target type of the operation.
	anotherObject	An object having any type. This can be a simple type like String , Integer , Float , DateTime , or Array , or any complex type.
Examples	<pre>set aConcreteParameter = cast(anAbstractParameter);</pre>	
Error Codes	This operation must be used carefully because it will never throw any error.	

Related Pages:

- [castValue\(\) Operation](#)

Example File (Builder project Basic Modeling/Data):



<your example path>\Basic Modeling\Data\uml\cast.xml