Deploying the UI and the UI Service

To be able to view the UI with the web browser, the service as well as the UI components need to be deployed and running on the Bridge. The next steps will introduce how the UI components will be added to the component diagram and how the UI can be viewed within the Bridge and web browser.

The xUML UI service can be deployed without any functionality implemented. This could be the case in e.g. early UI development stages where the different screens need to be reviewed. To be able to deploy the service you at least need to have a SOAP Port Type defined.

Draw the component diagram by the help of the xUML Components Wizard (E). For detailed help on how to use the Components Wizard refer to the Builder User's Guide.

23 Define a 🔢 E2E Components Wizard composite ł and, in Create service and add them to composite 'UlhelloWorldExample' addition to the Existing Services Added Services 8 SOAP - Com service, add a E Service Stereotypes Depender UIRepository Select Service Stereotype to it. ł Choose a service stereotype to create a new service. Create from Stereotype Create from Stereotype Created Stereotype • 2 E2ETimerService OK Cancel A dialog pops х 🔢 New UI Repository up where you can adjust Create New UI Repository some settings ł Enter name and documentation of the new UI of the UI Repository. repository. Standard Javascript Just click OK. Name UIRepository Styles + Documentation Please enter documentation here OK Cancel





Tagged Value	Description	Allowed Values			
supportBr owserHist	If true, each UI state is mapped to an anchor. That is, if the browser's back button is pressed, the UI goes back in time.	tr ue	Enable browser history.		
ory	it is recommended to set this flag to false.	f al se	Disable browser history (default).		
Localization					
defaultThe me	Themes are sets of style sheets to define a look and feel of the Ajay application. Choose here one of the visual themes of the selection that can apply to the UI.	N o ne	No theme applied.		
	Details about the theming concept can be found at http://jqueryui.com/themeroller.	A value from the list of themes.			
defaultLan guage	The language used in the UI templates should be the same as used to configure the UI widgets (tables, calendars,) By default, the Bridge takes the operation system language as UI language.	N o ne	Use system language.		
	However, this default language can be overridden using this tagged value.	A language of the list of languages.			

defaultRe gion	The region is used in the UI to format numbers and dates. By default, the Bridge takes the operation system region as UI region. However, this default region can be overridden using this tagged value.	N o ne	Use system region.		
		Ar of i	egion of the list regions.		
Mobile					
platform		N o ne			
		d ef a ult			
		m o bi le			
Presentation					
title	Specify here the title of the UI, e.g. HTML page title				
defaultLay out	Specify here in which way the template elements should be organized.	fl o at ing	All template elements are floating.		
		g rid	All template elements get a tabled grid layout.		
isConsole UI	A UI application can be used within the Bridge as an application to e.g. configure a service. If this flag is set, the Bridge will embed this user interface	tr ue	Embed this UI in the Bridge.		
		f al	Do not embed		
	Only one UI per xUML service is allowed.	se			
consoleUI Name	If isConsoleUI is set to true, this name is taken as tab name of the Bridge tab the UI is embedded to.				
errorPlace ment	If referring to a JavaScript operation, errorPlacement overrides the default error placement when validating forms.				
	The operation has to parameters:				
	 error: The jQuery error element to be rendered. element: The jQuery form element causing the error. 				
	The default operation looks like:				
	<pre>var left = element.position().left; var top = element.position().top + element. height() + 5; error.css({ "position": "absolute", "left": left + "px", "top": top + "px"}); error.insertAfter(element);</pre>				
1		1			

I Alias Stereotypes	You don't need any
Select an Alias Stereotype Choose a stereotype to create a new	aliases for this tutorial service.
alias.	Click Cancel and then Next.
Create from Stereotype	
FileSystemAlias	
Alias JMSAlias	
2 ₀ POP3Alias	
CD SAPAlias	
CD SMTPAlias	
SOAPAlias	
C SQLAlias	
URLAlias	
OK Cancel	
II E2E Components Wizard	Click Finish
Confirmation	to finish the
The Components Wizard is ready to draw the component diagram.	Setup of the
Ulde the 'Finish' button to draw the component diagram.	Diagram.
Composites elements to the diagram.	
Click the 'Cancel' button to discard everything you defined up to this final step. Click the 'Cancel' button to discard everything you defined up to this final step. Click the 'Cancel' button to discard everything you defined up to this final step. Click the 'Cancel' button to discard everything you defined up to this final step.	
< >	
Next Stop Finish Cancel	

The wizard draws a component diagram like the one below:



The service composite contains a SOAP service and a UI repository. The UI repository will connect automatically with the SOAP service but it is deprecated to use this default behavior. As an xUML service may contain different interfaces (multiple SOAP services and or HTTP or REST interface), it is best practice to connect the service interface to the UI it uses via a <<UIUsage>> dependency as shown below.



If you do not add this dependency, the xUML Compiler will show a warning.