



Persistent State Classes and Objects of xUML Services

Persistent State Classes

The initial page displays an overview of all persistent state classes and their states, in this example **PurchaseOrder**. As the xUML service was just started, no states have been created yet and **State Count** is 0. This is also why no list of all objects can be retrieved and no primary key search can be started. The corresponding buttons are all disabled.



After creating some persistent state objects (in this case purchase orders), the new state count is displayed and the two buttons **List All Objects** and **Primary Key Search** are activated.



Click **List All Objects** to view a list of all objects (see section [List of All Persistent State Objects](#)). Click **Primary Key Search** to search for particular persistent state objects by primary key (see section [Primary Key Search](#)).

Managing Persistent State Ownership

In [Load Balancing](#) context, when e.g. running multiple Bridges, you can setup persistent state services to share persistent state objects. The persistent state objects are distinguished by an owner and owner id reflecting the actual service that owns these objects.

Prerequisite is that these services share the same persistent state database, see [Load Balanced Persistent State](#) for more details.

For more information on the persistent state ownership concept refer to [Persistent State Ownership](#).

Deleting All Persistent State Objects

Deletion of all persistent state objects is not possible as long as the xUML service is still running. Only users of a group having **ADMIN** rights may delete all persistent state objects.

While looking at these screens, the state engine in the background continues to process the objects. Therefore, it can happen that an object or an event does no longer exist when you click on a link. In this case, the Bridge will display an error message.

On this Page:

- [Persistent State Classes](#)
 - [Managing Persistent State Ownership](#)
 - [Deleting All Persistent State Objects](#)
- [List of All Persistent State Objects](#)
 - [Filtering Persistent State Objects](#)
 - [Deleting Persistent State Objects](#)
- [Persistent State Object Details](#)
 - [Sending Signals to Persistent State Objects via the Bridge](#)
 - [Inspecting Event Details](#)

Related Pages:

- [Persistent State Ownership](#)
- [Persistent States and Signals](#)

PurchaseOrderExample

xUML Service

Documentation

History

Logging

Dump

Settings

Version

Persistent State

Status

Persistent State Classes

Persistent State Classes

Class	State Count
PurchaseOrder.PurchaseOrder	2

List All Objects

Primary Key Search

View

Manage Ownership

Delete All Persistent State Objects

Delete Persistent State Objects

Delete all persistent states objects?

Delete persistent state objects for all owners ☐

Delete Persistent State Objects

Cancel

After stopping the xUML service, the button is active.

You need to confirm the removal by clicking **Delete Persistent State Objects**. You may also **Cancel** the transaction.

Checkbox **Delete persistent state objects for all owners** enables you to delete all persistent state objects of the current service - even those that belong to other owners. That includes objects created by other xUML services as the one you just stopped.

Handle this option very carefully. The Bridge will **not** check whether these other xUML services are stopped and just delete all objects.

List of All Persistent State Objects

After creating some objects of the persistent state class (e.g. purchase orders), all objects can be listed.

PurchaseOrderExample

xUML Service

Documentation

History

Logging

Dump

Settings

Version

Persistent State

Status

Persistent State Classes / Class PurchaseOrder.PurchaseOrder (Search)

Class PurchaseOrder.PurchaseOrder (4 of 4)

Show objects

100

State

All state objects

Creation between

and

Last Update between

and

Search Key Attributes

Add Filter Field

Filter

Reset Filter

State Checked_out__waiting_for_closing

Show 10 entries

Filter:

Key	Creation	Last Update
PO02019001,4711	2019-06-26 08:21:42	2019-06-26 08:21:52

Showing 1 to 1 of 1 entries

Delete Selected

Select all

Deselect all

State Purchase_order_is_initialized__waiting_for_further_orders

Show 10 entries

Filter:

Key	Creation	Last Update
PO02019002,1234	2019-06-26 08:21:55	2019-06-26 08:21:55
PO02019003,4711	2019-06-26 08:21:48	2019-06-26 08:21:48
PO02019004,3412	2019-06-26 08:21:50	2019-06-26 08:21:50

Showing 1 to 3 of 3 entries

Delete Selected

Select all

Deselect all

The page is divided into two parts, a **filtering** part and, below that, a **list** part. The list part contains separate lists for each state. Click one of the little arrows in the table header of a list to sort the table by the selected column. You can specify the count of rows to be displayed on a page for each table (**Show n entries**). Click **Previous** or **Next** to toggle between pages.

In the persistent state object list, the names of all persistent state elements are displayed in normalized UML. Normalized means, all white spaces are replaced by underscores ('_'). All current persistent state objects of this service are listed, grouped by state and ordered by creation timestamp (latest first). For each persistent state object, you can see primary key, creation date/time and date/time of the last update.

The name of the final state will never be seen because by entering the final state the object ceases to exist. However, while destroying the object, the state machine is in the state **--8<--**. Think of **--8<--** as an internal state name for the final state. So every object will reach this state before it gets deleted from the database. The state name **--8<--** is cryptic by design to prevent a clash with other state names. If the state engine has a low load, you will perhaps never see objects in this state. If the state engine is very busy, you can see a lot of such objects, but this is no problem.

At the top of the screen in the title of the filtering parts, you will find links to go back to the **Persistent State Classes** overview (initial screen) and to access the additional primary key **Search**.

Filtering Persistent State Objects

This list may contain a large amount of data and thus can be filtered in the upper part of the page.

S h o w O b j e c t s	Enter the number of objects you want to display. Always the latest objects are displayed. In order to see all objects, enter 0 .
S t a t e	Select a state from the drop down list or select All state objects . <div><div>All state objects</div><div>All state objects</div><div>Checked_out_waiting_for_closing (1)</div><div>Purchase_order_is_initialized_waiting_for_further_orders (3)</div></div>
C r e a t i o n b e t w e e n . . a n d ...	Enter a date/time range. A mouseover tooltip shows in which format you have to enter the data.

**L
a
s
t
U
p
d
a
t
e
b
e
t
w
e
e
n
..
.
a
n
d
...**

Enter a date/time range. A mouseover tooltip shows in which format you have to enter the data.

**S
e
a
r
c
h
K
e
y
A
t
t
r
i
b
u
t
e
s**

Add filters by clicking **Add Filter Field** and specify a query, e.g.

name: String

▼

=

▼

Wishes Untld.

Remove

Add Filter Field

Apply the filter by clicking **Filter**.

Click **Filter** to update the screen or **Reset Filter** to remove all entered data.

All persistent state information can also be viewed, if the service is stopped. This is helpful in case of debugging a service. But, in this case, browsing the persistent state details may be slower, as for each request the xUML Runtime is started to collect the information and stopped afterwards. The persistent state objects will **not** be changed in this case!

Deleting Persistent State Objects

Single persistent state objects can be deleted by selecting the line of the persistent state object with a mouse click (see marked lines in the screenshot below) and then clicking **Delete Selected**. To select multiple persistent state objects, hold down the **Shift** key (for a range of objects) or the **Ctrl** key (for picking distinct objects) or click **Select all** (to select all objects).

Make sure to not click the key of the persistent state object. It is a link that will open the object's details.

State Purchase_order_is_initialized__waiting_for_further_orders

Show 10 entries
Filter:

Key	Creation	Last Update
PO02019002,1234	2019-06-26 08:21:55	2019-06-26 08:21:55
PO02019003,4711	2019-06-26 08:21:48	2019-06-26 08:21:48
PO02019004,3412	2019-06-26 08:21:50	2019-06-26 08:21:50

Showing 1 to 3 of 3 entries 1 row selected

Previous
1
Next

Delete Selected
Select all
Deselect all

Only users with **ADMIN** rights or who are member of the group which owns the xUML service are allowed to delete persistent state objects.

Persistent State Object Details

In the persistent state object list, for each persistent state object you can see primary key, creation date /time and date/time of the last update. When clicking on the primary key, more details can be viewed.

PurchaseOrderExample

xUML Services

Documentation

History

Logging

Dump

Settings

Version

Persistent State

Status

States

State	Creation	Do Activity	Retry Failed Transition
Purchase_order_is_initialized_waiting_for_further_orders	2019-06-26 08:21:48	-	<div>Retry</div>

Send signal:

AddItemSignal >>

CheckOutSignal >>

Events

Event Name	Event Type	Creation	Delivery
Leave_Purchase_order_is_initialized_waiting_for_further_orders_after_20_minutes	TIMEOUT	2019-06-26 08:21:48	2019-06-26 08:41:48

Data

<Data id="PO02019003" customerId="4711" name="Wishes United" openItems="0" openBalance="0"/>

View

Raw Data for Support

Delete

The following information is displayed:

P r i m a r y K e y	All key fields are displayed, separated by comma.
C r e a t i o n	The timestamp of the creation of the persistent state object.
L a s t U p d a t e	The timestamp of the last update of the persistent state object.
O w n e r I D	Owner ID of the service which is owner of the persistent state object.

S t a t e s	<p>In this group box the state of the persistent state object and all substates are listed with Creation timestamp and the Do Activity the state is performing.</p> <p>The state name is the normalized UML name. Normalized means, all white spaces are replaced by underscores ('_').</p> <div> <p>The name of the final state will never be seen because by entering the final state the object ceases to exist. However, while destroying the object, the state machine is in the state --8<--.</p> <p>Think of --8<-- as an internal state name for the final state. So every object will reach this state before it gets deleted from the database. The state name --8<-- is strange by design to prevent a clash with other state names. If the state engine has a low load you will perhaps never see objects in this state. If the state engine is very busy you can see a lot of such objects but this is no problem.</p> </div>
E v e n t s	A list of all events that occurred on this state object and are not yet finished is displayed.
D a t a	This text box contains the persistent state data, displayed in xml.

Click **View** to update the screen.


Click **Raw Data for Support** to download an XML file containing the persistent state object information for support purposes.

Click **Delete** to delete the persistent state object. Only users with **ADMIN** rights or who are member of the group which owns the xUML service are allowed to delete persistent state objects.

Sending Signals to Persistent State Objects via the Bridge

In the **States** section, you can find several buttons: one labeled **Retry** and one for each signal that can be send to the displayed persistent state object.

- Use **Retry** to resend the last signal to the persistent state object, if that last transition has failed.
- Click on one of the other buttons to send the indicated signal.



Some signals may be grayed out. This is due to the fact, that at the moment it is only possible to send signals that have no parameters.

Sending signals via the Bridge web interface can be useful

- during development, if you want to test a persistent state service
- when the service is running in production, to release a persistent state object that got stalled in a state

Inspecting Event Details

In the persistent state object list, for each persistent state object you can see primary key, creation date /time and date/time of the last update. When clicking on the primary key, more details can be viewed.

Event

Object Primary Key

PO02019003,4711

Event Name

Leave_Purchase_order_is_initialized_waiting_for_further_orders_after_20_minutes

Event Type

TIMEOUT

Creation

2019-06-26 08:21:48

Delivery

2019-06-26 08:41:48

Data

View

The following information is displayed:

Element	Description	Values	
Object Primary Key	Key fields of the persistent state object, separated by comma.		
Event Name	Name of the event.		
Event Type	Bridge type of the event.	STARTWORK	A do activity is scheduled.
		WORKDONE	A do activity has finished and an update to the object is scheduled.
		TIMEOUT	A time triggered transition is scheduled.
		COMPLETION	A regular transition is scheduled.
		JOIN	Parallel persistent states are joined.
		FINALIZE	Object reached final state and is due to be deleted.
		SIGNAL	Processing a signal that has been send to the object.
Creation	The timestamp of the creation of the persistent state object.		
Delivery	The timestamp of when this event has been delivered to the object.		
Data	This text box contains the persistent state data, displayed in xml.		

Click **View** to update the screen.