














## \_examples\_BRIDGE





Group	Name	Excerpt
Add-ons	edi	<div><div></div><div><b>Example File (Builder project Add-ons/EDI):</b> &lt;your example path&gt;\Add-ons\EDI\uml\EDIFACT.xml &lt;your example path&gt;\Add-ons\EDI\uml\X12.xml</div></div>
Add-ons	eventObserver	<div><div></div><div><b>Example File (Builder project Add-ons/Scheduling):</b> &lt;your example path&gt;\Add-ons\Scheduling\uml\eventObserver.xml</div></div>
Add-ons	filesystem	<div><div></div><div><b>Example File (Builder project Add-ons/FileSystem):</b> &lt;your example path&gt;\Add-ons\FileSystem\uml\fileSystemDyn.xml &lt;your example path&gt;\Add-ons\FileSystem\uml\fileSystemStat.xml</div></div>
Add-ons	flatfile	<div><div></div><div><b>Example File (Builder project Add-ons/FlatFiles):</b> &lt;your example path&gt;\Add-ons\FlatFile\uml\flatFileFixLength.xml &lt;your example path&gt;\Add-ons\FlatFile\uml\flatFileHierarchic.xml &lt;your example path&gt;\Add-ons\FlatFile\uml\flatFilePattern.xml &lt;your example path&gt;\Add-ons\FlatFile\uml\flatFileSeparated.xml</div></div>
Add-ons	flatfile_fixed	<div><div></div><div><b>Example File (Builder project Add-ons/FlatFiles):</b> &lt;your example path&gt;\Add-ons\FlatFile\uml\flatFileFixLength.xml</div></div>
Add-ons	flatfile_hierachic	<div><div></div><div><b>Example File (Builder project Add-ons/FlatFiles):</b> &lt;your example path&gt;\Add-ons\FlatFile\uml\flatFileHierarchic.xml</div></div>

Add-ons	flatfile_pattern	<p><b>Example File (Builder project Add-ons/FlatFiles):</b></p> <div>  <div> &lt;your example path&gt;\Add-ons\FlatFile\uml\flatFilePattern.xml </div> </div>
Add-ons	fop	<p><b>Example File (Builder project Add-ons/FOP):</b></p> <div>  <div> &lt;your example path&gt;\Add-ons\FOP\uml\fopToPDF.xml  &lt;your example path&gt;\Add-ons\FOP\uml\fopXML2PDF.xml </div> </div>
Add-ons	ftpService	<p><b>Example Files (Builder project Add-ons/URL):</b></p> <div>  <div> &lt;your example path&gt;\Add-ons\JavaServices\uml\ftpService.xml </div> </div>
Add-ons	helloJSWorld	<p><b>Example Files (Builder project Add-ons):</b></p> <div>  <div> &lt;your example path&gt;\Add-ons\JavaScript\uml\helloJSWorld.xml </div> </div>
Add-ons	java	<p><b>Example Files (Builder project Add-ons\Java):</b></p> <div>  <div> &lt;your example path&gt;\Add-ons\Java\uml\javaBlobs.xml  &lt;your example path&gt;\Add-ons\Java\uml\javaCollections.xml  &lt;your example path&gt;\Add-ons\Java\uml\javaComplexTypes.xml  &lt;your example path&gt;\Add-ons\Java\uml\javaDateTime.xml  &lt;your example path&gt;\Add-ons\Java\uml\javaHelloDuke.xml  &lt;your example path&gt;\Add-ons\Java\uml\javaSimpleTypes.xml  &lt;your example path&gt;\Add-ons\Java\uml\javaThrowException.xml </div> </div>
Add-ons	java_collections	<p><b>Example Files (Builder project Add-ons\Java):</b></p> <div>  <div> &lt;your example path&gt;\Add-ons\Java\uml\javaCollections.xml </div> </div>

Add-ons	javaThrowException	<p><b>Example Files (Builder project Add-ons):</b></p> <div>  <div> &lt;your example path&gt;\Add-ons\JavaServices\uml\javaThrowException.xml </div> </div>
Add-ons	javaFrontend	<p><b>Example Files (Builder project Add-ons):</b></p> <div>  <div> &lt;your example path&gt;\Add-ons\JavaServices\uml\javaCallback.xml </div> </div>
Add-ons	jms	<p><b>Example Files (Builder project Add-ons/JMS):</b></p> <div>  <div> &lt;your example path&gt;\Add-ons\JMS\uml\simpleStatSendListen.xml  &lt;your example path&gt;\Add-ons\ JMS\uml\simpleStatSendReceive.xml  &lt;your example path&gt;\Add-ons\ JMS\uml\selectiveStatSendListen.xml </div> </div>
Add-ons	jms_statsendreceive	<p><b>Example Files (Builder project Add-ons/JMS):</b></p> <div>  <div> &lt;your example path&gt;\Add-ons\JMS\uml\simpleStatSendReceive.xml  &lt;your example path&gt;\Add-ons\JMS\uml\simpleStatSendReceive_Depl_ActivMQ.xml  &lt;your example path&gt;\Add-ons\JMS\uml\simpleStatSendReceive_Depl_WebLogic.xml  &lt;your example path&gt;\Add-ons\JMS\uml\simpleStatSendReceive_Depl_GlassFish.xml  &lt;your example path&gt;\Add-ons\JMS\uml\simpleStatSendReceive_Depl_GlassFish_FileJNDI.xml </div> </div>
Add-ons	jms_dynsendreceive	<p><b>Example File (Builder project Add-ons/JMS):</b></p> <div>  <div> &lt;your example path&gt;\Add-ons\ JMS\uml\simpleDynSendReceive.xml </div> </div>
Add-ons	jms_listen	<p><b>Example Files (Builder project Add-ons/JMS):</b></p> <div>  <div> &lt;your example path&gt;\Add-ons\JMS\uml\simpleStatSendListen.xml </div> </div>

Add-ons	JMS_selector	<p><b>Example Files (Builder project Add-ons/JMS):</b></p> <div>  <div> &lt;your example path&gt;\Add-ons\JMS\uml\selectiveStatSendListen.xml </div> </div>
Add-ons	JSON_userManager	<p><b>Example File (Builder project Add-ons/JSON):</b></p> <div>  <div> &lt;your example path&gt;\Add-ons\JSON\uml\userManager.xml </div> </div>
Add-ons	memory	<p><b>Example File (Builder project Add-ons/System):</b></p> <div>  <div> &lt;your example path&gt;\Add-ons\System\uml\memory.xml  &lt;your example path&gt;\Add-ons\System\uml\memoryInSessionScope.xml </div> </div>
Add-ons	mime	<p><b>Example File (Builder project Add-ons/EMail):</b></p> <div>  <div> &lt;your example path&gt;\Add-ons\EMail\uml\mime.xml </div> </div>
Add-ons	mongodb	<p><b>Example File (Builder project Add-ons/MongoDB):</b></p> <div>  <div> &lt;your example path&gt;\Add-ons\MongoDB\uml\simpleMongoDbAccess.xml </div> </div>
Add-ons	pop3	<p><b>Example File (Builder project Add-ons/EMail):</b></p> <div>  <div> &lt;your example path&gt;\Add-ons\EMail\uml\pop3.xml </div> </div>







Add-ons	odata	<p><b>Example File (Builder project Add-ons/OData):</b></p> <div>  <div> &lt;your example path&gt;\Add-ons\OData\uml\odataSampleService.xml </div> </div>
Add-ons	rest	<p><b>Example File (Builder project Add-ons/REST):</b></p> <div>  <div> &lt;your example path&gt;\Add-ons\REST\uml\accessJIRAviaRest.xml </div> </div>
Add-ons	jira_rest_adapter	<p><b>Example File (Builder project Add-ons/REST):</b></p> <div>  <div> &lt;your example path&gt;\Add-ons\REST\uml\accessJIRAviaRestAdapter.xml </div> </div>
Add-ons	native_rest	<p><b>Example File (Builder project Add-ons/REST):</b></p> <div>  <div> &lt;your example path&gt;\Add-ons\REST\uml\supportManager.xml  &lt;your example path&gt;\Add-ons\REST\uml\supportManager_auth.xml </div> </div>
Add-ons	rest_adapter	<p><b>Example File (Builder project Add-ons/REST):</b></p> <div>  <div> &lt;your example path&gt;\Add-ons\REST\uml\accessSupportManager.xml </div> </div>
Add-ons	rest_adapter_blob	<p><b>Example File (Builder project Add-ons/REST):</b></p> <div>  <div> &lt;your example path&gt;\Add-ons\REST\uml\restBlobContent.xml  &lt;your example path&gt;\Add-ons\REST\uml\accessRestBlobContent.xml </div> </div>

Add-ons	sapldoc	<p><b>Example File (Builder project Add-ons/SAP):</b></p> <div>  <div>&lt;your example path&gt;\Add-ons\SAP\uml\sapldoc.xml</div> </div>
Add-ons	sapRFCClient	<p><b>Example File (Builder project Add-ons/SAP):</b></p> <div>  <div>&lt;your example path&gt;\Add-ons\SAP\uml\sapRFCClient.xml</div> </div>
Add-ons	sapRFCServer	<p><b>Example File (Builder project Add-ons/SAP):</b></p> <div>  <div>&lt;your example path&gt;\Add-ons\SAP\uml\sapRFCServer.xml</div> </div>
Add-ons	sapTRFCCient	<p><b>Example File (Builder project Add-ons/SAP):</b></p> <div>  <div>&lt;your example path&gt;\Add-ons\SAP\uml\sapTRFCCient.xml</div> </div>
Add-ons	sapTRFCServer	<p><b>Example File (Builder project Add-ons/SAP):</b></p> <div>  <div>&lt;your example path&gt;\Add-ons\SAP\uml\sapTRFCServer.xml</div> </div>
Add-ons	scheduler	<p><b>Example File (Builder project Add-ons/Scheduling):</b></p> <div>  <div>&lt;your example path&gt;\Add-ons\Scheduling\uml\scheduler.xml</div> </div>





Add-ons	smtp	<p><b>Example File (Builder project Add-ons/EMail):</b></p> <div>  <div> &lt;your example path&gt;\Add-ons\EMail\uml\smtpEmailing.xml </div> </div>
Add-ons	soapHeader	<p><b>Example File (Builder project Add-ons/SOAP):</b></p> <div>  <div> &lt;your example path&gt;\Add-ons\SOAP\soapHeader.xml </div> </div>
Add-ons	soapUseSecureHelloWorldAdvancedExample	<p><b>Example File (Builder project Add-ons/SOAP):</b></p> <div>  <div> &lt;your example path&gt;\Add-ons\SOAP\uml\soapUseSecureHelloWorldAdvancedExample.xml </div> </div>
Add-ons	soapWebServiceDOCstyle	<p><b>Example File (Builder project Add-ons/SOAP):</b></p> <div>  <div> &lt;your example path&gt;\Add-ons\SOAP\uml\soapWebServiceDOCstyle.xml </div> </div>
Add-ons	soapWebServiceRPCstyle	<p><b>Example File (Builder project Add-ons/SOAP):</b></p> <div>  <div> &lt;your example path&gt;\Add-ons\SOAP\uml\soapWebServiceRPCstyle.xml </div> </div>
Add-ons	soapUseUrlParameter	<p><b>Example File (Builder project Add-ons/SOAP):</b></p> <div>  <div> &lt;your example path&gt;\Add-ons\SOAP\uml\soapUseUrlParameter.xml </div> </div>

Add-ons	sql_adapter	<p><b>Example File (Builder projectAdd-ons/SQL):</b></p> <div>  <pre>&lt;your example path&gt;\Add-ons\SQL\uml\sqlBlob.xml &lt;your example path&gt;\Add-ons\SQL\uml\sqlConfiguration.xml &lt;your example path&gt;\Add-ons\SQL\uml\sqlOdbc.xml &lt;your example path&gt;\Add-ons\SQL\uml\sqlQueries.xml &lt;your example path&gt;\Add-ons\SQL\uml\sqlStoredProcedures.xml</pre> </div>
Add-ons	sql_adapter_odbc	<p><b>Example File (Builder projectAdd-ons/SQL):</b></p> <div>  <pre>&lt;your example path&gt;\Add-ons\SQL\uml\sqlOdbc.xml</pre> </div>
Add-ons	sql_stored_procedures	<p><b>Example File (Builder projectAdd-ons/SQL):</b></p> <div>  <pre>&lt;your example path&gt;\Add-ons\SQL\uml\sqlStoredProcedures.xml</pre> </div>
Add-ons	sql_queries	<p><b>Example File (Builder projectAdd-ons/SQL):</b></p> <div>  <pre>&lt;your example path&gt;\Add-ons\SQL\uml\sqlQueries.xml</pre> </div>
Add-ons	sql_blobs	<p><b>Example File (Builder projectAdd-ons/SQL):</b></p> <div>  <pre>&lt;your example path&gt;\Add-ons\SQL\uml\sqlBlobs.xml</pre> </div>
Add-ons	sql_configuration	<p><b>Example File (Builder projectAdd-ons/SQL):</b></p> <div>  <pre>&lt;your example path&gt;\Add-ons\SQL\uml\sqlConfiguration.xml</pre> </div>




Add-ons	sql_oracle_index	<p><b>Example File (Builder projectAdd-ons/SQL):</b></p> <div>  <div> &lt;your example path&gt;\Add-ons\SQL\uml\oracleIndexUse.xml </div> </div>
Add-ons	system	<p><b>Example File (Builder projectAdd-ons/System):</b></p> <div>  <div> &lt;your example path&gt;\Add-ons\System\uml\system.xml </div> </div>
Add-ons	timer	<p><b>Example File (Builder project Add-ons/Scheduling):</b></p> <div>  <div> &lt;your example path&gt;\Add-ons\Scheduling\uml\timer.xml </div> </div>
Add-ons	timerAndEventObserver	<p><b>Example File (Builder project Add-ons/Scheduling):</b></p> <div>  <div> &lt;your example path&gt;\Add-ons\Scheduling\uml\timer.xml  &lt;your example path&gt;\Add-ons\Scheduling\uml\eventObserver.xml </div> </div>
Add-ons	urlFtp	<p><b>Example File (Builder project Add-ons/URL):</b></p> <div>  <div> &lt;bridgeDocPath&gt;\Add-ons\URL\uml\urlFtp.xml </div> </div>
Add-ons	urlCurl	<p><b>Example File (Builder project Add-ons/URL):</b></p> <div>  <div> &lt;bridgeDocPath&gt;\Add-ons\URL\uml\urlCurl.xml </div> </div>






Add-ons	urlLdap	<p><b>Example File (Builder project Add-ons/URL):</b></p> <div>  <div> <code>&lt;bridgeDocPath&gt;\Add-ons\URL\uml\urlLdap.xml</code> </div> </div>
Add-ons	urlUrl	<p><b>Example File (Builder project Add-ons/URL):</b></p> <div>  <div> <code>&lt;your example path&gt;\Add-ons\URL\uml\urlUrl.xml</code> </div> </div>
Add-ons	xslt	<p><b>Example File (Builder project Add-ons/XSLT):</b></p> <div>  <div> <code>&lt;your example path&gt;\Add-ons\XSLT\uml\xslt.xml</code> </div> </div>
Add-ons	xslt_param	<p><b>Example File (Builder project Add-ons/XSLT):</b></p> <div>  <div> <code>&lt;your example path&gt;\Add-ons\XSLT\uml\xsltParameters.xml</code> </div> </div>
Add-ons	xslt_script	<p><b>Example File (Builder project Add-ons/XSLT):</b></p> <div>  <div> <code>&lt;your example path&gt;\Add-ons\XSLT\uml\xsltScript.xml</code> </div> </div>
Add-ons	zip	<p><b>Example File (Builder project Add-ons/ZIP):</b></p> <div>  <div> <code>&lt;your example path&gt;\Add-ons\ZIP\uml\zip.xml</code> </div> </div>

Additional Libraries	BigExcelGenerator	<p><b>Example File (Builder project BigExcelGenerator):</b></p> <div>  <div>&lt;your example path&gt;\Libraries\BigExcelGenerator.zip</div> </div>
Additional Libraries	ExcelGenerator	<p><b>Example File (Builder project ExcelGenerator):</b></p> <div>  <div>&lt;your example path&gt;\Libraries\ExcelGenerator.zip</div> </div>
Additional Libraries	JavaMail	<p><b>Example File (Builder project JavaMail):</b></p> <div>  <div>&lt;your example path&gt;\Libraries\JavaMail\uml\MailExample.xml</div> </div>
Additional Libraries	Spreadsheet	<p><b>Example File (Builder project Spreadsheet):</b></p> <div>  <div>&lt;your example path&gt;\Libraries\Spreadsheet\uml\useLibSpreadsheet.xml</div> </div>
Array	arrayApplyCallClass	<p><b>Example File (Builder projects E2E Action Language/Array and Basic Modeling /ClassOperation):</b></p> <div>  <div>           &lt;your example path&gt;\E2E Action Language\Array\uml\arrayApply.xml            &lt;your example path&gt;\Basic Modeling\ClassOperation\uml\callClassOperations.xml         </div> </div>

Array	Array (deprecated) arrayConcat	<div data-bbox="597 142 1479 367"> <p><b>Example File (Builder project E2E Action Language/Array):</b></p> <div data-bbox="605 205 722 346">  </div> <div data-bbox="732 205 1372 241"> <p>&lt;your example path&gt;\E2E Action Language\Array\uml\arrayConcat.xml</p> </div> </div> <div data-bbox="597 409 1479 619"> <p><b>Example File (Builder project E2E Action Language/Array):</b></p> <div data-bbox="605 462 722 598">  </div> <div data-bbox="732 462 1372 493"> <p>&lt;your example path&gt;\E2E Action Language\Array\uml\arrayConcat.xml</p> </div> </div>
Array	arrayCount	<div data-bbox="597 661 1479 892"> <p><b>Example File (Builder project E2E Action Language/Array):</b></p> <div data-bbox="605 724 722 871">  </div> <div data-bbox="732 724 1372 766"> <p>&lt;your example path&gt;\E2E Action Language\Array\uml\arrayCount.xml</p> </div> </div>
Array	arrayGetElement	<div data-bbox="597 934 1479 1165"> <p><b>Example File (Builder project E2E Action Language/Array):</b></p> <div data-bbox="605 997 722 1144">  </div> <div data-bbox="732 997 1421 1039"> <p>&lt;your example path&gt;\E2E Action Language\Array\uml\arrayGetElement.xml</p> </div> </div>
Array	arrayFilter	<div data-bbox="597 1207 1479 1438"> <p><b>Example File (Builder project E2E Action Language/Array):</b></p> <div data-bbox="605 1270 722 1417">  </div> <div data-bbox="732 1270 1356 1312"> <p>&lt;your example path&gt;\E2E Action Language\Array\uml\arrayFilter.xml</p> </div> </div>
Array	arrayReduce	<div data-bbox="597 1480 1479 1711"> <p><b>Example File (Builder project E2E Action Language/Array):</b></p> <div data-bbox="605 1543 722 1690">  </div> <div data-bbox="732 1543 1388 1585"> <p>&lt;your example path&gt;\E2E Action Language\Array\uml\arrayReduce.xml</p> </div> </div>

Array	arraySetElement	<p><b>Example File (Builder project E2E Action Language/Array):</b></p> <div>  <div> &lt;your example path&gt;\E2E Action Language\Array\uml\arraySetElement.xml </div> </div>
Array	arraySort	<p><b>Example File (Builder project E2E Action Language/Array):</b></p> <div>  <div> &lt;your example path&gt;\E2E Action Language\Array\uml\arraySort.xml </div> </div>
Base Types	arithmetics	<p><b>Example File (Builder project E2E Action Language/BaseTypes):</b></p> <div>  <div> &lt;your example path&gt;\E2E Action Language\BaseTypes\uml\arithmetics.xml </div> </div>
Base Types	blob	<p><b>Example File (Builder project E2E Action Language/BaseTypes):</b></p> <div>  <div> &lt;your example path&gt;\E2E Action Language\BaseTypes\uml/blob.xml </div> </div>
Base Types	boolean	<p><b>Example File (Builder project E2E Action Language/BaseTypes):</b></p> <div>  <div> &lt;your example path&gt;\E2E Action Language\BaseTypes\uml\boolean.xml </div> </div>
Base Types	converter	<p><b>Example File (Builder project E2E Action Language/BaseTypes):</b></p> <div>  <div> &lt;your example path&gt;\E2E Action Language\BaseTypes\uml\converter.xml </div> </div>







Base Types	formatExpressions	<p><b>Example File (Builder project E2E Action Language/BaseTypes):</b></p> <div>  <div> &lt;your example path&gt;\E2E Action Language\BaseTypes\uml\formatExpressions.xml </div> </div>
Base Types	string	<p><b>Example File (Builder project E2E Action Language/BaseTypes):</b></p> <div>  <div> &lt;your example path&gt;\E2E Action Language\BaseTypes\uml\string.xml </div> </div>
Base Types	transliterate	<p><b>Example File (Builder project E2E Action Language/BaseTypes):</b></p> <div>  <div> &lt;your example path&gt;\E2E Action Language\BaseTypes\uml\transliterate.xml </div> </div>
Base Types	datetime	<p><b>Example File (Builder project E2E Action Language/BaseTypes):</b></p> <div>  <div> &lt;your example path&gt;\E2E Action Language\BaseTypes\uml\dateTime.xml </div> </div>
BPMN	BPMN	<p><b>Example File (Builder project Advanced Modeling\BPMN):</b></p> <div>  <div> &lt;your example path&gt;\AdvancedModeling\BPMN\uml\BPMNLoanApproval.xml  &lt;your example path&gt;\AdvancedModeling\BPMN\uml\BPMNLoanApprovalServices.xml  &lt;your example path&gt;\AdvancedModeling\BPMN\uml\useBPMNLoanApprovalServices.xml </div> </div>
BPMN	BPMN_implemented_process	<p><b>Example File (Builder project Advanced Modeling\BPMN):</b></p> <div>  <div> &lt;your example path&gt;\AdvancedModeling\BPMN\uml\BPMNLoanApprovalServices.xml </div> </div>






Class Operation	callClassOperations	<p><b>Example File (Builder project Basic Modeling/ClassOperation):</b></p> <div>  <div> &lt;your example path&gt;\Basic Modeling\ClassOperation\uml\callClassOperations.xml </div> </div>
Class Operation	ClassOperation: polymAbstractOperations	<p><b>Example File (Builder project Basic Modeling/ClassOperation):</b></p> <div>  <div> &lt;your example path&gt;\Basic Modeling\ClassOperation\uml\polymAbstractOperations.xml </div> </div>
Class Operation	ClassOperation: polymInterfaceOperations	<p><b>Example File (Builder project Basic Modeling/ClassOperation):</b></p> <div>  <div> &lt;your example path&gt;\Basic Modeling\ClassOperation\uml\polymInterfaceOperations.xml </div> </div>
Class Operation	ClassOperation: polymOverridableOperations	<p><b>Example File (Builder project Basic Modeling/ClassOperation):</b></p> <div>  <div> &lt;your example path&gt;\Basic Modeling\ClassOperation\uml\polymOverridableOperations.xml </div> </div>
Class Operation	typeOperations	<p><b>Example File (Builder project Basic Modeling/ClassOperation):</b></p> <div>  <div> &lt;your example path&gt;\Basic Modeling\ClassOperation\uml\typeOperations.xml </div> </div>
Constraints	constraints	<p><b>Example File (Builder project Basic Modeling/Constraints):</b></p> <div>  <div> &lt;your example path&gt;\Basic Modeling\Constraint\uml\simpleConstraints.xml  &lt;your example path&gt;\Basic Modeling\Constraint\uml\constraintsInContext.xml </div> </div>

Data	Data (deprecated)	<p><b>Example File (Builder project Basic Modeling/Data):</b></p> <div>  <div> &lt;your example path&gt;\Basic Modeling\Data\uml\cast.xml </div> </div>
Data	Data_cast	<p><b>Example File (Builder project Basic Modeling/Data):</b></p> <div>  <div> &lt;your example path&gt;\Basic Modeling\Data\uml\cast.xml </div> </div>
Data	Data_castValue	<p><b>Example File (Builder project Basic Modeling/Data):</b></p> <div>  <div> &lt;your example path&gt;\Basic Modeling\Data\uml\castValue.xml </div> </div>
Data	Data_transcoding	<p><b>Example File (Builder project Basic Modeling/Data):</b></p> <div>  <div> &lt;your example path&gt;\Basic Modeling\Data\uml\transcoding.xml </div> </div>
Data	Data_urlEncoding	<p><b>Example File (Builder project Basic Modeling/Data):</b></p> <div>  <div> &lt;your example path&gt;\Basic Modeling\Data\uml\urlEncoding.xml </div> </div>
Data	Data_constructors	<p><b>Example File (Builder project Basic Modeling/Data):</b></p> <div>  <div> &lt;your example path&gt;\Basic Modeling\Data\uml\constructors.xml </div> </div>



Data	Data_relations	<p><b>Example File (Builder project Basic Modeling/Data):</b></p> <div>  <div> &lt;your example path&gt;\Basic Modeling\Data\uml\relations.xml </div> </div>
Data	Data_copy	<p><b>Example File (Builder project Basic Modeling/Data):</b></p> <div>  <div> &lt;your example path&gt;\Basic Modeling\Data\uml\copy.xml </div> </div>
Data	localVariables	<p><b>Example File (Builder project Basic Modeling/Data):</b></p> <div>  <div> &lt;your example path&gt;\Basic Modeling\Data\uml\localVariables.xml </div> </div>
Data	objectCreation	<p><b>Example File (Builder project Basic Modeling/Data):</b></p> <div>  <div> &lt;your example path&gt;\Basic Modeling\Data\uml\objectCreation.xml </div> </div>
Data	objectNavigation	<p><b>Example File (Builder project Basic Modeling/Data):</b></p> <div>  <div> &lt;your example path&gt;\Basic Modeling\Data\uml\objectNavigation.xml </div> </div>
Data	transformations	<p><b>Example File (Builder project Basic Modeling/Data):</b></p> <div>  <div> &lt;your example path&gt;\Basic Modeling\Data\uml\transformations.xml </div> </div>


Error Handling	errorhandling	<p><b>Example File (Builder project Basic Modeling/ErrorHandling):</b></p> <div>  <div> &lt;your example path&gt;\Basic Modeling\ErrorHandling\uml\errorHandling.xml </div> </div>
Error Handling	monitoring	<p><b>Example File (Builder project Basic Modeling/ErrorHandling):</b></p> <div>  <div> &lt;your example path&gt;\Basic Modeling\ErrorHandling\uml\monitoring.xml </div> </div>
Error Handling	throwError	<p><b>Example File (Builder project Basic Modeling/ErrorHandling):</b></p> <div>  <div> &lt;your example path&gt;\Basic Modeling\ErrorHandling\uml\throwError.xml </div> </div>
Flows	basic_flows	<p><b>Example File (Builder project Basic Modeling/Flows):</b></p> <div>  <div> &lt;your example path&gt;\Basic Modeling\Flows\uml\basicFlows.xml </div> </div>
Flows	iteration	<p><b>Example File (Builder project Basic Modeling/Flows):</b></p> <div>  <div> &lt;your example path&gt;\Basic Modeling\Flows\uml\iteration.xml </div> </div>
Flows	loops	<p><b>Example File (Builder project Basic Modeling/Flows):</b></p> <div>  <div> &lt;your example path&gt;\Basic Modeling\Flows\uml\loops.xml </div> </div>

Frontend	helloWorld	<p><b>Example File (Builder project Basic Modeling/Frontend):</b></p> <div>  <div> &lt;your example path&gt;\Basic Modeling\Frontend\uml\helloWorld.xml </div> </div>
Frontend	documentStyleEncoding	<p><b>Example File (Builder project Basic Modeling/Frontend):</b></p> <div>  <div> &lt;your example path&gt;\Basic Modeling\Frontend\uml\documentStyleEncoding.xml </div> </div>
Frontend	frontend	<p><b>Example File (Builder project Basic Modeling/Frontend):</b></p> <div>  <div> &lt;your example path&gt;\Basic Modeling\Frontend\uml\simpleHttpService.xml  &lt;your example path&gt;\Basic Modeling\Frontend\uml\simpleRESTSupportManager.xml </div> </div>
Frontend	simpleHttpService	<p><b>Example File (Builder project Basic Modeling/Frontend):</b></p> <div>  <div> &lt;your example path&gt;\Basic Modeling\Frontend\uml\simpleHttpService.xml </div> </div>
Frontend	simpleRestService	<p><b>Example File (Builder project Basic Modeling/Frontend):</b></p> <div>  <div> &lt;your example path&gt;\Basic Modeling\Frontend\uml\simpleRESTSupportManager.xml </div> </div>
Library	library	<p><b>Example File (Builder project Advanced Modeling/E2ELibrary):</b></p> <div>  <div> &lt;your example path&gt;\Advanced Modeling\E2ELibrary\uml\librarySQLQuery.xml  &lt;your example path&gt;\Advanced Modeling\E2ELibrary\uml\libraryUseLibrarySQLQuery.xml </div> </div>

Library	librarySQLQuery	<p><b>Example File (Builder project Advanced Modeling/E2ELibrary):</b></p> <div>  <div> &lt;your example path&gt;\Advanced Modeling\E2ELibrary\uml\librarySQLQuery.xml </div> </div>
Library	libraryUseLibrarySQLQuery	<p><b>Example File (Builder project Advanced Modeling/E2ELibrary):</b></p> <div>  <div> &lt;your example path&gt;\Advanced Modeling\E2ELibrary\uml\libraryUseLibrarySQLQuery.xml </div> </div>
Map	map	<p><b>Example File (Builder project E2E Action Language/Map):</b></p> <div>  <div> &lt;your example path&gt;\E2E Action Language\map\uml\mapBenchmark.xml </div> </div>
Map	mapMemory	<p><b>Example File (Builder project E2E Action Language/Map):</b></p> <div>  <div> &lt;your example path&gt;\E2E Action Language\map\uml\mapMemoryAdapter.xml </div> </div>
Mapping	mapping	<p><b>Example File (Builder project Advanced Modeling/Mapping):</b></p> <div>  <div> &lt;your example path&gt;\Advanced Modeling\Mapping\uml\mappingHandler.xml  &lt;your example path&gt;\Advanced Modeling\Mapping\uml\mappingIteration.xml  &lt;your example path&gt;\Advanced Modeling\Mapping\uml\mappingSimple.xml </div> </div>
Mapping	mappingSimple	<p><b>Example File (Builder project Advanced Modeling/Mapping):</b></p> <div>  <div> &lt;your example path&gt;\Advanced Modeling\Mapping\uml\mappingSimple.xml </div> </div>



Mapping	mappingComplex	<p><b>Example File (Builder project Advanced Modeling/Mapping):</b></p> <div>  <div> <code>&lt;your example path&gt;\Advanced Modeling\Mapping\uml\mappingContext.xml</code>  <code>&lt;your example path&gt;\Advanced Modeling\Mapping\uml\mappingScriptUsageDependencies.xml</code> </div> </div>
Mapping	mappingHandler	<p><b>Example File (Builder project Advanced Modeling/Mapping):</b></p> <div>  <div>           Deprecated <code>&lt;your example path&gt;\Advanced Modeling\Mapping\uml\mappingHandler.xml</code> </div> </div>
Mapping	mappingIteration	<p><b>Example File (Builder project Advanced Modeling/Mapping):</b></p> <div>  <div>           Deprecated <code>&lt;your example path&gt;\Advanced Modeling\Mapping\uml\mappingIteration.xml</code> </div> </div>
Operating	log	<p><b>Example File (Builder project E2E Action Language/Operating):</b></p> <div>  <div> <code>&lt;your example path&gt;\E2E Action Language\Operating\uml\logger.xml</code> </div> </div>
Operating	logto	<p><b>Example File (Builder project E2E Action Language/Operating):</b></p> <div>  <div> <code>&lt;your example path&gt;\E2E Action Language\Operating\uml\logger_channels.xml</code> </div> </div>
Operating	settings	<p><b>Example File (Builder project E2E Action Language/Operating):</b></p> <div>  <div> <code>&lt;your example path&gt;\E2E Action Language\Operating\uml\settings.xml</code> </div> </div>







Operating	deploymentMacros	<p><b>Example File (Builder project E2E Action Language/Operating):</b></p> <div>  <div> <p>&lt;your example path&gt;\E2E Action Language\Operating\uml\deploymentMacros.xml</p> </div> </div>
Proxy	proxy	<p><b>Example File (Builder project Advanced Modeling/Proxy):</b></p> <div>  <div> <p>           &lt;your example path&gt;\Advanced Modeling\Proxy\uml\proxyHttp.xml            &lt;your example path&gt;\Advanced Modeling\Proxy\uml\proxyHttpDedicated.xml            &lt;your example path&gt;\Advanced Modeling\Proxy\uml\proxyHttps.xml            &lt;your example path&gt;\Advanced Modeling\Proxy\uml\proxyHttpsDedicated.xml         </p> </div> </div>
Proxy	proxyHttpDedicated	<p><b>Example File (Builder project Advanced Modeling/Proxy):</b></p> <div>  <div> <p>&lt;your example path&gt;\Advanced Modeling\Proxy\uml\proxyHttpDedicated.xml</p> </div> </div>
Proxy	proxyHttpsDedicated	<p><b>Example File (Builder project Advanced Modeling/Proxy):</b></p> <div>  <div> <p>&lt;your example path&gt;\Advanced Modeling\Proxy\uml\proxyHttpsDedicated.xml</p> </div> </div>
PState	pstate	<p><b>Example File (Builder project Advanced Modeling/PState):</b></p> <div>  <div> <p>&lt;your example path&gt;\Advanced Modeling\PState\uml\pstatePurchaseOrder.xml</p> </div> </div>
PState	pstateForks	<p><b>Example File (Builder project Advanced Modeling/PState):</b></p> <div>  <div> <p>&lt;your example path&gt;\Advanced Modeling\PState\uml\pstateForks.xml</p> </div> </div>






PState	pstateChoices	<p><b>Example File (Builder project Advanced Modeling/PState):</b></p> <div>  <div> &lt;your example path&gt;\Advanced Modeling\PState\uml\pstateChoices.xml </div> </div>
PState	pstateHistoryStates	<p><b>Example File (Builder project Advanced Modeling/PState):</b></p> <div>  <div> &lt;your example path&gt;\Advanced Modeling\PState\uml\pstateHistoryStates.xml </div> </div>
PState	pstateSubstate	<p><b>Example File (Builder project Advanced Modeling/PState):</b></p> <div>  <div> &lt;your example path&gt;\Advanced Modeling\PState\uml\pstateSubstate.xml  &lt;your example path&gt;\Advanced Modeling\PState\uml\pstateConnectionPoints.xml </div> </div>
PState	pstateTimeTrigger	<p><b>Example File (Builder project Advanced Modeling/PState):</b></p> <div>  <div> &lt;your example path&gt;\Advanced Modeling\PState\uml\pstateTimeTrigger.xml </div> </div>
PState	pstateConversation	<p><b>Example File (Builder project Advanced Modeling/PState):</b></p> <div>  <div> &lt;your example path&gt;\Advanced Modeling\PState\uml\pstateConversation.xml </div> </div>
PState	pstateBroadcast	<p><b>Example File (Builder project Advanced Modeling/PState):</b></p> <div>  <div> &lt;your example path&gt;\Advanced Modeling\PState\uml\pstateBroadcast.xml </div> </div>

Resources	resourceArchive	<p><b>Example File (Builder project Advanced Modeling/Resources):</b></p> <div>  <div> &lt;your example path&gt;\Advanced Modeling\Resources\resourceArchive.xml </div> </div>
Security	security	<p><b>Example File (Builder project Advanced Modeling/Security):</b></p> <div>  <div> &lt;your example path&gt;\Advanced Modeling\Security\uml\interceptorHelloWorld.xml  &lt;your example path&gt;\Advanced Modeling\Security\uml\interceptorHelloWorldAdvanced.xml </div> </div>
Security	interceptorHelloWorldAdvanced	<p><b>Example File (Builder project Advanced Modeling/Security):</b></p> <div>  <div> &lt;your example path&gt;\Advanced Modeling\Security\uml\interceptorHelloWorldAdvanced.xml  <b>This example uses the file "roles.txt". Within this file there is a list of users and their role. The file can be found at:</b>  &lt;your example path&gt;\Advanced Modeling\Security\resources\templates\txt </div> </div>
Security	crypt	<p><b>Example File (Builder project Advanced Modeling/Security):</b></p> <div>  <div> &lt;your example path&gt;\Advanced Modeling\Security\uml\crypt.xml </div> </div>
Startup /Shutdown	startup_shutdown	<p><b>Example File (Builder project Advanced Modeling/Service StartupShutdown):</b></p> <div>  <div> &lt;your example path&gt;\Advanced Modeling\Service StartupShutdown\uml\serviceStartupShutdown.xml </div> </div>
Testing Concepts	TestingConcepts	<p><b>Example File (Builder project Testing Concepts):</b></p> <div>  <div> &lt;your example path&gt;\Testing Concepts\uml\priceCalculation.xml  &lt;your example path&gt;\Testing Concepts\uml\testablePurchaseOrder.xml </div> </div>










Testing Concepts	priceCalculation	<div> <div>  </div> <div> <b>Example File (Builder project Testing Concepts):</b>            &lt;your example path&gt;\Testing Concepts\uml\priceCalculation.xml         </div> </div>
UI	uiAdvancedTable	<div> <div>  </div> <div> <b>Example File (Builder project Advanced Modeling/UI):</b>            &lt;your example path&gt;\Advanced Modeling\UI\uml\uiSimpleTable.xml            &lt;your example path&gt;\Advanced Modeling\UI\uml\uiSimpleTableExport.xml            &lt;your example path&gt; \Advanced Modeling\UI\uml\uiAdvancedTable.xml         </div> </div>
UI	uiAuthentication	<div> <div>  </div> <div> <b>Example File (Builder project Advanced Modeling/UI):</b>            &lt;your example path&gt;\Advanced Modeling\UI\uml\uiAuthentication.xml            &lt;your example path&gt; \Advanced Modeling\UI\uml\uiLibSecurityServices.xml            &lt;your example path&gt; \Advanced Modeling\UI\uml\uiLibCommentServices.xml         </div> </div>
UI	uiAutocomplete	<div> <div>  </div> <div> <b>Example File (Builder project Advanced Modeling/UI):</b>            &lt;your example path&gt;\Advanced Modeling\UI\uml\uiAutocomplete.xml         </div> </div>
UI	uiCallUIWithParameter	<div> <div>  </div> <div> <b>Example File (Builder project Advanced Modeling/UI):</b>            &lt;your example path&gt;\Advanced Modeling\UI\uml\uiCallUIWithParameter.xml         </div> </div>
UI	uiChoice	<div> <div>  </div> <div> <b>Example File (Builder project Advanced Modeling/UI):</b>            &lt;your example path&gt;\Advanced Modeling\UI\uml\uiChoice.xml         </div> </div>

UI	uiControllerState	<p><b>Example File (Builder project Advanced Modeling/UI):</b></p> <div>  <div> &lt;your example path&gt;\Advanced Modeling\UI\uml\uiControllerState.xml </div> </div>
UI	uiCustomCSS	<p><b>Example File (Builder project Advanced Modeling/UI):</b></p> <div>  <div> &lt;your example path&gt;\Advanced Modeling\UI\uml\uiCustomCSS.xml </div> </div>
UI	uiDivElements	<p><b>Example File (Builder project Advanced Modeling/UI):</b></p> <div>  <div> &lt;your example path&gt;\Advanced Modeling\UI\uml\uiDivElements.xml </div> </div>
UI	uiHelloworld	<p><b>Example File (Builder project Advanced Modeling/UI):</b></p> <div>  <div> &lt;your example path&gt;\Advanced Modeling\UI\uml\uiHelloworld.xml </div> </div>
UI	uiErrorHandling	<p><b>Example File (Builder project Advanced Modeling/UI):</b></p> <div>  <div> &lt;your example path&gt;\Advanced Modeling\UI\uml\uiErrorHandling.xml </div> </div>
UI	uiFileUpload	<p><b>Example File (Builder project Advanced Modeling/UI):</b></p> <div>  <div> &lt;your example path&gt;\Advanced Modeling\UI\uml\uiFileUpload.xml </div> </div>

UI	uiForm	<p><b>Example File (Builder project Advanced Modeling/UI):</b></p> <div>  <div> &lt;your example path&gt;\Advanced Modeling\UI\um\uiForm.xml </div> </div>
UI	uiHistoryState	<p><b>Example File (Builder project Advanced Modeling/UI):</b></p> <div>  <div> &lt;your example path&gt;\Advanced Modeling\UI\um\uiHistoryState.xml </div> </div>
UI	uiHTML	<p><b>Example File (Builder project Advanced Modeling/UI):</b></p> <div>  <div> &lt;your example path&gt;\Advanced Modeling\UI\um\uiHTML.xml </div> </div>
UI	uiImporter	<p><b>Example File (Builder project Advanced Modeling/UI):</b></p> <div>  <div> &lt;your example path&gt;\Advanced Modeling\UI\um\uiImportImplementation.xml  &lt;your example path&gt;\Advanced Modeling\UI\um\uiImportSpecification.xml </div> </div>
UI	uiJavaScript	<p><b>Example File (Builder project Advanced Modeling/UI):</b></p> <div>  <div> &lt;your example path&gt;\Advanced Modeling\UI\um\uiJavaScript.xml </div> </div>
UI	uiLayout	<p><b>Example Files (Builder project Advanced Modeling/UI):</b></p> <div>  <div> &lt;your example path&gt;\Advanced Modeling\UI\um\uiLayout.xml </div> </div>

UI	uiLocalization	<p><b>Example Files (Builder project Advanced Modeling/UI):</b></p> <div>  <div> &lt;your example path&gt;\Advanced Modeling\UI\uml\uiLocalization.xml </div> </div>
UI	uiMockup	<p><b>Example Files (Builder project Advanced Modeling/UI):</b></p> <div>  <div> &lt;your example path&gt;\Advanced Modeling\UI\uml\uiMockup.xml </div> </div>
UI	uiMultiselect	<p><b>Example Files (Builder project Advanced Modeling/UI):</b></p> <div>  <div> &lt;your example path&gt;\Advanced Modeling\UI\uml\uiMultiselect.xml </div> </div>
UI	uiRadioGroupCheckbox	<p><b>Example Files (Builder project Advanced Modeling/UI):</b></p> <div>  <div> &lt;your example path&gt;\Advanced Modeling\UI\uml\uiRadioGroupCheckbox.xml </div> </div>
UI	uiServerSideTablePagination	<p><b>Example Files (Builder project Advanced Modeling/UI):</b></p> <div>  <div> &lt;your example path&gt;\Advanced Modeling\UI\uml\uiServerSideTablePagination.xml </div> </div>
UI	uiSignalEvents	<p><b>Example Files (Builder project Advanced Modeling/UI):</b></p> <div>  <div> &lt;your example path&gt;\Advanced Modeling\UI\uml\uiSignalEvents.xml </div> </div>

UI	uiTable	<p><b>Example Files (Builder project Advanced Modeling/UI):</b></p> <div>  <div> <p>&lt;your example path&gt;\Advanced Modeling\UI\um\uiTableAndRowEvent.xml</p> <p>&lt;your example path&gt;\Advanced Modeling\UI\um\uiTableAndLinks.xml</p> </div> </div>
UI	uiTabs	<p><b>Example File (Builder project Advanced Modeling/UI):</b></p> <div>  <div> <p>&lt;your example path&gt;\Advanced Modeling\UI\um\uiTabs.xml</p> </div> </div>
UI	uiScript	<p><b>Example Files (Builder project Advanced Modeling/UI):</b></p> <div>  <div> <p>&lt;your example path&gt;\Advanced Modeling\UI\um\uiCallServiceByScript.xml</p> <p>&lt;your example path&gt;\Advanced Modeling\UI\um\uiCallServiceInTableContextByScript.xml</p> </div> </div>
UI	uiTableOpenClose	<p><b>Example Files (Builder project Advanced Modeling/UI):</b></p> <div>  <div> <p>&lt;your example path&gt;\Advanced Modeling\UI\um\uiTableOpenCloseDetails.xml</p> </div> </div>
UI	translations-de	<p><b>Example Dictionary File (Builder project Advanced Modeling/UI):</b></p> <div>  <div> <p>&lt;your example path&gt;\Advanced Modeling\UI\um\translations\translations-de.csv</p> </div> </div>
UI	detailsInPagedTable	<p><b>Example Dictionary File (Builder project Advanced Modeling/UI):</b></p> <div>  <div> <p>&lt;your example path&gt;\Advanced Modeling\UI\um\uiTableOpenCloseDetailsInPagedTable.xml</p> </div> </div>

XML	conversions	<div><div>Example File (Builder project E2E Action Language/XML):</div><div><div></div><div><div>&lt;your example path&gt;\E2E Action Language/XML\uml\xmlSimpleConversions.xml</div><div>&lt;your example path&gt;\E2E Action Language/XML\uml\xmlComplexConversions.xml</div></div></div></div>
-----	-------------	--