Log Errors

Log errors are errors, that are not related to the implementation of a service. Log errors are written to the bridgeserver log and are indicating e.g. a configuration problem. They cannot be caught by the modeler.

Overview of the Error Domains

Click an error domain to go to the list of errors of that domain. Click a context to go to the documentation of the selected topic.

Error Domain	Context
ADDLM	Add-on messages
BELM	Core messages
CRONADLM	Scheduler Service
CRYPTLM	Crypto Adapter
CTRLLM	
DIRLM	
FFADLM	Flat File Adapter
FLOWLM	
FSADLM	File System Adapter
FUBLM	Blob Operations
FUCLM	
FUDLM	DateTime Operations

Error Domain	Context
HTTPADLM	HTTP Service
JAVAADLM	Java Adapter
LCELM	License messages
MEMADLM	Memory Adapter
MLM	
MONGOADLM	MongoDB Adapter
POP3ADLM	POP3 Adapter
PSADLM	Persistent State Adapter
RESTLM	REST Adapter
SAPADLM	SAP Adapter
SAPSLM	SAP Service
SMTPADLM	SMTP Adapter

Error Domain	Context
SOAPADLM	SOAP Adapter
SQLLM	SQL Adapter
SRVLM	Service messages
SSILM	
SSPLM	
SYSADLM	System Adapter
THADLM	Thread Adapter
TIMADLM	Timer Service
URLADLM	URL Adapter
XMLFLM	
XMLLM	classToXML() Operation xmlToClass() Operation for Blobs xmlToClass() Operation for Strings

Domain ADDLM

Domain	Error Code	Description
ADDLM	1	Loading the addon failed.
ADDLM	2	The repository is not correctly set up.
ADDLM	3	Loading addon failed, no getname symbol.
ADDLM	4	Loading addon failed, no initialize symbol.
ADDLM	5	Loaded addon sucessfully.
ADDLM	6	Found unexpected element for AddOn section.
ADDLM	7	Found unexpected element for root section.
ADDLM	8	Expected root element.
ADDLM	9	AddOn element is not complete.
ADDLM	10	Failed to read and parse repository.
ADDLM	11	Initializing addon failed.
ADDLM	12	Initializing addon failed.

Domain BELM

Domain	Error Code	Description
BELM	1	A given key could not be found in the tabfile.

BELM	2	A given unique key is found more than once in a tabfile.
BELM	3	No specification for the requested mapping found.
BELM	4	backendcomponents.tab not found.
BELM	5	No factory registered for the requested component type.
BELM	6	No factory registered for the requested function type.
BELM	7	The accessor factory has not been registered.
BELM	8	No connection manager for the requested source found.
BELM	9	Component can not be unregistered.
BELM	10	Function can not be unregistered.
BELM	11	No specification found for the requested function.
BELM	12	Minimal parameter count for the function not reached.
BELM	13	The component factory is already registered.
BELM	14	The function factory is already registered.
BELM	15	The connection manager is already registered.
BELM	16	Found unexpected element for Component section.
BELM	17	Found unexpected element for root section.
BELM	18	Expected root element.
BELM	19	Component element is not complete.
BELM	20	Failed to read and parse component repository file.
BELM	21	Duplicate definition for component.
BELM	22	Component is unknown.
BELM	23	Initializing component failed.
BELM	24	The service is already registered.
BELM	25	Function used by a mapper is not found.
BELM	26	Failed to parse security repository file.
BELM	27	Found unexpected element for SecurityInterceptorClass section.
BELM	28	Found unexpected element for AccessRules section.
BELM	29	Component referenced in AccessRules section not found.
BELM	30	Component reference in AccessRules section is missing.
BELM	31	Found unexpected element for AccessRule section.
BELM	32	Found unexpected operation name for Security Interceptor
BELM	33	Missing operation name for Security Interceptor
BELM	34	Missing component ID for Security Interceptor
BELM	35	Failed to load security repository file.
BELM	35	The service is shutting down.
BELM	36	The service was shut down.
BELM	37	The fingerprint of the repository does not match license.
BELM	38	Initializing service failed.
BELM	39	Found unexpected element for DataItem section.
BELM	40	Failed to parse names repository file.

BELM	43	Failed to resolve component failed.
BELM	46	Service is restarting.
BELM	47	Failed to handle change.
BELM	48	The source attribute is missing for an entry of mapping.
BELM	49	The target attribute is missing for an set or append entry of mapping.
BELM	50	A mapping has no id attribute.
BELM	51	Root element must be "Dump" of file "Base/dump.tab".
BELM	52	Transaction ID is truncated.
BELM	53	Stack size exceeded limit.
BELM	54	Unexpected value of 'action' for function.
BELM	55	Error creating map writer for mapper. Repository is corrupted.
BELM	56	Required Data Item is missing in the repository.
BELM	57	Creating repository failed.
BELM	58	Creating resouce manager failed.
BELM	59	Could not load all required addons.
BELM	60	Initializing resource manager failed.
BELM	61	Required XML Data Item is missing in the repository.
BELM	62	Fallback message.
BELM	63	Unexpected element in classic logger repository.

Domain CRONADLM

Domain	n Error Description Code	
CRONADLM	1	Found unexpected element for Event section.
CRONADLM	2	Found unexpected element for root section.
CRONADLM	3	Root expected.
CRONADLM	4	Failed to read and parse file.
CRONADLM	5	Mandatory Event element missing.
CRONADLM	6	Launching thread failed.
CRONADLM	7	Service is not properly set up.
CRONADLM	9	Scheduled event was not fired while previous instance has not finished yet and this event is configured not to run in parallel.
CRONADLM	10	Previous instance of scheduled event is not finished yet. Launching anyway.

Domain CRYPTLM

Domain	Error Code	Description
CRYPTLM	1	Event expected.
CRYPTLM	2	Event Name expected.
CRYPTLM	3	Root expected.

Domain CTRLLM

Domain	Error Code	Description
CTRLLM	1	The adapter repository is not correctly set up.
CTRLLM	2	Different element expected.
CTRLLM	3	Root expected.
CTRLLM	4	Failed to read and parse file.
CTRLLM	5	System is not set up.
CTRLLM	6	No session available.
CTRLLM	7	Reading request failed.
CTRLLM	8	The listener could not start.
CTRLLM	9	Log command processed
CTRLLM	10	Writing response failed.
CTRLLM	11	The Logger is restarting.
CTRLLM	12	Invalid logger configuration
CTRLLM	13	Missing component parameter

Domain DIRLM

Domain	Error Code	Description
DIRLM	1	Can't open dataitem tab.
DIRLM	2	A mandatory column is empty.
DIRLM	3	The position in the data item is already in use.
DIRLM	4	Meta data error, attribute key used twice.
DIRLM	5	Default value does not match data type.
DIRLM	6	The dataitem associated with attribute can't be resolved.
DIRLM	7	Meta data error, operation key used twice.
DIRLM	8	Root element must be "DataItems".
DIRLM	9	The parent DataItem cannot be resolved.
DIRLM	10	Missing data item id.
DIRLM	11	Data item does not exist.
DIRLM	12	Attribute index is invalid.
DIRLM	13	Unknown element when parsing serialization tabfile.

Domain FFADLM

Domain	Error Code	Description
FFADLM	1	Error while loading and processing parser repository file
FFADLM	2	Root expected in parser.tab
FFADLM	3	Root expected in dataitem.tab
FFADLM	4	Error while loading and processing dataitem repository file

FFADLM	5	Unexpected repository element while processing flat file attribute
FFADLM	6	Unexpected repository element while processing flat file dataitem
FFADLM	7	Unexpected element while processing flat file repository
FFADLM	8	Duplicate attribute element while processing flat file repository
FFADLM	9	Incomplete attribute element while processing flat file repository
FFADLM	10	Did not find dataitem type while processing flat file repository
FFADLM	11	Did not find dataitem attribute while processing flat file repository
FFADLM	12	Incomplete dataitem while processing flat file repository
FFADLM	14	Invalid attribute offset while processing flat file repository
FFADLM	15	Invalid attribute layout while processing flat file repository
FFADLM	16	Flat file attribute separator only allowed for "separated" layout
FFADLM	18	Did not find dataitem type while processing flat file description
FFADLM	19	Unexpected repository element while processing flat file parser
FFADLM	20	Missing flat file descriptor for adapter
FFADLM	21	Invalid attribute length while processing flat file repository
FFADLM	22	Invalid value for evaluationOrder while processing flat file repository
FFADLM	24	Invalid format for parse/compose macros
FFADLM	25	Flat file attribute regexp only allowed for "pattern" layout
FFADLM	26	Can not parse the padding rule. Using default behaviour.
FFADLM	27	Unsupported date parser version.
FFADLM	28	Error while read dataitem repository file.
FFADLM	29	Error while read parser repository file.
FFADLM	30	Counter macro unknown.
FFADLM	31	Unequal number of opening and closing parentheses.
FFADLM	32	Odd number of quotes.
FFADLM	33	Wrong parentheses order.
FFADLM	34	Unknown counter type.
FFADLM	35	Counter number is not digit.
FFADLM	36	Counter number is not digit.
FFADLM	37	Unexpected comma with not reset macro.
FFADLM	38	Reset value is not digit.
FFADLM	39	Unknown value for reset.
FFADLM	40	Invalid macro definition.
FFADLM	41	No getter macro for line counter.
	-	

Domain FLOWLM

Domain	Error Code	Description
FLOWLM	1	illegal object type
FLOWLM	2	no configuration for sequence
FLOWLM	3	not enough configuration lines for sequence (<2)

FLOWLM	5	the flow has not been initialized correctly: the start step is not defined.
FLOWLM	6	could not find next step
FLOWLM	7	could not find a called subcomponent
FLOWLM	8	The id of the operation is not unique.
FLOWLM	9	The 'variableIndex' is missing at step.
FLOWLM	10	The decision has a condition without an expression.
FLOWLM	11	Session cancelled.

Domain FSADLM

Domain	Error Code	Description
FSADLM	1	Found unexpected element for Read section.
FSADLM	2	Found unexpected element for root section.
FSADLM	3	Root expected.
FSADLM	4	Failed to read and parse file.
FSADLM	5	Found unexpected element for Write section.
FSADLM	6	Found unexpected element for Status section.
FSADLM	7	Found unexpected element for Remove section.
FSADLM	8	Found unexpected element for CreateDirectory section.
FSADLM	9	Found unexpected element for ReadDirectory section.
FSADLM	10	Found unexpected element for ReadLine section.
FSADLM	11	Found unexpected element for Rename section.
FSADLM	12	Found unexpected element for Append section.
FSADLM	13	Found unexpected element for Close section.
FSADLM	14	Duplicated request name.
FSADLM	15	Found unexpected element for Close section.

Domain FUBLM

Domain	Error Code	Description
FUBLM	1	Compare operator is of unknown type.

Domain FUCLM

Domain	Error Code	Description
FUCLM	1	Can not convert this value from string to blob.
FUCLM	2	Can not convert this value from string to boolean.
FUCLM	3	Can not convert this value from string to datetime.
FUCLM	4	Can not convert this value from string to float.
FUCLM	5	Can not convert this value from string to integer.
FUCLM	6	The type of the item to create is unknown.

FUCLM	7	The class of the item to create is unknown.
FUCLM	8	Constructor function has unsupported type.

Domain FUDLM

Domain	Error Code	Description
FUDLM	1	Found unexpected element for ConvertRecordToDateTime section.
FUDLM	2	Found unexpected element for ConvertDateTimeToRecord section.
FUDLM	3	Found unexpected element for root section.
FUDLM	4	Failed to read and parse.
FUDLM	5	Expected root element.
FUDLM	6	Function is not properly set up.
FUDLM	7	Function is not properly set up.
FUDLM	8	Function is unknown in the FUD repository.
FUDLM	9	Accessor for request is unknown.
FUDLM	10	Function is unknown in the FUD repository.
FUDLM	11	Accessor for function is unknown.
FUDLM	12	Function is not properly set up.
FUDLM	13	Function is unknown in the FUD repository.
FUDLM	14	Accessor for request is unknown.
FUDLM	15	Function is not properly set up.
FUDLM	16	Function is unknown in the FUD repository.
FUDLM	17	Accessor for request is unknown.
FUDLM	18	Found unexpected element for ConvertTimeTicksToDateTime section.
FUDLM	19	Found unexpected element for ConvertDateTimeToTimeTicks section.

Domain HTTPADLM

Domain	Error Code	Description
HTTPADLM	8	Reading request failed.
HTTPADLM	17	Repository is not set up.
HTTPADLM	21	Different element expected.
HTTPADLM	22	Root expected.
HTTPADLM	23	Failed to read and parse file.
HTTPADLM	24	Different element expected.
HTTPADLM	25	Request element is not complete.
HTTPADLM	26	Identifying request failed.
HTTPADLM	28	The repository is not correctly set up.
HTTPADLM	30	Different element expected.
HTTPADLM	31	Root expected.
HTTPADLM	32	Failed to read and parse file.

HTTPADLM	33	Repository is not available.
HTTPADLM	35	Writing response failed.
HTTPADLM	36	Incoming request has no data. Dropping connection.
HTTPADLM	37	Found empty value for element. Ignoring.
HTTPADLM	38	Unrecognized header role.
HTTPADLM	39	Cannot interpret type.

Domain JAVAADLM

Domain	Error Code	Description
JAVAADLM	1	Found unexpected element for Execute section.
JAVAADLM	2	Found unexpected element for root section.
JAVAADLM	3	Root expected.
JAVAADLM	4	Failed to read and parse file.
JAVAADLM	5	The initialization of the gateway machine failed.
JAVAADLM	6	Failed to obtain virtual machine pool.
JAVAADLM	7	Failed to obtain virtual machine for initialize.
JAVAADLM	8	The creation of the Java VM failed.
JAVAADLM	9	Native java log message.
JAVAADLM	10	Request is unknown in the Java repository.
JAVAADLM	11	Java class not found.
JAVAADLM	12	Java constructor for class failed.
JAVAADLM	13	Java constructor for class not found.
JAVAADLM	14	Creating java request name string for class failed.
JAVAADLM	15	Java execute method not found.
JAVAADLM	19	Failed to obtain virtual machine for execute.
JAVAADLM	20	Failed to obtain virtual machine for stop.
JAVAADLM	21	Java rollback method not found.
JAVAADLM	22	Java commit method not found.
JAVAADLM	23	Handle for Java class already initialised.
JAVAADLM	24	Creating java request configuration string for class failed.
JAVAADLM	25	Method for java configuration not found.
JAVAADLM	27	Log java virtual machine shutdown
JAVAADLM	28	Log java virtual machine startup
JAVAADLM	29	Creating java bridge version string for global initialize failed.
JAVAADLM	30	Java JavaVirtualMachine::initialize(String) failed
JAVAADLM	31	JavaAddOn initialization failed.
JAVAADLM	32	Failed to obtain gateway for start.

Domain LCELM

Domain	Error Code	Description
LCELM	1	Failed to read and parse instance file.
LCELM	2	Unexpected instance element found.
LCELM	3	Instance root expected.
LCELM	4	License repository not available.
LCELM	6	License root expected.
LCELM	7	Failed to read and parse license file.
LCELM	8	No license path.
LCELM	9	License key is missing from repository.
LCELM	15	Using valid license.
LCELM	16	Using demo license.
LCELM	18	Instance license is invalid.
LCELM	25	License signature is missing from repository.
LCELM	26	License signature is invalid.
LCELM	27	Public key is damaged while validating.
LCELM	28	License id is missing from repository.
LCELM	29	License signature encoding is invalid.
LCELM	30	License ticker is not available.
LCELM	34	Machine name to license mismatch
LCELM	35	Machine name or key missing
LCELM	36	License key expired
LCELM	37	Service exceeds licensed concurrency
LCELM	38	License limited to specific services, this service is not licensed.
LCELM	42	A license based on a dongle is not supported on this platform.
LCELM	43	Cached licence expiration date reached. Checking for renewed licence.

Domain MEMADLM

Domain	Error Code	Description
MEMADLM	3	Expected Name for element.
MEMADLM	4	Unexpected element.

Domain MLM

Domain	Error Code	Description
MLM	1	The repository path is invalid.
MLM	2	Loading the addon failed.
MLM	3	No child element expected.
MLM	4	Can't access repository file.
MLM	5	No system info available while opening repository file.
MLM	6	Unexpected element found.

7	Failed to read and parse 'features' repository.
8	Failed to parse errors repository.
9	BUG: %s
10	Malformed input.
11	Bad port number.
12	Unsupported scheme.
13	Setting URL part failed.
	8 9 10 11 12

Domain MONGOADLM

Domain	Error Code	Description
MONGOADLM	1	Initializing MongoDB AddOn failed.
MONGOADLM	2	Unexpected tabfile element.
MONGOADLM	3	Duplicated entry for %s in MongoDB connection configuration.
MONGOADLM	4	Missing required attribute for tabfile entry.
MONGOADLM	5	Duplicated entry for %s in MongoDB adapter configuration.
MONGOADLM	6	MongoDB connection repository file is not accessible.
MONGOADLM	7	cannot parse {} without metadata.
MONGOADLM	8	Associated connection not found for adapter.
MONGOADLM	9	No pool for connection.
MONGOADLM	10	Missing adapter definition.
MONGOADLM	11	Commit failed.
MONGOADLM	12	Rollback failed.
MONGOADLM	13	Object to be serialized into MongoDB document is missing metadata.
MONGOADLM	14	Unknown simple type to serialize (please report a bug).
MONGOADLM	15	Multiple update specifications provided.
MONGOADLM	16	Incompatible update specifications provided.
MONGOADLM	17	Options parameter has incorrect type.
MONGOADLM	18	Query string document for operation is missing.
MONGOADLM	19	Handle parameter for fetch operation is missing.
MONGOADLM	20	Handle parameter for fetch operation has incorrect type.
MONGOADLM	21	Handle id for fetch operation is missing.
MONGOADLM	22	Missing required adapter parameter.
MONGOADLM	23	Input document for operation is missing.
MONGOADLM	24	Pipeline for operation is missing.
MONGOADLM	25	Source string for parsing is missing.
MONGOADLM	26	Source record for composing is missing.
MONGOADLM	27	Format for composing is missing or has wrong type.
MONGOADLM	28	Options for composing are missing or have wrong type.
MONGOADLM	29	Unrecognized composer mode '{}'.

Domain POP3ADLM

Domain	Error Code	Description
POP3ADLM	1	Request expected.
POP3ADLM	2	Request Name expected.
POP3ADLM	3	Root expected.
POP3ADLM	6	Request child element not expected.
POP3ADLM	7	Authentication child element not expected.
POP3ADLM	8	Failed to read and parse file.
POP3ADLM	9	Unknown request
POP3ADLM	10	Server is missing.
POP3ADLM	11	Port is missing.
POP3ADLM	13	Password is missing.
POP3ADLM	14	User Name is missing.
POP3ADLM	15	Request is incomplete.
POP3ADLM	16	Connection already initialized.

Domain PSADLM

Domain	Error Code	Description
PSADLM	3	Warning: Missing database name to store persistent states, using memory instead.
PSADLM	4	State engine failed to connect to database.
PSADLM	5	Type used in persistent state does not exist in the base repository.
PSADLM	6	Persistent state dataitem is declared twice.
PSADLM	7	Persistent state signal is declared twice.
PSADLM	8	Component used in persistent state does not exist in the base repository.
PSADLM	9	Persistent state is declared twice.
PSADLM	10	Dataitem referenced in persistent state is unknown.
PSADLM	11	Persistent state transition is declared twice.
PSADLM	12	Signal referenced in persistent state is unknown.
PSADLM	13	State referenced by transition is unknown.
PSADLM	14	Initial persistent state transition can't have a timeout.
PSADLM	15	Persistent state command is declared twice.
PSADLM	16	Persistent state command not found
PSADLM	17	Signal definition is incomplete.
PSADLM	19	Persistent flow name is used twice.
PSADLM	20	State referenced as parent is unknown.
PSADLM	21	Flow referenced as submachine flow is unknown.
PSADLM	22	Persistent state search is missing SQL statement.
PSADLM	25	Error while parsing SQL command (e.g. search handles)
PSADLM	29	Persistent state transition has more then one timeout.

PSADLM	30	Lost connection to persistent state database. Will try to automatically reconnect.
PSADLM	31	Reconneted to persistent state database.
PSADLM	32	Reconnect to persistent state database failed. Will try again to reconnect.
PSADLM	33	Can't open database to dump persistent states.
PSADLM	34	Failed to init backup database.
PSADLM	35	The PersistentStateService stops processing new events.
PSADLM	37	Can not open a new persistent state database connection to compensate.
PSADLM	38	Could not parse signal data. The signal will be deleted and will not be processed.
PSADLM	39	Can not do consistency check after reconnect because other database transactions are still in progress. If you get duplicate key errors then restart the service to force the consistency check.
PSADLM	40	Persistent state high availability switch is active with retry timeout.
PSADLM	41	Database connection not available.
PSADLM	42	Detected changes to primary key of object. Those changes will be lost.
PSADLM	43	Detected objects for which no metadata exist in the repository. Correct the problem either by restoring class definitions in the model or by deleting corresponding objects.
PSADLM	44	Failed to complete Persistent State event action.
PSADLM	45	Failed to commit Persistent State object after performing doActivity. Object will stale in state.
PSADLM	46	Persistent state engine manages transaction isolation levels by itself. Please set it 'DBMS default' for PS connection.
PSADLM	47	Failed to store engine startup time.
PSADLM	48	Failed to store engine shutdown time.
PSADLM	49	Failed to prepare Persistent State SQL commands.
PSADLM	50	Failed to dump Persistent State database.
PSADLM	51	Failed to restore Persistent State database.
PSADLM	52	Failed to set initial PRAGMA statements on the Persistent State Database.
PSADLM	53	Persistent State object deleted while having %zd events pending.
PSADLM	54	Unknown element in PS control repository.
PSADLM	55	Found duplicated component in PS control repository.
PSADLM	56	Found unnamed component in PS control repository.
PSADLM	57	State handle not found. Probably the adapter has been called outside of PS context.
PSADLM	58	Cannot parse object data.

Domain RESTLM

Domain	Error Code	Description
RESTLM	1	Constructing REST_AddOn
RESTLM	2	Service already exists in the repository.
RESTLM	3	Service has not been found in the repository.
RESTLM	4	Unrecognized tabfile element when parsing REST Service repository.
RESTLM	5	Service description is invalid.
RESTLM	6	Value has wrong format.
RESTLM	7	Message is unknown to the repository.
RESTLM	8	Reading request failed, subsystem error.

RESTLM	9	Sending response failed, socket error.
RESTLM	10	Cannot generate any of the expected output formats.
RESTLM	11	Unknown input format.
RESTLM	12	Failed to convert.
RESTLM	14	Failed to parse request body.
RESTLM	15	Failed to retrieve required type metadata. The repository is broken.
RESTLM	16	Failed to read and parse HTDOC repository. The repository is broken.
RESTLM	17	Request has no data.
RESTLM	18	Response code is empty in the repository (tabfile is corrupt).
RESTLM	19	Response cannot be serialized because it's not of complex type.
RESTLM	20	The repository meta data does not match the actual thing.
RESTLM	21	Repository format is too old.
RESTLM	22	Duplicated error metadata.
RESTLM	23	REST Error metadata has not been found in the repository.
RESTLM	24	Expected Record but found Array or the other way around.
RESTLM	25	Found connection without id when parsing REST Connections repository.
RESTLM	26	Found more than one connection with id.
RESTLM	27	Connection not found in repository.
RESTLM	28	Found more than one request with name.
RESTLM	29	Unknown HTTP method.
RESTLM	30	Request not found in repository.
RESTLM	32	Unknown parameter location.
RESTLM	33	Unsupported conversion.
RESTLM	34	Cannot understand "Content-Type, trying JSON format.
RESTLM	35	Skipping set output parameter because of HTTP error or metadata mismatch.
RESTLM	36	Path variable is missing.
RESTLM	37	Path variable is empty.
RESTLM	38	Multiple values provided for a non-array parameter.
RESTLM	39	Invalid repository parameter.
RESTLM	40	Duplicated definition of parameter to request.
RESTLM	41	No field in class.
RESTLM	44	Expected no body but received bytes. Response will not be parsed.
RESTLM	45	Failed to start.
RESTLM	46	Unrecognized header role.
RESTLM	47	Client does not accept any of declared response content types.
RESTLM	48	Request content type not declared as accepted by the service.
RESTLM	49	Response content type not declared as possible output for a response code.
RESTLM	50	Response Content-Type header is empty.
RESTLM	51	Empty value for declared 'content-type' element.
		Empty value for declared 'accept' element.
RESTLM	52	Empty value for declared accept element.

Domain SAPADLM

Domain	Error Code	Description
SAPADLM	1	Found unexpected element for Request section.
SAPADLM	2	Found unexpected element for root section.
SAPADLM	3	Expected root element.
SAPADLM	4	Request element is not complete.
SAPADLM	5	Failed to read and parse file.
SAPADLM	7	Found unexpected element for root section.
SAPADLM	8	Expected root element.
SAPADLM	9	Failed to read and parse file.
SAPADLM	10	Connection to SAP could not be established.
SAPADLM	11	An error occurred while waiting for an SAP event.
SAPADLM	13	Invalid service type.
SAPADLM	14	Parsing request failed.
SAPADLM	18	The function name is unknown in the SARS repository.
SAPADLM	19	Found unexpected element for request section.
SAPADLM	20	Found unexpected element for root section.
SAPADLM	21	Expected root element.
SAPADLM	22	Request element is not complete.
SAPADLM	23	Failed to read and parse request repository file.
SAPADLM	24	Found unexpected element for TRFCCallbacks section.
SAPADLM	26	Composing request failed.
SAPADLM	27	Issuing callback failed.
SAPADLM	29	The value for the IsTransacted element is not valid.
SAPADLM	30	Handling request failed.
SAPADLM	32	Authentication child element expected.
SAPADLM	34	Connection to SAP could not be established. Will retry to connect and will report successful connect with info message.
SAPADLM	35	Function already exists.
SAPADLM	36	Failed to install transaction handles.
SAPADLM	37	Failed to install generic server function.
SAPADLM	38	SAP structure name is too long.
SAPADLM	39	ProgramID not given.
SAPADLM	40	Constructing SAP_AddOn using sapnwrfcsdk-7.20
SAPADLM	41	Failed to read and parse file.
SAPADLM	42	Unknown setting for SAP. Runtime too old?
SAPADLM	43	Expected root element.
SAPADLM	44	Unrecognised value for setting.
SAPADLM	45	The value is not valid for the PoolSize element. It must be a number and greater than 0.

Domain SAPSLM

Domain	Error Code	Description
SAPSLM	1	Found unexpected element for Message section.
SAPSLM	2	Found unexpected element for root section.
SAPSLM	3	Expected root element.
SAPSLM	4	Composer message element is not complete.
SAPSLM	5	Failed to read and parse file.
SAPSLM	6	Found unexpected element for Message section.
SAPSLM	7	Found unexpected element for root section.
SAPSLM	8	Expected root element.
SAPSLM	9	Composer message element is not complete.
SAPSLM	10	Failed to read and parse file.
SAPSLM	11	Found unexpected element for DataItem section.
SAPSLM	12	Found unexpected element for Attribute section.
SAPSLM	13	Found unexpected element for root section.
SAPSLM	14	Expected root element.
SAPSLM	15	Rfc attribute type is unknown.
SAPSLM	16	Rfc attribute element is invalid.
SAPSLM	18	Rfc attribute element is not complete.
SAPSLM	19	Rfc dataitem element is not complete.
SAPSLM	20	Rfc attribute lenght is invalid.
SAPSLM	21	Rfc dataitem type is invalid.
SAPSLM	22	Failed to read and parse file
SAPSLM	23	Found unexpected element for Message section.
SAPSLM	24	Found unexpected element for root section.
SAPSLM	25	Expected root element.
SAPSLM	26	Composer message element is not complete.
SAPSLM	27	Failed to read and parse file.
SAPSLM	28	Found unexpected element for Message section.
SAPSLM	29	Found unexpected element for root section.
SAPSLM	30	Expected root element.
SAPSLM	31	IDoc parser Message element is not complete.
SAPSLM	32	Failed to read and parse file.
SAPSLM	33	Found unexpected element for DataItem section.
SAPSLM	34	Found unexpected element for Attribute section.
SAPSLM	35	Found unexpected element for root section.
SAPSLM	36	Expected root element.
SAPSLM	37	IDoc attribute type is unknown.

SAPSLM	38	IDoc attribute element is invalid.
SAPSLM	39	IDoc attribute element already exists.
SAPSLM	40	IDoc attribute element is not complete.
SAPSLM	41	IDoc dataitem element is not complete.
SAPSLM	42	IDoc attribute lenght is invalid.
SAPSLM	43	IDoc dataitem type is invalid.
SAPSLM	44	Failed to read and parse file
SAPSLM	49	Found unexpected element for Segment section.
SAPSLM	50	Parser Segment element is not complete.
SAPSLM	60	Found unexpected element for header section.
SAPSLM	61	Found unexpected element for segment header section.
SAPSLM	62	Found unexpected element for header section.
SAPSLM	63	Found unexpected element for segment header section.
SAPSLM	64	Found unexpected element for segment section.
SAPSLM	65	IDoc segment element already exists.
SAPSLM	66	Composer segment element is not complete.
SAPSLM	67	IDoc segment element already exists.
SAPSLM	68	IDoc attribute value lenght is invalid.
SAPSLM	69	IDoc attribute decimals is invalid.
SAPSLM	70	Found unexpected element for Message section.
SAPSLM	71	Found unexpected element for root section.
SAPSLM	72	Expected root element.
SAPSLM	73	Composer message element is not complete.
SAPSLM	74	Failed to read and parse file.
SAPSLM	75	Found unexpected element for Message section.
SAPSLM	76	Found unexpected element for root section.
SAPSLM	77	Expected root element.
SAPSLM	78	IDoc parser Message element is not complete.
SAPSLM	79	Failed to read and parse file.
SAPSLM	80	Found unexpected element for Segment section.
SAPSLM	81	Parser Segment element is not complete.
SAPSLM	82	Found unexpected element for header section.
SAPSLM	83	Found unexpected element for segment header section.
SAPSLM	84	Found unexpected element for header section.
SAPSLM	85	Found unexpected element for segment header section.
SAPSLM	86	Found unexpected element for segment section.
SAPSLM	87	IDoc segment element already exists.
SAPSLM	88	Composer segment element is not complete.
SAPSLM	89	IDoc segment element already exists.
SAPSLM	90	Rfc attribute decimals is invalid.
SAPSLM	91	Failed to open RFC connection.

SAPSLM	92	Rfc attribute aligmentC1 is invalid.
SAPSLM	93	Rfc attribute aligmentC2 is invalid.
SAPSLM	94	Rfc attribute aligmentC4 is invalid.

Domain SMTPADLM

Domain	Error Code	Description
SMTPADLM	1	Request expected.
SMTPADLM	2	Request Name expected.
SMTPADLM	3	Root expected.
SMTPADLM	8	HeaderParameter Name expected.
SMTPADLM	9	Request child element not expected.
SMTPADLM	12	Failed to read and parse file.
SMTPADLM	14	Authentication child element not expected.

Domain SOAPADLM

Domain	Error Code	Description	
SOAPADLM	1	Found unexpected element for Request section.	
SOAPADLM	2	Found unexpected element for root section.	
SOAPADLM	3	Expected root element.	
SOAPADLM	4	Request element is not complete.	
SOAPADLM	5	Failed to read and parse file.	
SOAPADLM	6	Accessor is not set up.	
SOAPADLM	8	Reading request failed.	
SOAPADLM	9	Different element expected.	
SOAPADLM	10	WSDL file not configured.	
SOAPADLM	17	Repository is not set up.	
SOAPADLM	18	Different element expected.	
SOAPADLM	19	Root expected.	
SOAPADLM	20	Failed to read and parse file.	
SOAPADLM	22	Root expected.	
SOAPADLM	23	Failed to read and parse file.	
SOAPADLM	25	Request element is not complete.	
SOAPADLM	26	Identifying request failed.	
SOAPADLM	28	The repository is not correctly set up.	
SOAPADLM	30	Different element expected.	
SOAPADLM	31	Root expected.	
SOAPADLM	32	Failed to read and parse file.	
SOAPADLM	33	Service repository is not available.	
SOAPADLM	34	Authentication child element expected.	

35	Proxy child element expected.	
36	SSL child element expected.	
37	Expected SSL Certificate child element.	
38	Expected SSL Key child element.	
40	HeaderParameter Name expected.	
41	Writing response failed.	
42	Tracing is allowed.	
43	The service is disabled.	
45	Close all CURL connections because E2E_FORBID_REUSE is set.	
46	Incoming request has no data. Dropping connection.	
47	Cannot interpret type.	
48	Unrecognized header role.	
49	Found incomplete header role definition when parsing SOAP Adapter repository.	
50	Digest algorithm is invalid. Supported algorithms: none, md5, sha, sha1, sha256, sha512.	
51	Found empty value for element. Ignoring.	
	36 37 38 40 41 42 43 45 46 47 48 49 50	

Domain SQLLM

Domain	Error Code	Description	
SQLLM	5	Data item repository could not be obtained.	
SQLLM	6	NULL value received as single item name.	
SQLLM	7	NULL value received as codepage name.	
SQLLM	9	The initialization of the SQL gateway failed.	
SQLLM	10	Found unexpected element while reading stored procedures.	
SQLLM	11	Root element not found while reading stored procedures.	
SQLLM	12	Failed to read and parse stored procedure repository.	
SQLLM	13	Operation referenced in sqladapter.tab was not found in sqloperations.tab.	
SQLLM	15	Found unexpected element while reading sqlconfiguration.tab.	
SQLLM	16	Root element not found while reading sqlconfiguration.tab.	
SQLLM	17	Failed to read and parse sqlconfiguration.tab.	
SQLLM	18	Native type is unkown. Type will be ignored. Only 'CLOB' is supported.	
SQLLM	19	Native type is unkown. Type will be ignored. Only 'CLOB' is supported.	
SQLLM	20	Found two GetHandle elements with same id. id must be unique.	
SQLLM	21	Expected "SQLAdapter" as root element.	
SQLLM	22	Found two Fetch elements with same id. id must be unique.	
SQLLM	23	Type is unknown to the repository.	
SQLLM	24	No repository data found.	
SQLLM	25	No repository data found.	
SQLLM	26	Values equal.	

Domain SRVLM

Domain	Error Code	Description	
SRVLM	1	Wrong repository version.	
SRVLM	2	Starting up.	
SRVLM	3	Startup done.	
SRVLM	4	No system info available.	
SRVLM	5	Shutting down	
SRVLM	6	Shutdown complete.	
SRVLM	7	Controller startup failed.	
SRVLM	8	Backend initialization failed.	
SRVLM	9	No license subsystem.	
SRVLM	10	Information about shutdown signals.	
SRVLM	11	Found deadlock dump.	
SRVLM	12	Using experimental nightly build.	
SRVLM	13	Functionality requires xUML Runtime or newer.	
SRVLM	14	Functionality is fully supported with xUML Runtime or newer. Some settings or options may be ignored.	
SRVLM	15	The repository cannot be run with this xUML Runtime version.	
SRVLM	16	Could not initialize logger.	
SRVLM	17	Could not load license file.	

Domain SSILM

Domain	Error Code	Description
SSILM	14	Found unexpected element for Event section.
SSILM	15	Found unexpected element for root section.
SSILM	16	Expected root element.
SSILM	17	Event element is not complete.
SSILM	18	Failed to read and parse file.
SSILM	19	DataItem repository is missing.
SSILM	20	SOAP repository is missing.
SSILM	21	Frontend repository is missing.

Domain SSPLM

Domain	Error Code	Description	
SSPLM	3	The matching DIR_Attribute ist not found in the Data Item Repository.	
SSPLM	4	The attribute was defined twice.	
SSPLM	6	Can't find a dataitem that was referred to from SOAP type mapping.	
SSPLM	7	Can't open types.tab	
SSPLM	9	Can't opne dataitem.tab	
SSPLM	10	A mandatory dataitem column is empty.	
SSPLM	12	A mandatory types column is empty.	

SSPLM	13	The position in the data item is already in use.
SSPLM	14	The given XML type is invalid.
SSPLM	15	Found unexpected element for Message section.
SSPLM	16	Found unexpected element for root section.
SSPLM	17	Expected root element.
SSPLM	18	Composer message element is not complete.
SSPLM	19	Failed to read and parse file.
SSPLM	20	Found unexpected element for Message section.
SSPLM	21	Found unexpected element for root section.
SSPLM	22	Expected root element.
SSPLM	23	Composer message element is not complete.
SSPLM	24	Failed to read and parse file.
SSPLM	25	Found unexpected element for MessageSet section.
SSPLM	26	Found unexpected element for MessageSet section.
SSPLM	27	Composer message set element is not complete.
SSPLM	28	Composer message set element is not complete.
SSPLM	29	Composer message set missing attribute startsAt for element HeaderDataItem
SSPLM	30	The matching DIR_DataItem ist not found in the Data Item Repository.
SSPLM	31	Composer found cyclic dependency between objects.
SSPLM	32	Root element must be "SOAP".
	-	

Domain SYSADLM

Domain	Error Code	Description
SYSADLM	2	Request Name expected.
SYSADLM	10	Unexpected element.
SYSADLM	11	Execute command.

Domain THADLM

Domain	Error Code	Description
THADLM	3	Root expected.
THADLM	10	Failed to read and parse file.
THADLM	13	Found unexpected element for root section.

Domain TIMADLM

Domain	Error Code	Description
TIMADLM	1	Event expected.
TIMADLM	3	Root expected.
TIMADLM	9	Event child element not expected.

TIMADLM	10	Failed to read and parse file.
TIMADLM	11	Launching thread failed.
TIMADLM	12	Mandatory Event element missing.
TIMADLM	13	Event dropped, queue is full.
TIMADLM	14	Found unexpected element for Trace section.

Domain URLADLM

Domain	Error Code	Description
URLADLM	1	Request expected.
URLADLM	2	Request Name expected.
URLADLM	3	Root expected.
URLADLM	7	Expected attribute value for Header element.
URLADLM	8	HeaderParameter Name expected.
URLADLM	9	Request child element not expected.
URLADLM	12	Failed to read and parse file.
URLADLM	13	No child element allowed for string values.
URLADLM	14	No child element allowed for blob values.
URLADLM	15	Authentication child element expected.
URLADLM	16	Proxy child element expected.
URLADLM	17	No child element allowed for integer values.
URLADLM	18	SSL child element expected.
URLADLM	19	Expected SSL Certificate child element.
URLADLM	20	Expected SSL Key child element.
URLADLM	21	Request is unknown.
URLADLM	22	Component is not properly set up.
URLADLM	23	Found incomplete header role definition when parsing URL Adapter repository.
URLADLM	24	Digest algorithm is invalid. Supported algorithms: none, md5, sha, sha1, sha256, sha512.
URLADLM	25	Failed to read file.

Domain XMLFLM

Domain	Error Code	Description
XMLFLM	1	Failed to open parser repository.
XMLFLM	2	Failed to open composer repository.
XMLFLM	3	A mandatory column is empty in the parser repository.
XMLFLM	4	A mandatory column is empty in the composer repository.
XMLFLM	5	Unknown request while initializing xml parser
XMLFLM	6	Unknown accessor t while initializing xml parser
XMLFLM	7	Unknown request while initializing xml composer
XMLFLM	8	Unknown accessor t while initializing xml composer

Domain XMLLM

Domain	Error Code	Description	
XMLLM	1	The native XML parser reported an error during parsing.	
XMLLM	2	The native XML parser reported a warning during parsing.	
XMLLM	3	The native XML parser reported a fatal error during parsing.	
XMLLM	4	The native XML parser reported an XML error.	
XMLLM	5	The native XML parser reported an internal parser error.	
XMLLM	6	Could not open file for read.	
XMLLM	7	Read error.	
XMLLM	8	File is too large.	
XMLLM	9	Could not stat file.	
XMLLM	10	Could not get system info.	
XMLLM	11	The native XML parser reported an error during parsing.	
XMLLM	12	The native XML parser reported a warning during parsing.	
XMLLM	13	The native XML parser reported a fatal error during parsing.	
XMLLM	14	The native XML parser reported an XML error.	
XMLLM	15	The native XML parser reported an internal parser error.	
XMLLM	16	Can't parse empty buffer.	
XMLLM	17	The matching DIR_Attribute ist not found in the Data Item Repository.	
XMLLM	18	The attribute was defined twice.	
XMLLM	19	Can't open request tab.	
XMLLM	20	Can't open dataitem tab.	
XMLLM	21	A mandatory dataitem column is empty.	
XMLLM	22	A mandatory request column is empty.	
XMLLM	23	The position in the data item is already in use.	
XMLLM	24	Found unexpected element for Message section.	
XMLLM	25	Found unexpected element for root section.	
XMLLM	26	Expected root element.	
XMLLM	27	Composer message element is not complete.	
XMLLM	28	Failed to read and parse file.	
XMLLM	29	Found unexpected element for Message section.	
XMLLM	30	Found unexpected element for root section.	
XMLLM	31	Expected root element.	
XMLLM	32	Composer message element is not complete.	
XMLLM	33	Failed to read and parse file.	
XMLLM	34	Repository file uses unsupported encryption.	
XMLLM	35	Failed to decrypt repository.	
XMLLM	36	The matching DIR_DataItem ist not found in the Data Item Repository.	
XMLLM	37	Composer found cyclic dependency between objects.	

XMLLM	38	Parsing repository file.
XMLLM	39	The XML_DataItem is not found in the XML Data Item Repository.
XMLLM	40	MIME: invalid starting point for XML parser.
XMLLM	41	MTOM/XOP did not find content.
XMLLM	42	MIME: invalid value of Content-Type type parameter in root of message. Message will be parsed as SOAP with attachments.