




# Mobile App - Create

## The Element Mobile App - Create

BPaaS 17.3

Element	
Function	<p>The element Mobile App - Create is used to configure the mobile start link for an app. This element can be edited via the Edit Sidebar. If executed on a mobile device, new instances can be created.</p> <div> Mobile elements can only be executed in the <b>Scheer PAS Mobile App</b>.</div>
Connection	Elements, that are saved to the work area of the Project Editor cannot be linked via connections.
Beispiel	<p>In the app project <i>Damage Reporting</i> two mobile start links were created: <i>Report new damage - mobile</i> to create a new damage report and <i>Damage Reports - Overview mobile</i>, which displays stored reports.</p> 

### On this Page:

- [The Element Mobile App - Create](#)
  - [Configuration Options](#)
  - [Developer Options](#)

### Related Pages:


- [Mobile App - Overview](#)
- [Process App - Create](#)


### Related Documentation:


- [MOBILE](#) (German)
  - [Mobile Apps](#)
  - [Mobile Neuanlage von Instanzen](#)

## Configuration Options





Edit the element via the **Edit Sidebar**.

<p><b>Name</b></p> <p>Mobile App - Create</p> 	<p><b>Name</b></p> <p>Name of the element within modeling.</p>
<p><b>ID</b></p> <p>rp02727f33-b7cf-40ef-886e-b4da441295ff</p>	<p><b>ID ( )</b></p> <p>The read-only field contains the model ID of the element. Designers can use the ID for example in the <a href="#">search</a> to link the element in other models.</p>

<p><b>Description</b></p> <div></div>	<p><b>Description</b></p> <p>A commentary field for the modeler. Its content is invisible to users and its sole purpose is internal documentation.</p>
<p><b>Hashtags</b></p> <hr/>	<p><b>Hashtags</b></p> <p>Possibility to insert your own key terms . The leading hashtag sign <b># (hash)</b> will be inserted automatically.</p> <p>Use the spacebar to insert multiple hashtags:</p> <p><b>Hashtags</b>  #Procurement #ACME</p> <hr/> <p>One hashtag may be issued for multiple elements:</p> <div> <div>Irene Adler ACME Corp.</div> <div> <div>#Procure</div> <div> Drop-down Field: #Procurement  <b>Department</b> </div> <div> Input Field: #Procurement  <b>Name</b> </div> <div> Responsive Form: #Procurement #ACME  <b>Procurement Request</b> </div> <div> EPC Model: #Procurement  <b>ACME Procurement</b> </div> </div> </div>
<p><input type="checkbox"/> Show as Favorite</p>	<p><b>Show as Favorite ( PAS 18.1 )</b></p> <p>Activate this checkbox to show this element as favorite in the <b>Scheer PAS Mobile</b> App.</p>
<p><input type="checkbox"/> Activate Role Check</p>	<p><b>Activate Role Check</b></p> <p>You need to activate this option to verify during app execution if the user was assigned the necessary roles.</p> <div>  For further information visit page <a href="#">Role-based Authorization Concept</a>. </div>

<p>Role For Link</p> <hr/>	<p><b>Role for Link</b></p> <p>Insert the name of the role to receive app authorization here. The field <b>Role for Link</b> is supported by auto-complete and will list matching suggestions.</p> <div data-bbox="878 300 1471 390">  Keep in mind to always issue two roles! Each role must be assigned to a <b>Create</b> and an <b>Overview</b> element. </div>
----------------------------	--

## Developer Options

<p>Developer-Options</p> 	<p>Open the <b>Developer Options</b> menu to use functions for advanced PAS design users.</p>
<p>Execution Model</p> <hr/> 	<p><b>Execution Model</b></p> <p>The Execution Model is defined globally in the <a href="#">App Project</a> element. If you configured an EPC Model, that shall be used with only this precise start link, please save its name here.</p> <p>This field uses auto-complete. Use the icon  to open the underlying EPC.</p> <div data-bbox="878 1142 1065 1530">  If you define a model directly in the Process App element, then the model assigned to the App Project will be ignored. </div>

## Administration Model




### Administration Model

The Administration Model verifies that all users were assigned the necessary roles. The Administration Model is defined globally in the [App Project](#) element. If you configured an Administration Model to be used with only this precise start link, please save its name here.



#### **DEPRECATED with PAS 18.1**

Deprecated with PAS 18.1. Do not use the Administration Model for role-based apps but manage roles centrally via **Scheer PAS Administration**. For further information visit the [Administration Guide](#).

This field uses auto-complete. Use the icon  to open the underlying EPC.



If you define a model directly in the Process App element, then the model assigned to the App Project will be ignored.

Collection Name

---

Collection Name

All app data is saved in its own namespace. In field **Collection Name** you can define sub-namespaces for the instances of **this precise start link** in the database.



As soon as a collection's name is saved for a start link, its instances will no longer be saved in the same place as the data of the remaining start links of the project. We highly recommend to use this option for trial only. Preferably define the name of the collection on the App Project.