






Radio Button

The Element Radio Button

Element Icon in Sidebar	 Radio Button
Form Field	
Function	Only a single option can be chosen from the displayed options. To choose an option click on the corresponding circle.
Default	When creating a Radio Button, the first option is checked automatically. To set a different option from the list as default, click on  to enter edit mode. After successful editing click  to end edit mode.
Example	<p>In the Radio Button <i>Select Color</i> the user can choose between the options yellow, orange, red, blue, purple and green:</p> 

On this Page:


- [The Element Radio Button](#)
 - [Configuration Options](#)

Related Pages:

- [Creating Forms](#)
 - [Possible Values: Value and Label](#)

Configuration Options

The form element may be edited via the **Edit Sidebar**.

Name Radio Button 	Name Field name shown in the form.
ID <code>rp02727f33-b7cf-40ef-886e-b4da441295ff</code>	ID () The read-only field contains the model ID of the element. Designers can use the ID for example in the search to link the element in other models.

<p>Description</p> <div></div>	<p>Description</p> <p>When a user hovers over a form element during execution, the content commentary field is shown as a quick info:</p> <div data-bbox="873 275 1450 384"><p>Text Field</p><p>Description of the field is displayed as quick info</p></div>																
<p>Hashtags</p> <div></div>	<p>Hashtags</p> <p>Possibility to insert your own key terms . The leading hashtag sign # (h) will be inserted automatically.</p> <p>Use the space bar to separate multiple hashtags:</p> <p>Hashtags</p> <p>#Procurement #ACME</p> <p>One hashtag may be issued for multiple elements:</p> <div data-bbox="873 863 1373 1383"><p>Irene Adler ACME Corp.</p><p>#Procure</p><table><tr><td>Drop-down Field:</td><td>#Procurement</td></tr><tr><td>Department</td><td></td></tr><tr><td>Input Field:</td><td>#Procurement</td></tr><tr><td>Name</td><td></td></tr><tr><td>Responsive Form:</td><td>#Procurement #ACME</td></tr><tr><td>Procurement Request</td><td></td></tr><tr><td>EPC Model:</td><td>#Procurement</td></tr><tr><td>ACME Procurement</td><td></td></tr></table></div>	Drop-down Field:	#Procurement	Department		Input Field:	#Procurement	Name		Responsive Form:	#Procurement #ACME	Procurement Request		EPC Model:	#Procurement	ACME Procurement	
Drop-down Field:	#Procurement																
Department																	
Input Field:	#Procurement																
Name																	
Responsive Form:	#Procurement #ACME																
Procurement Request																	
EPC Model:	#Procurement																
ACME Procurement																	
<p>Additional CSS Classes</p> <div></div>	<p>Additional CSS Classes</p> <p>Enables a field-accurate layout customization.</p>																

Possible Values

Possible Values

Enter the list of possible options here. Each value is set in its own line:

Possible Values

Headquarters
Subsidiary

Listing of value pairs is also possible, separated by semicolon **<value>**
<label> :

Possible Values

1;Headquarters
2;Subsidiary

When entering value pairs, it is always the first value (**<value>**) which is saved as key in the data container. The second value (**<label>**) can be used as notification to the user. Value pairs may also contain numbers, so that the user can choose a text option, but in the background a calculation is carried out.



It is not possible to assign the same value to different labels.



If in the field **Possible Values** a pair of values with same content was entered, for example 2;2 or yes;yes then one of these values will be deleted from the field display during saving. This value will be saved to the database as both value and label.

For more information please see page [Possible Values: Value Label](#).


☐ Align horizontally

Align horizontally

Use this option to display the options next to each other:

Select Color

☒ yellow ☐ orange ☐ red ☐ blue ☐ purple ☐ green

<input type="checkbox"/> Read Only	<p>Read Only</p> <p>This field is write-protected.</p>
<p>Field Name in Container</p> <hr/>	<p>Field Name in Container</p> <p>Defines the name under which the form element will be saved in the data container. If the Field Name in Container remains empty, then the field identifier (name) will be used. If two form elements share the same Field Name in Container, then both will access the same value.</p> <div data-bbox="878 457 1498 592">  The Field Name in Container is a technical identifier. It is often used for extended coding. Therefore the Field Name in Container should not contain any spaces, special characters or umlaut. For further information please visit page The Container Principle. </div>
<p>Field Name for Possible Values</p> <hr/>	<p>Field Name for Possible Values</p> <p>Possible values can not only be entered manually, one can also reference data objects from the container. In this case, enter the reference to the object which is defined in the container into the field Field Name for Possible Values. The settings' field Possible Values remains empty.</p>
<input checked="" type="checkbox"/> Save Value in Instance	<p>Save Value in Instance</p> <p>If this checkbox is marked, the value entered in this field will be saved in the database during form execution.</p>