




Search Field

The Element Search Field

Element Icon in Sidebar	
Form Field	
Function	You can use a search field to search a list of possible values in the container. Search fields have an auto-complete function: Depending on the input, a suitable hit list is displayed.
Default	A newly generated search field does not contain any functionality. Search fields must be configured accordingly. This requires programming knowledge.
Example	<p>The search term z has been entered in the search field Product. The drop down list displays all product names stored in the container in which this search term occurs:</p> 

On this Page:

- [The Element Search Field](#)
 - [Configuration Options](#)

Related Pages:




- [Creating Forms](#)
 - [Possible Values: Value and Label](#)

Related Documentation:


- [BPaaS Entwicklerhandbuch \(German\)](#)
 - [Suchfeld verwenden](#)

Configuration Options

The form element may be edited via the **Edit Sidebar**.

Name Search Field 	Name Field name shown in the form.
ID rp02727f33-b7cf-40ef-886e-b4da441295ff	ID () The read-only field contains the model ID of the element. Designers can use the ID for example in the search to link the element in other models.
Description 	Description When a user hovers over a form element during execution, the content commentary field is shown as a quick info: 

<div>Hashtags</div> <div></div>	<div>Hashtags</div> <div>Possibility to insert your own key terms . The leading hashtag sign # (h) will be inserted automatically.</div> <div>Use the space bar to separate multiple hashtags:</div> <div>Hashtags #Procurement #ACME</div> <div>One hashtag may be issued for multiple elements:</div> <div><div>Irene Adler ACME Corp.</div><div>#Procure</div><div>Drop-down Field: #Procurement Department</div><div>Input Field: #Procurement Name</div><div>Responsive Form: #Procurement #ACME Procurement Request</div><div>EPC Model: #Procurement ACME Procurement</div></div>
<div>Additional CSS Classes</div> <div></div>	<div>Additional CSS Classes</div> <div>Enables a field-accurate layout customization.</div>
<div><input type="checkbox"/> Mandatory</div>	<div>Mandatory</div> <div>The marked element must be filled or used.</div>
<div><input type="checkbox"/> Read Only</div>	<div>Read Only</div> <div>This field is write-protected.</div>
<div><input type="checkbox"/> Focus on Element</div>	<div>Focus on Element</div> <div>This field is ready for input and will be visually enhanced during form completion.</div>
<div><input type="checkbox"/> Show Label Inline</div>	<div>Show Label Inline</div> <div>The field identifier is shown within the field and can be overwritten.</div>

<p>Field Name in Container</p> <hr/>	<p>Field Name in Container</p> <p>Defines the name under which the form element will be saved in the data container. If the Field Name in Container remains empty, then the field identifier (name) will be used. If two form elements share the same Field Name in Container, then both will access the same value.</p> <div data-bbox="878 321 1498 457">  The Field Name in Container is a technical identifier. It is often used for extended coding. Therefore the Field Name in Container should not contain any spaces, special characters or umlaut. For further information please visit page The Container Principle. </div> <p>If the option Show Label Inline is used at the same time, the field label remains visible in the input field until the user has made an entry or a value different from the empty string has been read from the container.</p>
<p>Field Name for Possible Values</p> <hr/>	<p>Container Name for Possible Values</p> <p>To use the search field, possible values are defined in the container using order or a form function. In the field Container Name for Possible Values you have to save the reference to the data object defined in the container.</p>
<p><input checked="" type="checkbox"/> Save Value in Instance</p>	<p>Save Value in Instance</p> <p>If this checkbox is marked, the value entered in this field will be saved in the database during form execution.</p>