

Signature

The Element Signature

BPaaS 17.3

Element in Sidebar	 A blue pencil icon followed by the word "Signature" in a blue, sans-serif font.
Form Field	 A rectangular form field with a dashed red border and a hatched background. The word "Signature" is written in the top left corner. A blue pencil icon is in the bottom left corner. A purple crosshair cursor is in the center, and a blue double-headed arrow cursor is in the bottom right corner.
Function	The element signature enables signing forms.
Default	Empty by default.

On this Page:

- [The Element Signature](#)
 - [Configuration Options](#)

Related Pages:

- [Creating Forms](#)
 - [Using the Signature Element](#)
- [Service](#)
 - [Procurement Process](#)

Example



When executing the form, the user can sign in this field - on computers with use of the mouse, on devices with a touch screen manually or using a stylus. The input is then displayed in the signature field:




i The input is centered. The more accurate the aspect ratio of the signature element corresponds to the drawing field, the larger the input will fill the element during execution. The scaling of the aspect ratio will vary depending on the used device. Use the preview option to adapt the size of the signature element to your device.

Configuration Options

The form element may be edited via the **Edit Sidebar**.

<p>Name Signature </p>	<p>Name Field name shown in the form.</p>
<p>ID rp02727f33-b7cf-40ef-886e-b4da441295ff</p>	<p>ID () The read-only field contains the model ID of the element. Designers can use the ID for example in the search to link the element in other models.</p>
<p>Description</p> 	<p>Description When a user hovers over a form element during execution, the content commentary field is shown as a quick info:</p> 

<p>Hashtags</p> <hr/>	<p>Hashtags</p> <p>Possibility to insert your own key terms . The leading hashtag sign # (h will be inserted automatically.</p> <p>Use the space bar to separate multiple hashtags:</p> <p>Hashtags #Procurement #ACME</p> <hr/> <p>One hashtag may be issued for multiple elements:</p> 
<p>Additional CSS Classes</p> <hr/>	<p>Additional CSS Classes</p> <p>Enables a field-accurate layout customization.</p>
<p><input type="checkbox"/> Mandatory</p>	<p>Mandatory</p> <p>The marked element must be filled or used.</p>
<p><input type="checkbox"/> Read Only</p>	<p>Read Only</p> <p>This field is write-protected.</p>
<p><input type="checkbox"/> Show Label</p>	<p>Show Label</p> <p>If this option is activated, the name of the element will appear in the top</p>

<p>Field Name in Container</p> <hr/>	<p>Field Name in Container</p> <p>Defines the name under which the form element will be saved in the database container. If the Field Name in Container remains empty, then the field identifier (name) will be used. If two form elements share the same Field Name in Container, then both will access the same value.</p> <div data-bbox="878 321 1497 457" style="border: 1px solid green; padding: 5px;"><p> The Field Name in Container is a technical identifier. It is often used for extended coding. Therefore the Field Name in Container should not contain any spaces, special characters or umlaut. For further information please visit page The Container Principle.</p></div>
<p><input checked="" type="checkbox"/> Save Value in Instance</p>	<p>Save Value in Instance</p> <p>If this checkbox is marked, the value entered in this field will be saved in the database during form execution.</p>